MARK SCHEME for the October/November 2015 series

9608 COMPUTER SCIENCE

9608/12

Paper 1 (Written Paper), maximum raw mark 75

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

Ρ	age 2	2	Mark Scheme	Syllabus	Paper
			nternational AS/A Level – October/November 2015	9608	12
1	(a)	Hard disk	– magnetic (storage media)		
		DVD-RW	 optical (storage media) 		
		Flash memory	 solid state (memory device) 		[3]
	(b)	DVD-RW			
		 only allows requires special in order to v performanc single sided 	le spiral track write OR read operation to occur as separate operation ecial packet reading/writing software write new data to the disc the existing data must be con e degrades/becomes unreliable after 1000 record/erase I, 4.7 Gb capacity at different speeds/constant linear velocity	npletely eras	ed
		DVD-RAM			
		 allows simu requires no makes use <u>repeatedly</u> single or do 	al concentric tracks ltaneous read/write operations special read/write software of sectors to store data read, write and erase/100000 record/erase cycles poss buble sided, 4.7 Gb capacity per side at a constant speed/constant angular velocity	ible	[4]
2	(a)	 through a (p the light is r sensor dete capturing de at about 15 as the mous which are tr 	hines onto a surface polished) ring at the base reflected from the surface through the ring rects reflected light retails/photograph of surface (under the ring) 00 times per second se moves the sensor detects changes in the surface de ranslated into movement (change of x and y co-ordinate er/software updates the position of the cursor on the sc	es)	aph [3]

Ρ	ag	е	3

Mark Scheme	Syllabus	Paper
Cambridge International AS/A Level – October/November 2015	9608	12

(b)

Statement	Sequence number
Paper feed stepper motor activated; sheet of paper fed from paper tray	3
Printer driver translates data into a suitable format for the printer	1
The print head moves across page; ink is sprayed each time the print head pauses for a fraction of a second	4
Paper feed stepper motor advances paper a fraction of a cm after each complete head pass	5
Printer receives data from the computer and stores the data in the printer's buffer	2

3 (a) (i) 46C

	(ii)	101000	[1]
(b)	(i)	1 bit	[1]
	(ii)	 8 bits are needed Each colour is represented by one of 256 values values 0 to 255/0000 0000 to 1111 1111 256 = 2⁸ 	[2]

[5]

[1]

Ρ	age 4	4	Mark Scheme		Syllabus	Paper
	•		ambridge International AS/A Level – Oc	tober/November 2015	9608	12
4	(a)	Sar	npling resolution (two marks)			
		- - - - -	representation used to write samples in di resolution is the number of distinct values specified by the number of bits used to sto sometimes referred to as bit depth the higher the sampling resolution the sma a higher sampling resolution results in less usually 8 bit, 16 bit, 24 bit or 32 bit	available to encode/repr pre/record each sample aller the quantization erro		sample
		Sar	npling rate (two marks)			
		 _	number of times that the amplitude of (ana per unit time/per second higher sampling rate results in more accur			red [4]
	(b)	(i)	one mark for correct calculation, one mai	rk for the answer		
			$\frac{44100\times16\times2}{8}$ (1 mark)			
			176 400 bytes (1 mark)			[2]
		(ii)	Allow follow through from part (i) on 1764	00		
			$\frac{4 \times 60 \times 176400}{1024 \times 1024}$ one mark for numerone mark for denomination one mark for denomination one mark for denomination of the second seco			[2]
	(c)	any	three from:			
		_ _	mp3 is a <u>lossy</u> compressed format uses psycho-acoustic modelling			

- and perceptual music/noise shaping
- certain parts of the music can be eliminated without significantly degrading the listener's experience

[3]

- removes sound that the human ear can't hear
- only keeps sounds human ear can hear better than others
- discards softer sound if two sounds played together

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – October/November 2015	9608	12

5 One mark for each correctly placed tick.

Activity	Ethical	Unethical
Gives away passwords used in the intruder detection software		~
Uses source code developed at the software house for the software he develops for his own company		✓
Insists that staff work to deadlines	✓	
Turns down training opportunities offered by his employer		✓
Writes and sells software that reads confidential data from client computers		✓
Fakes test results of safety-critical software		✓
Has the software applications developed overseas for sale in his own country	\checkmark	

[7]

Page 6		6		Syllabus	Paper
			Cambridge International AS/A Level – October/November 2015	9608	12
6	(a)	Ar	y three from: program must be resident in (main) memory to be executed		
		_ _ _	program consists of a sequence of instructions which occupy a (contiguous) block of main memory instructions and data are indistinguishable		
		_	each instruction is fetched, (decoded) and then executed instruction fetch and data operation cannot occur at the same time		[3]
	(b)	(i)	one mark each:		
			 control bus 		
			 data bus address bus 		[3]
					[0]
		(ii)	generates the timing signals/generates the signals to synchronise exprocessor / fetch-(decode)-execute cycle	vents in the	[1]
7	(a)	lin	es 8–15		[1]
	(b)	(i)	one mark each:		
			– groupSize		101
			– groupPrice		[2]
		(ii)	lines 10–13		[1]
	(c)	(i)	 outputs a prompt for user input/prompts the user for input 		
	(0)	(י)	 returns an input value 		[2]
		(ii)			
			 a (local) variable 		[2]

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – October/November 2015	9608	12

8 Verification (one mark for description, one mark for explanation of need)

- needed to ensure that the data entered exactly matches the original source/data is consistent
- comparison of two versions of the data
- examples include double entry, visual checking, proof reading etc...
- does not check data is sensible/acceptable

Validation (one mark for description, one mark for explanation of need)

- needed to check that the data entered is sensible/reasonable/acceptable/matches required criteria
- automatic check by computer
- examples include range, type, length, etc.
- does not check data is correct

[4]

9 (a) (i) 0B.40.FF.5A

1 mark per byte, deduct one mark if no dots or if alternative separator used [4]

- (ii) Any two from:
 - composed of four (denary or Hexadecimal) integers
 - each in the range 0-255/00-FF
 - each stored in 1 byte/8 bits/stored in 32 bits
 - (in IPv4) separated into network ID and host ID [2]

(b) Maximum 3 marks for URL and maximum 3 marks for DNS

- URL = <u>uniform</u> resource locator
- reference address to a resource/website on the Internet
- includes protocol used /includes domain name
- browser software sends URL to DNS
- DNS = Domain name system // Domain name service // Domain name server
- the true domain name (e.g. cie_exams.co.uk) is resolved/turned into an IP address by DNS
- DNS server stores a database/list of URLs with matching IP address
- a DNS server may need to pass a request onto another DNS server, (if URL not in its database)
- DNS server adds returned IP address and URL to its cache/database
- DNS server may return an error message if requested domain name is invalid or does not exist
- the DNS service has a hierarchy/or by example
- DNS server returns IP address to browser

[4]

Page 8	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – October/November 2015	9608	12

10 (a) Any two from:

- To configure the disc for use / initialise tracks and sectors
- To initialise a file system (e.g. FAT, NTFS) / create a file directory
- To install a boot sector (if creating a bootable disk)
- To check all sectors and mark bad sectors

[2]

(b) One mark each named program + one mark for need

Defragmenter

- To rearrange blocks that are used for each file to make blocks contiguous (so that file reading is faster)
- To reduce head movements

(Disk) contents analysis/(disk) repair software/Disc checker

- To identify bad sectors so that they can be marked as unusable
- Verifies file system integrity and fixes logical file system errors

(Disc) compression/file compression

- To compress/decompress the contents of the disc, thus increasing capacity

Backup software

- To store disk contents (somewhere else) in case of disk failure

Anti-malware program

- To scan for/remove/quarantine viruses and/or other malware

(Disc) cleaner

 Finds redundant/unnecessary files, gives the user the option of deleting them if disc getting full

Disc space analysis

- Visually demonstrates the disc usage by showing sizes of files/folders