CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Level

MARK SCHEME for the May/June 2014 series

9691 COMPUTING

9691/31

Paper 3 (Written Paper), maximum raw mark 90

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – May/June 2014	9691	31
	<u>-</u>		

(a) The rule is defined in terms of itself A. 'calls' itself Rule 4 [2] (1) (b) (i) <LeftBr> <Digit> <RightBr> # 8 is a <digit> But a <Digit> is an <Integer> (1) So final expression is: <LeftBr><Integer><RightBr> (1) [3] (ii) <ArraySubscript> must end with <RightBr> [1] (c) <ZeroDigit> ::= 0 (1) <NonZeroDigit> ::= 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 (1) <Digit> ::= 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 (1) 2 marks MAX – for discriminating between original digits and non-zero <Digit> ::= <ZeroDigit> | <NonZeroDigit> (1) <Index> ::= <NonZeroDigit> | <Index><Digit> (1) <ArraySubscript ::= <LeftBr><Index><RightBr> (1) [MAX 4]

Page 3		Mark Scheme	Syllabus	Pap	er
. 4900		GCE A LEVEL – May/June 2014	9691	3′	
(a)	The	e table is not in First Normal Form e table has a repeated group of attributes/Registrat		(1) (1)	[2]
(b) (i)		Depot HasBased Vehicle			[1]
(ii)	Mar Cor Rec Dep	rk as follows rect first three attributes gistrationNo PK bootTown present bot (DepotTown (or similar), DepotAddress) correct	age, DepotTown)	(1) (1) (1)	[4]
(c) (i)		Customer Makes Hire			[1]
(ii)		mary key CustomerID in the Customer tables s to foreign key (CustomerID or by implication) in the	ne Hire table	(1) (1)	[2]
(d)		plays the registration number all vehicles currently on a hireout		(1) (1)	[2]
(e)	FRO	LECT DepotTown, RegistrationNo (/ or equivalent) MY Vehicle (R.'DepotVehicle') ERE VehicleType (/ or equivalent) = 'SC'	alent)	(1) (1) (1)	[3]
(f)	SET WHE	DATE Hire LicenceChecked = TRUE // "YES" // equival A. Any sensible attribute name + value ERE CustomerID = '085' AND artDate = #13/07/2014#	alent	(1)	
		// DateBooked = #05/04	/2014#	(1)	[2]

2

(a) (i)	X = 15		[1]
(ii)	Age = 12		[1]
(iii)	Who = moira Who = imram Who = jajid Who = sarah Who = sajid		
	NB Names only A. wrong case		[1]
(iv)	False // No // Invalid		[1]
(b)	team(seniorFemale). teamGender(seniorFemale, f). ageLimit(seniorFemale, 99) player(azhar, f, 24). player(asmar, f, 31). Popalty, 1 for wrong case used for either data or clause names	(1)(1)(1)(1)(1)	[MAY 4]
	Penalty –1 for wrong case used for either data or clause names		[MAX 4]
(c) (i)	Checks that the player has a gender which matches the requirement for th stated team	е	[1]
(ii)	<pre>ageLimit(TeamY, AgeY) and AgeX <= AgeY // AgeX < AgeY</pre> 1 1 1		
	(or description for 1 only) There must be a check on the age limit		[3]

Mark Scheme GCE A LEVEL – May/June 2014

Page 4

3

Syllabus 9691 Paper 31

Page 5	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – May/June 2014	9691	31

4 (a) (i) BEAR - CATERPILLAR

[1]

(ii) 3 leaf nodes

[1]

(b) INTEGER

(1)

ARRAY[1 : 2000] ... (OF) STRING / TEXT (1)

(1) [3]

(c)

Root.Pt.r	1
110001	

	LeftPtr	Data	RightPtr
1	4	ELEPHANT	2
2	5	LLAMA	3
3	(0)	SNAKE	7
4	(0)	BEAR	6
5	(0)	LION	(0)
6	(0)	CATERPILLAR	(0)
7	(0)	TIGER	0

Mark as follows:

Root = 1 (1)
Elephant pointers 4 and 2 (1)
Six names entered (1)
Other pointers correct (1) [4]

(d) (i) ³ [1]

Page 6Mark SchemeSyllabusPaperGCE A LEVEL – May/June 2014969131

```
//binary tree search
(ii)
              INPUT SearchAnimal
              \texttt{IsFound} \leftarrow \texttt{FALSE}
              Current ← RootPtr
                REPEAT
                  IF SearchAnimal = Data[Current]
                      //found
                      OUTPUT 'Found'
                     IsFound ← TRUE
                  ELSE
                    IF SearchAnimal > Data[Current]
                      THEN
                        // move right
                        Current \( \infty \) RightPtr[Current] (A. =)
                      ELSE
                        Current ← LeftPtr[Current]
                      ENDIF
                  ENDIF
                UNTIL IsFound ( = TRUE)
                           // SearchAnimal = Data[Current]
                                                    OR Current = 0
                IF Current = 0
                     // IsFound = FALSE // NOT IsFound
                         // IsFound = FALSE AND Current = 0
                    OUTPUT SearchAnimal ' Not Foundy
                ENDIF
                                                                                 [5]
```

			<u>.</u>			
5	(a)	97 -116 (1)	[2]			
	(b)	61 97 1 mark per byte	[2]			
	(c)	6A F5 1 mark per byte	[2]			
	(d) (i)	+6.5 give 3 marks If answer incorrect mark as follows: Exponent: +3 // move the pattern three places Mantissa: +13/16 // 0.1101				
		Answer: $13/16 \times 2^3$ // or equivalent	[3]			
	(ii)	(Positive) The mantissa/byte 7 starts with a zero	[1]			
	(e) (i)	(Normalised) The mantissa/byte 7 starts with 01/the first two bits are different	[1]			
	(ii)	Mantissa Exponent				
	()	0 1 1 0 0 0 0 0 0 0 0 1 0 1 0				
		Mantissa Exponent				
		1 0 0 0 1 1 0 0 0 1 1 0 0	[MAX 3]			
	(f)	The precision/accuracy is increased, but The range of possible numbers is decreased	[2]			
		The range of possible numbers is decreased				

Mark Scheme GCE A LEVEL – May/June 2014 Syllabus

9691

Paper 31

Page 7

Page 8		Mark Scheme	Syllabus	Paper
		GCE A LEVEL – May/June 2014	9691	31
(a)	Ove	umber of computers which are <u>connected</u> er a small 'geographical' area / or by example – site / bu A. over a short distance		(1) (1) [2]
(b) (i)		e of (user IDs with a) password e of biometrics/fingerprint/retina scanner		[1]
(ii)	fing	nain controller // file server to authenticate log-ons erprint/retina scanner A. firewall		[1]
(c)	Pos	ssible benefits		
	Opt	 data travels at the speed of light/provides for fast not affected by moisture/(electro-magnetic) interfe impossible for the data to be hacked high bandwidth possible 		
	Twi	sted pair: Iess chance of interference from magnetic forces Iow cost easy to work with // flexible	in close proximity	
	Coa	axial:difficult for the data to be hacked intoscreened to avoid (electro-magnetic) interference		
	Mai	rk as: 2 × 3 marks per type		[6]
(d)	Rou	uter		[1]
(e)	Fire	ewall //proxy server		[1]
(f)	Lar	rdware ge amount of hard-disk storage abase server		
	Dat	tware abase Management Software (A. DBMS) database		
	Sof	mputers must have some form of 'client software' to activate must be specially written to access the DBMS //		se // [Max

7	(a)	a model / program (A. software) of the real-world system is produced (real-world system can be given by example) DO NOT accept 'imitate' instead of model.	(1)	
		to predict the likely behaviour (of a real-world system)	(1)	[2]
	(b)	(Air) pressure sensor Wind speed/air flow sensor Humidity/moisture sensor		[MAX 2]
	(c)	The flight simulator is a <u>physical</u> entity // <u>by example e.g. actuators //</u> specialist hardware will be needed Weather forecasting has to produce results faster than real-time // flight simulator operates in real-time Flight simulator requires continual user input to operate		[1]

Mark Scheme

GCE A LEVEL – May/June 2014

Page 9

Paper 31

Syllabus

9691