CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the October/November 2012 series

9691 COMPUTING

9691/22 Paper 2 (Written Paper), maximum raw mark 75

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.


Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9691	22

1 (a)




1 mark per row in correct order

[2]

- (b) to enable modular testing/maintenance/debugging
 - to enable different blocks to be worked on by different staff
 - easier to understand // reduce complexity

[2]



1 mark for 2 blocks under Enter Car Details

[1]

- (d) (i) Invalid
 - (ii) Invalid
 - (iii) grey is valid

[3]

Page 3	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9691	22

(e) (i) Delphi Pascal

```
VAR
       CarRegValid : BOOLEAN;
      CarReg : STRING;
BEGIN
    CarRegValid := TRUE;
    READLN (CarReg);
    IF LENGTH(CarReg) <> 6 THEN
       CarRegValid := FALSE;
    IF NOT((COPY(CarReg, 1, 2) \geq '00') AND (COPY(CarReg, 1, 2) \leq '99'))
THEN
             CarRegValid := FALSE;
    IF COPY(CarReg, 3, 4) <> 'HIRE' THEN
             CarRegValid := FALSE;
    IF CarRegValid THEN
       WRITELN ('Valid')
    ELSE
       WRITELN('Invalid');
END.
VB 2005
Dim CarRegValid As Boolean
Dim CarReg As String
CarRegValid = True
CarReg = Console.ReadLine()
If Len(CarReg) <> 6 Then
          CarRegValid = False
End If
If Not (Mid(CarReg, 1, 2) \geq "00" And Mid(CarReg, 1, 2) \leq "99") Then
          CarRegValid = False
End If
If Mid(CarReg, 3, 4) <> "HIRE" Then
          CarRegValid = False
End If
If CarRegValid Then
            Console.WriteLine("Valid")
Else
            Console.WriteLine("Invalid")
End If
VB6
Dim CarRegValid As Boolean
Dim CarReg As String
CarRegValid = True
CarReg = InputBox("")
If Len(CarReg) <> 6 Then
          CarRegValid = False
End If
If Not (Mid(CarReg, 1, 2) \geq "00" And Mid(CarReg, 1, 2) \leq "99") Then
          CarRegValid = False
If Mid(CarReg, 3, 4) <> "HIRE" Then
          CarRegValid = False
End If
If CarRegValid Then
            MsgBox("Valid")
Else
            MsgBox("Invalid")
End If
```

Page 4	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9691	22

Python

```
carReg = input()
    carRegValid = True
    if len(carReg) != 6 :
           carReqValid = False
    if not(carReg[0 : 2] >= '00' and carReg[0 : 2] <= '99') :
                    carRegValid = False
    if carReg[2 : 6] != 'HIRE' :
                    carRegValid = False
    if carRegValid :
           print("Valid")
    else :
           print("Invalid")
    1 mark for length check (accept incomplete check)
    1 mark for correct separating 1<sup>st</sup> two characters
    1 mark for testing first two characters are digits
    1 mark for separating last four characters
    1 mark for testing last four characters are HIRE
    1 mark for initialising Boolean value
    1 mark for changing Boolean value if error
    1 mark for suitable message for valid and invalid
    1 mark for correct use of specified programming language
    1 mark for indentation
                                                                                      [10]
(ii) – string length > 6 // three leading digits (instead of 2)
```

(f) (i) Alpha testing:

Who – issue of software to a restricted number of testers within the company
When – it may not be completely finished and could have faults // before beta testing
Purpose – to find faults // to check the logic // to see if it works
[3]

Line number quoted must include the condition

[2]

(ii) Beta testing:

Who – released to specific customers // potential users
When – in finished state // after alpha testing // before release of software
Purpose – for their constructive comments // feedback // to find errors missed earlier [3]

Page 5	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9691	22

2 (a)

Row	Position	Row<=	Position		ParkingSpace				
		25	<=4	<>"00HIRE"	[1,1]	[1,2]	[1,3]	[1,4]	[2,1]
1	1	TRUE	TRUE	TRUE	52HIRE				
	2		TRUE			10HIRE			
	3		TRUE				67HIRE		
	4		TRUE					24HIRE	
	5		FALSE						
2	1		TRUE						63HIRE

```
1 mark for second decision in heading
```

[6]

(b) Pascal

VB 2005

¹ mark for third decision in heading

¹ mark for correct array elements in heading

¹ mark for correct values into array elements

¹ mark for correct values in column 2

¹ mark for correct placing of the FALSE

Page 6	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9691	22

VB6

Python

1 mark for indentation

```
Row = 1
while Row <= 25 :
Position = 1
while Position <= 4 :
     CarReg = input()
     if CarReg == "00HIRE" :
            return
     ParkingSpace[Row][Position] = CarReg
     Position = Position + 1
Row = Row + 1
1 mark for correct WHILE loops
1 mark for correctly nested loops (must indicate end of loops)
1 mark for input in correct place
1 mark for correct incrementation (Row and Position)
1 mark for checking for rogue value
1 mark for assignment to correct array element
```

Check that WHILE, IF and assignment statements are properly formed depending on the <u>programming</u> language [7]

(c) (i) 0 (zero) [1] (Correct answer only)

(ii) Run-time error [1]

(iii) Check the value of the bracket before the division takes place // write error trapping code if bracket = 0 arrange for a message to be output // exception code [2]

Page 7	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9691	22

- (d) set breakpoint at the beginning of the code under scrutiny
 - at the point(s) in the program where variable values are to be checked
 - program runs normally until breakpoint reached
 - check for current variable values
 - a line/statement/instruction at a time

[4]

3 (a)

Field Name	Data Type	Size of Field (bytes)
CarReg	String/alphanumeric/text	6
Make	String/alphanumeric/text	10-20
DateBought	Date/integer/real/string	8
OnHire	Boolean	1

[4]

```
(b) (6 + 20 + 8 + 1)

* 100 / 1024

* 1.1 (or equivalent/similar)

= 3.8 KB
```

1 mark per row above

[4]

(c) (i) Pascal

VB 2005

```
STRUCTURE HireCar

DIM CarReg AS String

DIM Make AS String

DIM DateBought AS Date

DIM OnHire AS Boolean

END STRUCTURE
```

VB6

```
Type HireCar

CarReg As String

Make As String

DateBought As Date

OnHire As Boolean

End Type
```

Page 8	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9691	22

Python

```
class HireCar :
    def __init__(self, carReg, make, dateBought, onHire) :
        self.CarReg = carReg
        self.Make = make
        self.DateBought = dateBought
        self.OnHire = onHire

1 mark for correct record structure heading
1 mark for correct record structure ending
1 mark for 2 STRING fields
1 mark for Date field
1 mark for Boolean field
```

Check programming examples Penalise once for a repeat mistake

[5]

(ii) Pascal

```
PROCEDURE AddCar(VAR CarRecord);
BEGIN

    AssignFile(CarFile, 'SuperCars');
    Reset(CarFile);
    Seek(CarFile, FileSize(CarFile));
    Write(CarFile, CarRecord);
    CloseFile(CarFile);
END;
```

VB 2005

Python

Accept pseudocode

```
1 mark for correct procedure heading
1 mark for parameter in procedure heading
1 mark for opening file for writing/appending
1 mark for accessing end of file
1 mark for writing record
1 mark for closing file
```

[5]

Page 9	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9691	22

(d) By value:

- a local copy of the data is used
- leaving the variable in the main program unaffected

By reference

- the address of the memory location of the data to be used is passed
- so value changes in procedure are also reflected in main program

[4]

- 4 date (month alone sufficient)
 - suitable report title
 - the company name (Super Cars)
 - tabulated or other suitable layout
 - headings/labels (must contain income, car, number of times hired)
 - well spaced out (making use of whole frame)
 (if clearly a <u>screen</u> design do not give this mark)

[6]