CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the October/November 2012 series

9705 DESIGN AND TECHNOLOGY

9705/11 Paper 1, maximum raw mark 120

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



| Page 2 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2012 | 9705 | 11 |

Section A

| 1 | (a) Layers of veneer shown Grain at right angles on alternate layers | | | | |
|---|--|---|---|-----------------------------------|------------|
| | (b) | (i) | Using jig described Details of tools, equipment and safety precautions | (0-2) (0-2) | 101 |
| | | | (if necessary) | (0–2) | [6] |
| | | (ii) | Making joint described Details of tools, equipment and safety precautions (if necessary) | (0–3) | [6] |
| | | (iii) | i) Painting process described | (0-3) | |
| | | | Details of tools, equipment and safety precautions (if necessary) | (0-3) | [6] |
| | | | | [Total: 20 | |
| | | | | | |
| 2 | (a) | | table finish named . laminating, varnishing, UV lacquer | (1) | |
| | | Suitable reason for choice e.g. strengthens product, gives glossy appearance, makes surface easier to clean | | | [2] |
| | (b) | | Slot and tab fixing drawn Making process described | | [6] |
| | (c) | 4 si Bas Slo | propriate scale des se t and tab fixing and glue tab (or slots and tabs) ney slot | (1) (0–2) (1) (1) (1) | [6] |
| | (d) | | cutting process described | (0-4) | |
| | | Details of tools, equipment and safety precautions (if necessary) | | (0-2) | [6] |
| | | | | | |

| | Page 3 | | Mark Scheme | Syllabus | Paper | • |
|---|--|-----------------|--|------------|-------------------------|-----|
| | | | GCE AS/A LEVEL – October/November 2012 | 9705 | 11 | |
| 3 | (a) Suitable sheet material named e.g. acrylic, perspex, polystyrene, aluminium, stainless steel Suitable reason for choice given e.g. waterproof, no surface finish required, easy to bend | | | (1) (1) | [2] | |
| | (b) | De (if | ending process described etails of tools, equipment and safety precautions necessary) utting out described | | (0-3) (0-3) (0-2) | [6] |
| | · | Sr De | moothing edges and holes drilled described etails of tools, equipment and safety precautions necessary) | | (0-2) | [6] |
| | (1 | e.(Ap De | opropriate method of joining identified g. screws opropriate joining method described etails of tools, equipment and safety precautions necessary) | | (1) (0–3) (0–2) | [6] |
| | | (11 | necessary) | | [Total: | |
| | | | Section B | | | |
| 4 | (a) | Notes | and sketch to show how tab fits in slot to hold box togethe | er | (0–2) | [2] |
| | (b) Problem 1 described Problem 2 described e.g. problems related to it being difficult to get forms out of tray, not being able to see lettering when tray is full of forms | | (0-2) (0-2) | [4] | | |
| | ` , | Explane.g. re | nation of how problem 1 could be overcome nation of how problem 2 could be overcome move part of front of tray, make back of tray higher and managery ng up, put lettering somewhere else on tray | ove | (0-3) (0-3) | [6] |
| | ` , | Explan | on has been analysed and relevant issues/points identified nation of why issues/points are considered relevant ic examples/evidence used to support conclusions | d | (0-3) (0-3) (0-2) | [8] |
| | | | | [Total: | 20] | |

| Page 4 | | ge 4 | Mark Scheme | Syllabus | Paper | |
|--------|-----|--------------------|---|----------|------------------------------------|---------------------|
| | | | GCE AS/A LEVEL – October/November 2012 | 9705 | 11 | |
| 5 | (a) | Appropri | ate explanation related to lifting chair | | (0–2) | [2] |
| | (b) | Problem e.g. relat | described described ted to not being able to stack chair because of bottom cr wider than seat therefore will not fit over seat of another | | (0-2) (0-2) | [4] |
| | (c) | Explanat | tion of how problem 1 could be overcome tion of how problem 2 could be overcome ove bottom rail, splay (angle) legs, make seat smaller | | (0-3) (0-3) | [6] |
| | (d) | Explanat | n has been analysed and relevant issues/points identified tion of why issues/points are considered relevant examples/evidence used to support conclusions | j | (0-3) (0-3) (0-2) | [8] |
| | | | | [Total: | : 20] | |
| 8 | (a) | | ate explanation related to safety symbol used to indicate able substance/material | e an | (0–2) | [2] |
| | (b) | Problem e.g. relat | 1 described 2 described ted to safety issues such as not wearing a mask and wo ventilated room (closed window) | rking | (0–2) (0–2) | [4] |
| | (c) | Explanat e.g. show | tion of how problem 1 could be overcome tion of how problem 2 could be overcome wing window open, spray booth or extraction system bei ask being used | ng | (0-3) (0-3) | [6] |
| | (d) | Explanat | n has been analysed and relevant issues/points identified tion of why issues/points are considered relevant examples/evidence used to support conclusions | i | (0-3) (0-3) (0-2) [Total: | [8] : 20] |

| Pa | ge 5 | Mark Scheme | Syllabus | Pape | r |
|-----|---|--|---------------|--------------------------|-------|
| | | GCE AS/A LEVEL – October/November 2012 | 9705 | 11 | |
| (a) | One pre- | conceived idea presented | | (0-4) | |
| | The development and selection of a range of ideas into a single design proposal which would appear to work but lacks some technical detail OR | | | (5–8) | |
| | The development and selection of a range of ideas into a single design proposal that includes sufficient technical detail to show that the proposed solution would clearly work Clarity and quality of sketching and explanatory notes Evaluation (reasons for selection) | | | (9–12) (0–4) (0–4) | [20] |
| (b) | As for pa | art (a) | | | [20] |
| (c) | As for pa | art (a) | | | [20] |
| (d) | | ving wilt exhibit a reasonable standard of outcome and s quired design features | show some | (0-5) | |
| | The drav | ving will exhibit a good standard of outcome and show reatures required to make the product function as intende | | (6–9) | |
| | | ving will be completed to a high standard of outcome an in features required to make the product function as into | | (10–14) | |
| | Some us drawing OR | e made of colour and tone to enhance the visual impac | t of the | (0–2) | |
| | Good us of the dra | e has been made of colour and tone to enhance the vis awing | ual impact | (3–4) | |
| | | d use has been made of colour, tone and material repretented the visual impact of the drawing | esentation to | (5–6) | [20] |
| | | | | | : 80] |

Questions 8 and 9 as for Question 7

7