

#### **DESIGN AND TECHNOLOGY**

9705/33 October/November 2017

Paper 3 MARK SCHEME

Maximum Mark: 120

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is a registered trademark.

## Section A

## Part A – Product Design

Question	Answer		Marks
1	appropriate example	1 × 4	20
	2D modelling ; 3D modelling ; Mock up ; Scale prototype ; for each; quality of explanation:	computer modelling, exploring shape, card exploring form, proportion scaled model of part/whole of concept, possibility usually final design model, can be tested	
	<ul> <li>logical, structured</li> <li>limited detail</li> </ul>	3-4 0-2 4 × 4	

Question	Answer			Marks
2(a)	suitable material:			3
	abs/polypropylene/HDPE appropriate hardwood e.g. beech	1		
	Reason :			
	<ul> <li>robust/take harsh treatment</li> <li>can be assembled/formed to required shape</li> <li>not split easy</li> </ul>			
	<ul> <li>take a good finish</li> </ul>		1 × 2	
2(b)	description to include:			10
	quality of description:			
	<ul> <li>fully detailed</li> </ul>	6–8		
	<ul> <li>most stages</li> </ul>	3–5		
	– some detail,	0–2		
	quality of sketches	up to 2		
2(c)	explanation could include:			7
	<ul> <li>change in process;</li> </ul>			
	<ul> <li>change in materials;</li> </ul>			
	<ul> <li>use of jigs, formers, moulds;</li> </ul>			
	<ul> <li>simplification of design.</li> </ul>			
	quality of explanation:			
	<ul> <li>logical, structured</li> </ul>	3–5		
	– limited detail,	0–2		
	quality of sketches	up to 2		

Question	Answer	Marks
3(a)	description of process	14
	- fully detailed $3-5$ - some detail, $0-2$ quality of sketchesup to 2 $7 \times 2$	
3(b)	milling – V and slot cuts – quality finish – easy machine set up, change cutter laminating – solid, strong structure – some give/flexibility – low waste/environmentally friendlier	6
	compression moulded- range of colours- suitable for thermosetting plastic- limited finishing required $3 \times 2$	

# Part B – Practical Technology

Question	Answer	Marks
4(a)(i)	$P = VI   12 \times 2.4  (1)$ 28.8 (1) Watts (1)	3
4(a)(ii)	Battery Mains supply Dynamo1 × 2Photovoltaic1 × 2Why used e.g. location, safety1 × 2	4
4(b)(i)	AbuzzerBreed switchCthyristor1 × 3	3
4(b)(ii)	$\begin{array}{c} & & & \\ & &$	10

## Cambridge International A Level – Mark Scheme **PUBLISHED**

Question	Answer			Marks
5	Discussion could include:			20
	<ul> <li>computer functions in designing</li> <li>accuracy, ability to change, share, forward</li> <li>comment on creative capacity/response to</li> </ul>			
	examination of issues			
	<ul><li>wide range of relevant issues</li><li>limited range</li></ul>	5–9 0–4		
	quality of explanation			
	<ul> <li>logical, structured</li> <li>limited detail,</li> </ul>	4–7 0–3	16	
	supporting examples/evidence			
	<ul> <li>specific programmes/usage</li> <li>specific use architecture/engineering</li> </ul>		4	

Question	Answer	Marks
6(a)	resultant 11.1 N	4
	Direction and magnitude3Resultant1	
6(b)	RL     4,2 N     1       RR     5.8 N     1	2
6(c)	correct notation1Load diagram3Transfer to main diagram3Strut/ties4Accuracy3	14


## Cambridge International A Level – Mark Scheme **PUBLISHED**

Question	Answer		Marks
7(a)	<ul> <li>(i) cashaft diameter 24</li> <li>(ii) in line flat follower</li> <li>(iii) minimum distance of 24 from the flat follower to camshaft centre</li> <li>(iv) clockwise direction</li> <li>(v) 0°-180° rise 30 simple harmonic motion</li> <li>(vi) 180°-210 dwell</li> <li>(vii) 210-360° fall with simple harmonic motion Accuracy</li> </ul>	1 1 1 1 4 2 3 2	15
7(b)	ratchet described, pawl identified Example	4 1	5

Question	Answer		Marks
8(a)(i)	size/scale Circle divided (angular or trammel) Loci plotted Accuracy	2 1 3 2	8
8(a)(ii)	accurate guard profile	up to 4	4
8(b)	isometric Exploded parts in line Accuracy rendering	2 3 3	8

Question	Answer			Marks
9	Discussion could include:			20
	<ul> <li>materials (e.g. smart)</li> <li>printing technologies</li> <li>virtual reality</li> </ul>			
	examination of issues			
	<ul><li>wide range of relevant issues</li><li>limited range</li></ul>	5–9 0–4		
	quality of explanation			
	<ul><li>logical, structured</li><li>limited detail,</li></ul>	4–7 0–3	16	
	supporting examples / evidence			
	<ul> <li>specific CAD/Internet/simulation VR etc. progra</li> <li>specific printing/manufacturing technologies</li> <li>specific consumer/manufacturer examples</li> </ul>	ammes/usage	4	
	- specific consumer/manufacturer examples		4	

## Cambridge International A Level – Mark Scheme **PUBLISHED**



#### Section B

Question	Answer		Marks
	Analysis		80
	Analysis of the given situation/problem.	0–5	
	Specification		
	Detailed written specification of the design requirements. At least five specification points other than those given in the question	0–5	
	Exploration		
	Bold sketches and brief notes to show exploration of ideas for a design solution, with reasons for selection.		
	<ul> <li>range of ideas</li> <li>annotation related to specification</li> <li>marketability, innovation</li> <li>evaluation of ideas, selection leading to development</li> <li>communication</li> </ul>	0–5 0–5 0–5 0–5 0–5	
	Development		
	Bold sketches and notes showing the development, reasoning and composition of ideas into a single design proposal. Details of materials, constructional and other relevant technical details.		
	<ul> <li>developments</li> <li>reasoning</li> <li>materials</li> <li>constructional detail</li> <li>communication</li> </ul>	0–5 0–5 0–3 0–7 0–5	
	Proposed solution		
	Produce drawing/s of an appropriate kind to show the complete solution		
	<ul> <li>proposed solution</li> <li>details/dimensions</li> </ul>	0—10 0—5	
	Evaluation		
	Written evaluation of the final design solution.	0–5	