

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CHEMISTRY 0620/21

May/June 2016 Paper 2 Multiple Choice (Extended)

45 Minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.


Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 20.

Electronic calculators may be used.


The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate. This document consists of 17 printed pages and 3 blank pages.







1 The rate of diffusion of two gases, methane, CH_4 , and ethene, C_2H_4 , is measured using the apparatus shown.




Which gas diffuses faster and why?

	gas that diffuses faster	reason
Α	ethene	Ethene molecules are heavier and so move faster.
В	ethene	Ethene molecules have a double bond which makes them more reactive.
С	methane	Methane molecules are lighter and so move faster.
D	methane	Methane molecules are smaller so they can get out of the small hole more easily.

2 A sample of a dye is investigated by chromatography.

A line is drawn across a piece of chromatography paper and a spot of the dye is placed on it.

The paper is placed in water.




Which row is correct?

	what is used to draw the line	position of spot
Α	ink	above the level of the water
В	ink	below the level of the water
С	pencil	above the level of the water
D	pencil	below the level of the water

3 The paper chromatogram below was obtained from four different dyes.

Which dye has an R_f value of 0.7?



- **4** Which statements about isotopes of the same element are correct?
 - 1 They are atoms which have the same chemical properties because they have the same number of electrons in their outer shell.
 - 2 They are atoms which have the same number of electrons and neutrons but different numbers of protons.
 - 3 They are atoms which have the same number of electrons and protons but different numbers of neutrons.
 - **A** 1 and 2
- **B** 1 and 3
- C 2 only
- D 3 only
- 5 The table shows the electronic structure of four atoms.

atom	electronic structure
W	2,8,1
X	2,8,4
Y	2,8,7
Z	2,8,8

Which two atoms combine to form a covalent compound?

A W and X

B W and Y


C X and Y

D X and Z

Which statement describes the attractive forces between molecules (intermolecular forces)? 6

- They are strong covalent bonds which hold molecules together.
- They are strong ionic bonds which hold molecules together. В
- C They are weak forces formed between covalently-bonded molecules.
- **D** They are weak forces which hold ions together in a lattice.

7 The diagram represents the general structure of a solid Z.



What is Z?

- **A** aluminium
- **B** iodine
- C silicon dioxide
- **D** sulfur

A compound, X, contains 40.0% carbon, 6.7% hydrogen and 53.3% oxygen by mass.

The relative molecular mass, M_r , of X is 60.

What is the molecular formula of X?

- A CH₂O
- B CH₄O
- **C** C_2H_4O **D** $C_2H_4O_2$

 $25\,\mathrm{cm^3}$ of $0.1\,\mathrm{mol/dm^3}$ hydrochloric acid exactly neutralise $20\,\mathrm{cm^3}$ of aqueous sodium hydroxide.

The equation for this reaction is:

NaOH + HC
$$l \rightarrow$$
 NaC l + H₂O

What is the concentration of the sodium hydroxide solution?

- **A** 0.080 mol/dm³
- **B** 0.800 mol/dm³
- $\mathbf{C} = 0.125 \, \text{mol/dm}^3$
- \mathbf{D} 1.25 mol/dm³

10 Which reactions could take place at the anode during electrolysis?

1
$$4OH^{-}(aq) \rightarrow 2H_2O(I) + O_2(g) + 4e^{-}$$

2
$$2Cl^{-}(aq) \rightarrow Cl_{2}(g) + 2e^{-}$$


3
$$Cu^{2+}(aq) + 2e^- \rightarrow Cu(s)$$

4
$$2H^{+}(aq) + 2e^{-} \rightarrow H_{2}(g)$$


- **A** 1 and 2
- **B** 1 and 4
- **C** 2 and 4
- **D** 3 and 4

11 The diagram shows some properties that substances may have.

To which labelled part of the diagram does ²³⁵U belong?



12 The diagram shows a simple cell.



Which statement about the process occurring when the cell is in operation is correct?

- A Cu²⁺ ions are formed in solution.
- **B** Electrons travel through the solution.
- **C** The reaction $Zn \rightarrow Zn^{2+} + 2e^{-}$ occurs.
- D The zinc electrode increases in mass.

13 Hydrogen burns exothermically in oxygen.

The equation for the reaction is:

$$2H_2 + O_2 \rightarrow 2H_2O$$

The table shows the bond energies involved.


bond	bond energy in kJ/mol
H–H	436
O=O	498
O–H	464

What is the energy given out during the reaction?

- **A** -3226 kJ/mol
- **B** -884 kJ/mol
- **C** -486 kJ/mol
- **D** -442 kJ/mol

14 A liquid X reacts with solid Y to form a gas.

Which two diagrams show suitable methods for investigating the rate (speed) of the reaction?



- 15 Which statements explain why increasing temperature increases the rate of a chemical reaction?
 - 1 Heat makes the molecules move faster and collide more often.
 - 2 Heat makes the molecules collide with more energy so they are more likely to react.
 - 3 Increasing temperature lowers the activation energy for the reaction.
 - **A** 1 and 2
- **B** 1 and 3
- C 1 only
- **D** 2 only

16 Steam reacts with carbon in an endothermic reaction.

$$C(s) + H_2O(g) \rightleftharpoons CO(g) + H_2(g)$$

Which conditions of temperature and pressure would give the largest yield of hydrogen?

	temperature	pressure
Α	high	high
В	high	low
С	low	high
D	low	low

17 Which equation represents a reduction reaction?

$$A \quad Fe^{2+} + e^{-} \rightarrow Fe^{3+}$$

$$\mathbf{B} \quad \mathsf{Fe^{2^+}} \rightarrow \mathsf{Fe^{3^+}} + \mathsf{e^-}$$

C
$$Fe^{3+} + e^{-} \rightarrow Fe^{2+}$$

D
$$Fe^{3+} \rightarrow Fe^{2+} + e^{-}$$

18 Which statements are properties of an acid?

1 reacts with ammonium sulfate to form ammonia

2 turns red litmus blue

	1	2
Α	✓	✓
В	✓	X
С	X	✓
D	X	X

19 Which row describes whether an amphoteric oxide reacts with acids and bases?

	reacts with acids	reacts with bases
Α	no	no
В	no	yes
С	yes	no
D	yes	yes

- **20** Which substance reacts with dilute sulfuric acid to form a salt that can be removed from the resulting mixture by filtration?
 - A aqueous barium chloride
 - B aqueous sodium hydroxide
 - C copper
 - **D** copper(II) carbonate
- 21 Where in the Periodic Table is the metallic character of the elements greatest?

	left or right side of a period	at the top or bottom of a group
Α	left	bottom
В	left	top
С	right	bottom
D	right	top

22 Some properties of four elements, P, Q, R and S, are shown in the table.

Two of these elements are in Group I of the Periodic Table and two are in Group VII.

element	reaction with water	physical state at room temperature
Р	reacts vigorously	solid
Q	does not react with water	solid
R	reacts explosively	solid
S	dissolves giving a coloured solution	liquid

Which statement is correct?

- A P is below R in Group I.
- **B** Q is above R in Group I.
- **C** Q is below S in Group VII.
- **D** R is below S in Group VII.

23 Which of the following could be a transition element?

	melting point in °C	density in g/cm ³	colour	electrical conductor
Α	114	4.9	purple	no
В	659	2.7	grey	yes
С	1677	4.5	grey	yes
D	3727	2.3	black	yes

24 Two statements about argon are given.

- 1 Argon has a full outer shell of electrons.
- 2 Argon is very reactive and is used in lamps.

Which is correct?

- A Both statements are correct and statement 2 explains statement 1.
- **B** Both statements are correct but statement 2 does not explain statement 1.
- C Statement 1 is correct but statement 2 is incorrect.
- **D** Statement 2 is correct but statement 1 is incorrect.
- 25 A student investigated the reactions of four metals, R, S, T and U, with solutions of their salts.

The results are given in the table.

metal	metal salt	result
R	S nitrate	reacts
R	T nitrate	reacts
S	U nitrate	no reaction
Т	U nitrate	reacts
U	R nitrate	no reaction

What is the order of reactivity of the metals, most reactive first?

- $\textbf{A} \quad \mathsf{R} \to \mathsf{S} \to \mathsf{U} \to \mathsf{T}$
- **B** $R \rightarrow T \rightarrow U \rightarrow S$
- $\textbf{C} \quad S \to U \to T \! \to R$
- $\textbf{D} \quad \mathsf{U} \to \mathsf{R} \to \mathsf{T} \to \mathsf{S}$

26 Three students, X, Y and Z, were told that solid P reacts with dilute acids and also conducts electricity.


The table shows the students' suggestions about the identity of P.

Х	Υ	Z
copper	iron	graphite

Which of the students are correct?

- A X, Y and Z
- **B** X only
- **C** Y only
- **D** Z only
- 27 Which statement about the uses of metals is correct?
 - A Aluminium is used in the manufacture of aircraft because of its strength and high density.
 - **B** Copper is used in electrical wiring because of its strength and high density.
 - **C** Mild steel is used in the manufacture of car bodies because of its strength and resistance to corrosion.
 - **D** Stainless steel is used in the construction of chemical plant because of its strength and resistance to corrosion.
- **28** Aluminium is manufactured by electrolysis of aluminium oxide.


The diagram shows the electrolysis cell.



Which statement about the process is **not** correct?

- A Aluminium ions gain electrons during the electrolysis and are reduced.
- **B** Cryolite is added to reduce the melting point of the aluminium oxide.
- **C** The anode and cathode are made of graphite.
- **D** The cathode has to be replaced regularly because it is burnt away.


29 The diagram shows an experiment to investigate how paint affects the rusting of iron.



What happens to the water level in tubes P and Q?

	tube P	tube Q
Α	falls	rises
В	no change	rises
С	rises	falls
D	rises	no change

30 A new planet has been discovered and its atmosphere has been analysed.



The table shows the composition of its atmosphere.

gas	percentage by volume
carbon dioxide	4
nitrogen	72
oxygen	24

Which gases are present in the atmosphere of the planet in a higher percentage than they are in the Earth's atmosphere?

- A carbon dioxide and oxygen
- B carbon dioxide only
- C nitrogen and oxygen
- **D** nitrogen only

31 Many car exhaust systems contain a catalytic converter.

Which change does **not** occur in a catalytic converter?

- A carbon dioxide → carbon
- **B** carbon monoxide → carbon dioxide
- **C** nitrogen oxides → nitrogen
- \mathbf{D} unburnt hydrocarbons \rightarrow carbon dioxide and water
- **32** Ammonia is formed by a reversible reaction.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

The forward reaction is exothermic.

Which changes in conditions would increase the yield of ammonia?

	increase in pressure	increase in temperature
Α	√	√
В	✓	X
С	X	✓
D	X	X

33 The equation for an exothermic reaction in the Contact process is shown.

$$2SO_2(g) + O_2(g) \rightarrow 2SO_3(g)$$

Which effects do increasing the temperature and using a catalyst have on the rate of formation of sulfur trioxide, SO_3 ?


	increasing the temperature	using a catalyst
Α	rate decreases	rate decreases
В	rate decreases	rate increases
С	rate increases	rate decreases
D	rate increases	rate increases

34 A farmer's soil is very low in both nitrogen (N) and phosphorus (P).

Which fertiliser would improve the quality of this soil most effectively?

		percentage	
	nitrogen (N)	phosphorus (P)	potassium (K)
Α	11	11	27
В	12	37	10
С	28	10	10
D	31	29	9

35 The diagram shows the separation of petroleum into fractions.



What could X, Y and Z represent?

	Х	Υ	Z
Α	diesel oil	lubricating fraction	paraffin
В	lubricating fraction	diesel oil	paraffin
С	paraffin	lubricating fraction	diesel oil
D	paraffin	diesel oil	lubricating fraction

36	Wh	ich of the	compounds	s shown are in t	he sa	me homolog	ous seri	ies?	
		1	CH₃OH						
		2	CH ₃ CH ₂ OH	I					
		3	CH₃COOH						
		4	CH ₃ CH ₂ CH	₂ OH					
	Α	1, 2 and	3 B	1, 2 and 4	С	1, 3 and 4	D	2, 3 and	4
37	Wh	ich comp	ounds conta	ain the same nu	mber	of carbon, h	ydrogen	and oxy	gen atoms?
			W	X		,	Y		Z

ethyl methanoate methyl ethanoate methyl methanoate ethyl ethanoate

38	What is an advan	tage of producing	ethanol by fe	ermentation of sug	gar compared to	the catalytic

C X and Z

D Y and Z

- **A** The alcohol produced is purer.
- В The process is faster.

addition of steam to ethene?

A W and X

- C The process uses high temperature.
- The process uses renewable raw materials. D

B W and Y

39 The structure of a monomer is shown.

Which polymer can be made from this monomer?

40 Which formula represents a polyester?

A —o——o—

© UCLES 2016

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2	£	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon -			
	IIA				6	ட	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	Αt	astatine -			
	IN				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъо	molod	116		livermorium -
	^				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	ï	bismuth 209			
	2				9	ပ	carbon 12	14	:S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ъ	lead 207	114	Fl	flerovium -
	=				2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	<i>1</i> L	thallium 204			
											30	Zu	zinc 65	48	S	cadmium 112	80	Hg	mercury 201	112	C	copernicium -
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group											28	Z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
Gre					,						27	ဝိ	cobalt 59	45	몺	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		- ;	I	hydrogen 1							26	Fe	iron 56					Os	osmium 190	108	Ŧ	hassium -
								,			25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	Q N	niobium 93	73	<u>Б</u>	tantalum 181	105	Op	dubnium –
						atc	rek				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿆	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	99	Ba	barium 137	88	Ra	radium -
	_				က	=	lithium 7	1	Na	sodium 23	19	×	potassium 39	37	В	rubidium 85	55	Cs	caesium 133	87	ъ́	francium

Lu Lu	lutetium 175	103	۲	lawrencium	ı
02 X					
e9 Tm	thulium 169	101	Md	mendelevium	I
8 ш	erbium 167	100	Fm	fermium	I
67 Ho	holmium 165	66	Es	einsteinium	1
% Dy	dysprosium 163	86	ర్	californium	I
65 Tb	terbium 159	26	BK	berkelium	I
Gd Gd	gadolinium 157	96	Cm	curium	I
e3 Eu	europium 152	92	Am	americium	I
Sm	samarium 150	94	Pn	plutonium	1
Pm	promethium -	93	ď	neptunium	I
9 P	neodymium 144	95	⊃	uranium	238
59 P	praseodymium 141	91	Ра	protactinium	231
Se Se	cerium 140	06	T	thorium	232
57 La	lanthanum 139	88	Ac	actinium	I
lanthanoids			actinoids		

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.)