

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE NUMBER	
*			
3	CHEMISTRY		0620/62
_	Paper 6 Alterna	ative to Practical	May/June 2018
2 8 5			1 hour
4	Candidates ans	wer on the Question Paper.	
9387	No Additional M	laterials are required.	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use an HB pencil for any diagrams or graphs. Do not use staples, paper clips, glue or correction fluid. DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 9 printed pages and 3 blank pages.





(a) Complete the box to name the apparatus.

A sketch graph of the results obtained is shown.



[Total: 8]

[1]

2 A student investigated the temperature changes when two different solids, solid C and solid D, dissolved in water.

Two experiments were done.

Experiment 1

- Using a measuring cylinder, 40 cm³ of distilled water was poured into a polystyrene cup. The initial temperature of the distilled water was measured.
- 3g of solid **C** was added to the polystyrene cup and the mixture was stirred with a thermometer. The temperature of the solution was measured after 1 minute.
- The procedure was repeated using 4 g of solid C.
- The procedure was repeated using 6g of solid C.
- (a) Use the thermometer diagrams to record the results in the table.

Calculate and record the temperature change in each case, including whether the temperature increased (+) or decreased (-).

mass of solid C /g	thermometer diagram	initial temperature of the distilled water/°C	thermometer diagram	temperature of the solution after 1 min/°C	temperature change/°C
3	30 - 25 - 20		20 - 15 - 10		
4	30 - 25 - 20		20 - 15 - 10		
6	30 25 20		20 15 10		

Experiment 2

- Experiment 1 was repeated but using 3g, 4g, 6g and 8g of solid **D**.
- (b) Use the thermometer diagrams to record the results in the table.

Calculate and record the temperature change in each case, including whether the temperature increased (+) or decreased (-).

mass of solid D /g	thermometer diagram	initial temperature of the distilled water/°C	thermometer diagram	temperature of the solution after 1 min/°C	temperature change/°C
3	30 - 25 - 20		- 25 - 20		
4	30 - 25 - 20		30 - 25 - 20		
6	30 - 25 - 20		25 - 20		
8	30 - 25 - 20		40 -35 -30		

[2]

(c) Plot the results for Experiments 1 and 2 on the grid. The (0,0) point has been plotted for you. Draw two straight lines of best fit. Clearly label your graphs.



(d) Use your graph to estimate the temperature change after 1 minute if 8g of solid C were added to 40 cm³ of distilled water.

Show clearly on the grid how you worked out your answer.

(e) What type of energy change occurs when solid D dissolves in water?
[1]
(f) Suggest the temperature of the solution containing 8g of solid D, if the solution were left for 2 hours. Explain your answer.
[2] (g) How would the temperature changes measured after 1 minute differ if the experiments were repeated using 80 cm³ instead of 40 cm³ of distilled water in each case?

.....[2]

(h) Suggest **one** change you could make to the experiments to obtain more accurate results. Explain how this change would make the results more accurate.

	change	
	explanation	
		[2]
(i)	Suggest how the reliability of the results could be checked.	
		[2]

[Total: 19]

3 Two substances, solid **E** and solution **F**, were analysed. Solid **E** was iron(II) sulfate. Tests were done on solid **E** and solution **F**.

7

tests on solid E

tests on solution F

Solution **F** was an aqueous salt solution.

Some of the tests and observations are shown.

tests on solution F	observations
Solution F was divided into two equal portions in two test-tubes.	
test 1	
Drops of aqueous sodium hydroxide were added to the first portion of solution F .	white precipitate formed
An excess of aqueous sodium hydroxide was then added to the mixture.	white precipitate was insoluble
test 2	
An excess of aqueous ammonia was added to the second portion of solution F .	no precipitate formed

(f) What conclusion can you draw about the cation present in solution F?

 	 [1]

[Total: 7]

4 Aqueous solutions of barium hydroxide are alkaline. Plan an investigation to find the concentration of an aqueous solution of barium hydroxide.

You are provided with an aqueous solution of barium hydroxide, dilute hydrochloric acid of known concentration and common laboratory apparatus.

[6
[Total: 6

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.