

CHEMISTRY

Paper 5 Practical Test

0620/52 **October/November 2018**

CONFIDENTIAL INSTRUCTIONS

Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.

READ THESE INSTRUCTIONS FIRST

The teacher responsible for preparing the examination is **not** allowed to consult the Question Paper before the examination. Teachers should, as part of the preparation of the examination requirements, carry out any tests indicated on pages 2 and 3 in order to satisfy themselves that the supplied materials are satisfactory.

The Supervisor's Report to be included with the scripts is given on pages 7 and 8. Please detach and enclose it with the scripts. If scripts are despatched in more than one envelope, it is essential that a copy of the Supervisor's Results and of the Supervisor's Report are sent inside each envelope.

More material may be issued if required, without penalty, but this should not be necessary.

Supervisors are advised to remind candidates that all substances in the examination should be treated with caution. Suitable eye protection should be provided.

In accordance with COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

Attention is drawn, in particular, to certain materials used in the examination. The following codes are used where relevant.

MH

Т

moderate hazard

acutely toxic

oxidising

- С corrosive
- HH health hazard
- F flammable
- 0
- Ν hazardous to the aquatic environment

Hazard data sheets should be available from your suppliers.

If you have any queries regarding these Confidential Instructions, please contact Cambridge stating the Centre number, the nature of the query and the syllabus number quoted above.

| email | info@cie.org.uk |
|-------|-----------------|
| phone | +44 1223 553554 |
| fax | +44 1223 553558 |

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 8 printed pages.



Question 1

Each candidate will require the following chemicals and apparatus. Labels do **not** need to include concentrations.

- (a) 100 cm³ of 10 volume hydrogen peroxide, H₂O₂, labelled solution L
 (10 volume hydrogen peroxide is equivalent to 0.83 mol/dm³.)
 This solution must be freshly prepared from <u>newly purchased</u> hydrogen peroxide.
- (b) 100 cm³ of potassium iodide, KI, of concentration 0.05 mol/dm³ labelled solution M
- (c) 100 cm^3 of sodium thiosulfate, $Na_2S_2O_3.5H_2O$, of concentration 0.01 mol/dm^3 labelled sodium thiosulfate solution
- (d) 100 cm³ of hydrochloric acid of concentration 0.1 mol/dm³ labelled hydrochloric acid for Question 1
- (e) 1% starch solution
- (f) access to water and distilled water
- (g) $2 \times 10 \text{ cm}^3$ measuring cylinders labelled **A** and **B**
- (h) 100 cm³ conical flask
- (i) white tile
- (j) teat pipette suitable for measuring 1 cm³ of liquid
- (k) stop-clock or timer which can measure to an accuracy of 1s

Question 2

Each candidate will require the following chemicals and apparatus. Labels do **not** need to include concentrations.

- (a) 0.6 g of ammonium sulfate, $(NH_4)_2SO_4$, in a stoppered test-tube labelled **solid N**
- (b) 0.4 g of potassium chloride, KCl, in a stoppered test-tube labelled solid O
- (c) aqueous barium nitrate of sufficient concentration to give a positive sulfate test
- [MH][N] (d) aqueous silver nitrate of sufficient concentration to give a positive halide test
 - [MH] (e) aqueous nitric acid of concentration 0.5 mol/dm³
 - [C] (f) aqueous sodium hydroxide of concentration 1 mol/dm³
 - [MH] (g) limewater and apparatus used to test for carbon dioxide
 - (h) distilled water
 - (i) pH indicator papers and chart
 - (j) red and blue litmus paper
 - (k) 10 cm³ measuring cylinder
 - (I) splints
 - (m) apparatus for a flame test
 - (n) Bunsen burner and matches
 - (o) rack of test-tubes
 - (p) hard glass test-tube
 - (q) boiling tube
 - (r) stopper to fit test-tubes
 - (s) test-tube holder
 - (t) teat pipettes
 - (u) spatula

N.B. Small amounts of ammonia **[C][T][N]**, which can cause respiratory distress in some people, may be produced. **The laboratory must be well ventilated.**

The Supervisor's Report is on pages 7 and 8.

The Supervisor's Report is on pages 7 and 8.

5

The Supervisor's Report is on pages 7 and 8.

This form must be completed and returned in the envelope with the scripts.

Supervisor's Report

1 (a) Supervisor's Results

It is recommended that the Supervisor should be a chemistry teacher.

The Supervisor is asked to carry out the experiments in Questions 1 and 2 and to record the results on a spare copy of the Question Paper clearly labelled 'Supervisor's Results'. Failure to enclose these results and this report form may lead to candidates being unavoidably penalised.

(b) The candidate numbers of candidates in each session were:

First session

Second session

- 2 The Supervisor is invited to report details of any difficulties experienced by candidates giving names and candidate numbers. The report should include reference to:
 - (a) any general difficulties encountered in making preparations for the examination
 - (b) difficulties due to faulty apparatus or materials
 - (c) accidents to apparatus or materials.

Other cases of individual hardship, e.g. illness, temporary disability, should be reported directly to Cambridge on the Special Consideration Form.

Declaration (to be signed by the Supervisor)

The preparation of this practical examination has been carried out so as to maintain fully the security of the examination.

| Name of Centre | |
|--------------------------|--------------|
| Centre number | |
| Signed | |
| Name (in block capitals) | (Supervisor) |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.