

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER		CANDIDA NUMBER			



CHEMISTRY 0620/52

Paper 5 Practical Test May/June 2010

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Practical notes are provided on page 8.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use		
1		
2		
Total		

This document consists of 8 printed pages.



1 You are going to investigate the solubility of salt **A** in water at various temperatures.

# Read all the instructions below carefully before starting the experiments.

#### Instructions

### Experiment 1

You are provided with a clean boiling tube containing 12 g of **A**. Fill the burette provided with distilled water and add 10.0 cm<sup>3</sup> of water to the boiling tube. Heat the mixture of salt **A** and water carefully until all of the solid has dissolved.

You will have to boil the solution gently.

Remove the boiling tube from the heat and allow the solution to cool. Stir the solution **gently** with the thermometer.

Note the temperature at which crystals **first appear** and record the temperature in the table.

Keep the boiling tube and its contents for the remaining experiments in this question.

#### Experiment 2

From the burette, add 2.0 cm<sup>3</sup> more of the water into the boiling tube and contents from Experiment 1.

Repeat the experiment exactly as before to find the temperature at which crystals **first appear**.

It may help if the boiling tube is dipped for **short** periods of time in a beaker of cold water to speed up the cooling.

Record, in the table, the **total** volume of water in the boiling tube and the temperature at which crystals first appear.

© UCLES 2010 0620/52/M/J/10

## Experiment 3

From the burette, add 2.0 cm<sup>3</sup> more of the water into the boiling tube and contents from Experiment 2.

Repeat the experiment exactly as before and record, in the table, the total volume of water used and the temperature at which crystals first appear.

Continue this procedure for *Experiment 4* with one more addition of 2.0 cm<sup>3</sup> of water. Note all the results in the table.

At the end of Experiment 4, the total volume of water in the boiling tube will be 16.0 cm<sup>3</sup>.


#### Table of results

experiment	total volume of water/cm <sup>3</sup>	temperature at which crystals first appear/°C
1	10.0	
2		
3		
4		

[5]

(a) Plot your results on the grid below and draw a straight line graph.

For Examiner's Use



[6]

(b)	How did you know when salt <b>A</b> was completely dissolved in the water?
	[1]
(c)	<b>From your graph</b> , find the temperature at which crystals of <b>A</b> would first appear if the total volume of water in the solution were 9.0 cm <sup>3</sup> . Show clearly <b>on the graph</b> how you worked out your answer.
	°C [2]
(d)	Salt <b>B</b> is more soluble in water than salt <b>A</b> . Sketch on the grid the graph you would expect for <b>B</b> . Label this graph. [2]
(e)	Suggest, with a reason, how the results would be different if 6 g of salt ${\bf A}$ were used instead of 12 g.
	[2]
(f)	Explain <b>one</b> improvement you could make to the experimental procedure to obtain more accurate results in this investigation.
	improvement
	explanation [2]
	[Total: 20]

You are provided with solid **W** and two solutions, **X** and **Y**.

Carry out the following tests on the solid and the solutions, recording all of your observations

Conclusions must **not** be written in the table.

in the table.

	tests	observations
tests or	n solid <b>W</b>	
(a) Dissolve half of the sample of solid <b>W</b> in about 3 cm <sup>3</sup> of distilled water.		
	d a few drops of dilute nitric acid and n aqueous silver nitrate.	[2]
tests or	n solution X	
(b) (i)	Describe solution X.	[1]
	Test a little of solution <b>X</b> with Universal Indicator paper. Record the pH.	pH[1]
(ii)	To about 2 cm <sup>3</sup> of solution <b>X</b> , add aqueous sodium hydroxide.	[2]
(iii)	To about 2 cm³ of solution <b>X</b> , add aqueous ammonia drop by drop and shake the test-tube.	[1]
	Now add excess aqueous ammonia solution to the test-tube.	[2]
(iv)	Add the rest of solid <b>W</b> to about 3 cm <sup>3</sup> of solution <b>X</b> . Stir and leave to stand	
	for 5 minutes.	[3]
tests on solution Y		
(c) (i)	Test a little of solution <b>Y</b> with Universal Indicator paper. Record the pH.	pH[1]
(ii)	To about 3 cm <sup>3</sup> of solution <b>Y</b> , add a few drops of dilute hydrochloric acid and then aqueous barium chloride.	[2]

© UCLES 2010 0620/52/M/J/10

(d)	What conclusion can you make about solid <b>W</b> ?	
		[1]
(e)	What conclusions can you make about solution X?	
		[2]
(f)	Identify solution <b>Y</b> .	
( )		[2]
		[-]
	[Total:	20]

0620/52/M/J/10

© UCLES 2010

# **NOTES FOR USE IN QUALITATIVE ANALYSIS**

## **Test for anions**

anion	test	test result
carbonate (CO <sub>3</sub> <sup>2-</sup> )	add dilute acid	effervescence, carbon dioxide produced
chloride (C <i>l</i> <sup>-</sup> ) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
iodide (I <sup>-</sup> ) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	yellow ppt.
nitrate (NO <sub>3</sub> <sup>-</sup> ) [in solution]	add aqueous sodium hydroxide then aluminium foil; warm carefully	ammonia produced
sulfate (SO <sub>4</sub> <sup>2-)</sup> [in solution]	acidify with dilute nitric acid, then aqueous barium nitrate	white ppt.

# Test for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
aluminium (Al³+)	white ppt., soluble in excess giving a colourless solution	white ppt., insoluble in excess
ammonium (NH <sub>4</sub> +)	ammonia produced on warming	_
calcium (Ca <sup>2+</sup> )	white ppt., insoluble in excess	no ppt., or very slight white ppt.
copper (Cu <sup>2+</sup> )	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution
iron(II) (Fe <sup>2+</sup> )	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe <sup>3+</sup> )	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn <sup>2+</sup> )	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution

# **Test for gases**

gas	test and test results	
ammonia (NH <sub>3</sub> )	turns damp red litmus paper blue	
carbon dioxide (CO <sub>2</sub> )	turns limewater milky	
chlorine (Cl <sub>2</sub> )	bleaches damp litmus paper	
hydrogen (H <sub>2</sub> )	'pops' with a lighted splint	
oxygen (O <sub>2</sub> )	relights a glowing splint	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2010 0620/52/M/J/10