

## CHEMISTRY

Paper 1 Multiple Choice

0620/13 May/June 2012

45 Minutes

Additional Materials:	Multiple Choice A
	Soft clean eraser

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.


Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. You may use a calculator.

This document consists of **16** printed pages.





1 Which diagram shows the process of diffusion?

2 A student investigates how the concentration of an acid affects the speed of reaction with a 0.5 g mass of magnesium at 30 °C.


The student has a beaker, concentrated acid, water and the apparatus below.

- P a balance
- Q a clock
- R a measuring cylinder
- S a thermometer

Which pieces of apparatus does the student use?

- A P, Q and R only
- B P, Q and S only
- C Q, R and S only
- D P, Q, R and S
- **3** Which method is most suitable to obtain zinc carbonate from a suspension of zinc carbonate in water?
  - A crystallisation
  - **B** distillation
  - **C** evaporation
  - **D** filtration

4 The electronic structures of atoms P and Q are shown.



P and Q react to form an ionic compound.

What is the formula of this compound?

**A**  $PQ_2$  **B**  $P_2Q$  **C**  $P_2Q_6$  **D**  $P_6Q_2$ 

5 An element Y has the proton number 18.

The next element in the Periodic Table is an element Z.

Which statement is correct?

- **A** Element Z has one more electron in its outer shell than element Y.
- **B** Element Z has one more electron shell than element Y.
- **C** Element Z is in the same group of the Periodic Table as element Y.
- **D** Element Z is in the same period of the Periodic Table as element Y.
- **6** Which atom has twice as many neutrons as protons?

<b>A</b> $^{1}_{1}$ <b>H B</b> $^{2}_{1}$ <b>H C</b> $^{3}_{1}$ <b>H</b>	<b>D</b> <sup>4</sup> <sub>2</sub> He
--	---------------------------------------

7 Which is a simple covalent molecule?

	conducts electricity		volatile
	when solid	when molten	volatile
Α	$\checkmark$	$\checkmark$	X
в	$\checkmark$	x	$\checkmark$
С	x	$\checkmark$	×
D	×	×	1


8 The equation for the reaction between magnesium and dilute sulfuric acid is shown.

Mg + H<sub>2</sub>SO<sub>4</sub> 
$$\rightarrow$$
 MgSO<sub>4</sub> + H<sub>2</sub>  
 $M_{\rm r}$  of MgSO<sub>4</sub> is 120

Which mass of magnesium sulfate will be formed if 12 g of magnesium are reacted with sulfuric acid?

**A** 5g **B** 10g **C** 60g **D** 120g

**9** The diagrams show the structures of two forms, P and Q, of a solid element.




What are suitable uses of P and Q, based on their structures?

	use of solid P	use of solid Q
Α	drilling	drilling
в	lubricating	drilling
С	drilling	lubricating
D	lubricating	lubricating

**10** Winston Churchill, a British Prime Minister, had his false teeth electroplated with gold.


The teeth were coated with a thin layer of carbon and were then placed in the apparatus shown.



Which row is correct?


	terminal X is	the carbon powder could be
Α	negative	diamond
в	negative	graphite
С	positive	diamond
D	positive	graphite

**11** The apparatus shown is used to measure the speed of a reaction.



Which equation represents a reaction where the speed can be measured using this apparatus?


- **A** Mg(s) + 2HCl(aq)  $\rightarrow$  MgCl<sub>2</sub>(aq) + H<sub>2</sub>(g)
- **B** HCl(aq) + NaOH(aq)  $\rightarrow$  NaCl(aq) + H<sub>2</sub>O(I)
- $\label{eq:constraint} \mbox{C} \quad \mbox{Fe}(s) \ + \ \mbox{CuSO}_4(aq) \ \rightarrow \ \mbox{Cu}(s) \ + \ \mbox{FeSO}_4(aq)$
- **D**  $2Na(s) + Br_2(I) \rightarrow 2NaBr(s)$
- **12** The diagram shows the reaction between zinc oxide and dilute hydrochloric acid.



Which terms describe the reaction?

	endothermic	neutralisation
Α	$\checkmark$	1
в	$\checkmark$	x
С	x	1
D	×	x

**13** The diagram shows that two gases are formed when concentrated hydrochloric acid is electrolysed using inert electrodes.



Which row correctly describes the colours of the gases at the electrodes?

	anode (+ve)	cathode (-ve)
Α	colourless	colourless
в	colourless	yellow-green
С	yellow-green	colourless
D	yellow-green	yellow-green

**14** A gas is escaping from a pipe in a chemical plant.

A chemist tests this gas and finds that it is alkaline.

What is this gas?

- **A** ammonia
- B chlorine
- **C** hydrogen
- D sulfur dioxide
- **15** The element vanadium, V, forms several oxides.

In which change is oxidation taking place?

- $\textbf{A} \quad VO_2 \quad \rightarrow \quad V_2O_3$
- $\textbf{B} \quad V_2O_5 \ \rightarrow \ VO_2$
- $\textbf{C} \quad V_2O_3 \ \rightarrow \ VO$
- $\textbf{D} \quad V_2O_3 \ \rightarrow \ V_2O_5$

**16** Dilute hydrochloric acid is added to a solid, S.

A flammable gas, G, is formed. Gas G is less dense than air.

What are S and G?

	solid S	gas G
Α	copper	hydrogen
В	copper carbonate	carbon dioxide
С	zinc	hydrogen
D	zinc carbonate	carbon dioxide

**17** The results of three tests on a solution of compound X are shown in the table.


test	result
aqueous sodium hydroxide added	white precipitate formed, soluble in excess
aqueous ammonia added	white precipitate formed, insoluble in excess
acidified silver nitrate added	white precipitate formed

What is compound X?

- A aluminium bromide
- B aluminium chloride
- **C** zinc bromide
- D zinc chloride
- 18 The graph shows how the pH changes as an acid is added to an alkali.

acid + alkali  $\rightarrow$  salt + water

Which letter represents the area of the graph where both acid and salt are present?



	can be used as a catalyst	conducts electricity when solid	has low density	forms coloured compounds
Α	$\checkmark$	$\checkmark$	x	√
в	$\checkmark$	$\checkmark$	$\checkmark$	×
С	$\checkmark$	×	$\checkmark$	$\checkmark$
D	x	$\checkmark$	$\checkmark$	1


**19** Which properties of the element titanium, Ti, can be predicted from its position in the Periodic Table?

9

**20** The diagram shows a section of the Periodic Table.

Which element is described below?

'A colourless, unreactive gas that is denser than air.'



**21** Element X is below iodine in the Periodic Table.

Which row correctly shows the physical state of element X at room temperature and its reactivity compared with that of iodine?

	physical state of element X at room temperature	reactivity compared with that of iodine
Α	gas	less reactive
в	solid	less reactive
С	gas	more reactive
D	solid	more reactive

- 22 Which property is shown by all metals?
  - A They are extracted from their ores by heating with carbon.
  - **B** They conduct electricity.
  - **C** They form acidic oxides.
  - **D** They react with hydrochloric acid to form hydrogen.
- 23 Five elements have proton numbers 10, 12, 14, 16 and 18.

What are the proton numbers of the three elements that form oxides?

- A 10, 12 and 14
- **B** 10, 14 and 18
- **C** 12, 14 and 16
- **D** 14, 16 and 18
- 24 Metal X reacts violently with water.

Metal Y reacts slowly with steam.

Metal Z does not react with dilute hydrochloric acid.

What is the correct order of reactivity of these metals, most reactive first?

- $\textbf{A} \quad X \to Y \to Z$
- $\textbf{B} \quad X \to Z \to Y$
- $\boldsymbol{\mathsf{C}} \quad \boldsymbol{\mathsf{Z}} \to \boldsymbol{\mathsf{X}} \to \boldsymbol{\mathsf{Y}}$
- $\textbf{D} \quad Z \to Y \to X$
- 25 Which statement about the extraction of iron from its ore is correct?
  - A Iron is more difficult to extract than zinc.
  - **B** Iron is more difficult to extract than copper.
  - **C** Iron is easy to extract because it is a transition metal.
  - **D** Iron cannot be extracted by reduction with carbon.
- 26 Which statement about the uses of metals is correct?
  - A Aluminium is used in the manufacture of aircraft as it has a high density.
  - **B** Aluminium is used to make food containers as it conducts electricity.
  - **C** Stainless steel for cutlery is made by adding other elements to iron.
  - D Stainless steel is used to make chemical reactors as it corrodes readily.

**27** Fertilisers need to supply crops with three main elements.

Which compound contains all three of these elements?

- **A**  $H_3PO_4$  **B**  $KNO_3$  **C**  $NH_4K_2PO_4$  **D**  $NH_4NO_3$
- **28** Some uses of water are listed.
  - 1 for drinking
  - 2 in chemical reactions
  - 3 in swimming pools
  - 4 in washing

For which uses is it necessary to chlorinate the water?


**A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

- **29** Which is a use of oxygen?
  - A filling balloons
  - **B** filling light bulbs
  - **C** food preservation
  - **D** making steel
- **30** Coal is a fossil fuel.

Which gas is **not** formed when coal burns?


- A carbon dioxide
- B carbon monoxide
- **C** methane
- D sulfur dioxide

**31** Air containing an acidic impurity was neutralised by passing it through a column containing substance X.



What is substance X?

- A calcium oxide
- B sand
- C sodium chloride
- D concentrated sulfuric acid
- **32** A new planet has been discovered and its atmosphere has been analysed.




The table shows the composition of the atmosphere.

gas	percentage by volume
carbon dioxide	4
nitrogen	72
oxygen	24

Which gases are present in the atmosphere of the planet in a higher percentage than they are in the Earth's atmosphere?

- A carbon dioxide and oxygen
- B carbon dioxide only
- C nitrogen and oxygen
- D nitrogen only

**33** The structure of a compound is shown.



Which functional groups are present in this compound?

	alcohol	alkene	carboxylic acid
Α	$\checkmark$	$\checkmark$	1
в	$\checkmark$	x	X
С	×	$\checkmark$	1
D	x	x	1

**34** Gas X is a waste gas from digestion in animals.

Gas Y is formed when gas X is burnt with a small amount of oxygen.

Gas Z is formed when gas X is burnt with an excess of oxygen.

What are X, Y and Z?

	Х	Y	Z
Α	carbon dioxide	methane	carbon monoxide
в	carbon monoxide	methane	carbon dioxide
С	methane	carbon dioxide	carbon monoxide
D	methane	carbon monoxide	carbon dioxide

35 Which fraction from the fractional distillation of petroleum does not match its correct use?

	fraction	use
Α	fuel oil	domestic heating
В	kerosene	jet fuel
С	naphtha	making roads
D	refinery gas	for heating and cooking


**36** When a long chain hydrocarbon is cracked, the following products are produced.

- 1 C<sub>3</sub>H<sub>8</sub>
- 2 C<sub>2</sub>H<sub>4</sub>
- 3 C<sub>3</sub>H<sub>6</sub>
- 4 C<sub>2</sub>H<sub>6</sub>

Which products would decolourise bromine water?

Α	1 and 4	В	2 and 3	С	2 only	D	3 only
---	---------	---	---------	---	--------	---	--------


**37** The diagram shows apparatus used to separate petroleum into four fractions.



Which fraction contains the smallest hydrocarbon molecules?

fraction	boiling point range/°C
Α	up to 70
В	70 to 120
С	120 to 170
D	over 170

**38** PVA is a polymer. The monomer has the structure shown.



To which homologous series does this compound belong?

	alcohols	alkenes
Α	1	√
в	$\checkmark$	x
С	x	$\checkmark$
D	x	x

**39** Ethanol is an important chemical produced by the .....1..... of .....2......

Which words correctly complete gaps 1 and 2?

	1	2
Α	combustion	ethane
В	combustion	glucose
С	fermentation	ethane
D	fermentation	glucose

- 40 Which equation represents incomplete combustion of ethane?
  - $\textbf{A} \quad C_2H_6 \ \textbf{+} \ O_2 \ \rightarrow \ 2CO \ \textbf{+} \ \ 3H_2$
  - $\textbf{B} \quad C_2H_6 \ \textbf{+} \ 2O_2 \ \rightarrow \ 2CO_2 \ \textbf{+} \ \ 3H_2$
  - $\textbf{C} \quad 2C_2H_6 \ \textbf{+} \ 5O_2 \ \rightarrow \ 4CO \ \textbf{+} \ \ 6H_2O$
  - $\textbf{D} \quad 2C_2H_6 \ \textbf{+} \ 7O_2 \ \rightarrow \ 4CO_2 \ \textbf{+} \ \ 6H_2O$

	0	4 Helium	19     20       Functine     Neon       Fluctine     10       35.5     40       Ct     Argon       Chorine     18	80 84 Br Kr omine Krypton 36	57 131 <b>Xenon</b> 54	te Radon 86 Radon	173 175   Yb Lu   Lutetium 71	o Lawrencium 103
	١١٨		6 27	35 <sup>Br</sup>	127 <b>T</b> 53	Astatine 85	20	um Nobelium 102
	>		16 Sultur 16 Sultur	79 Selenium 34	128 <b>Tel</b> 52	Polonium 84	169 Thulium 69	Mendelevium 101
	>		Nitrogen 7 Nitrogen 31 31 Phosphorus	75 <b>AS</b> Arsenic 33	122 Sb Antimony 51	Bismuth 83	167 <b>Er</b> 68	Fermium 100
	$\geq$		6 Carbon 6 28 28 14 14 8 28	73 <b>Ge</b> Germanium 32	119 <b>Sn</b> 50 207	B2 Lead	165 <b>Ho</b> 67	Einsteinium 99
			11 Beron 27 Auminium 13	70 <b>Ga</b> 31	115 <b>Ln</b> 1ndium 204	<b>T</b> Thailium 81	162 Dysprosium 66	Cf Californium 98
ents				65 <b>Zn</b> <sup>Zinc</sup>	112 Cd Cd 201 201	Mercury 80	159 <b>Tb</b> 65	BK Berkelium 97
The Periodic Table of the Elements Group				64 Copper 29	108 <b>Ag</b> 47 197	Gold Top	157 <b>Gd</b> Gadolinium 64	96 Curium
ible of th oup	Group			59 Nickel 28	106 Pd Palladium 46	Platinum 78	152 <b>Eu</b> 63	Americium 95
iodic Ta				59 <b>CO</b> 27	103 <b>Rh</b> Rhođium 45	TT Indium	150 <b>Sam</b> arium 62	Plutonium 94
The Per		<sup>1</sup> Hydrogen		56 <b>Fe</b> Iron	101 <b>Ruthenium</b> 44 190	Osmium 76	Promethium 61	Neptunium 93
				55 Mn Manganese 25	Tc Technetium 43	Rtenium 75	144 Neodymium 60	238 <b>U</b> <sup>Uranium</sup> 92
				52 <b>Cr</b> Chromium 24	96 <b>Mo</b> Molybdenum 42 184	Tungsten 74	141 <b>Pr</b> Praseodymium 59	Protactinium 91
				51 <b>X</b> Vanadium 23	93 <b>Ni</b> obium 41 181	Tantalum 73	140 <b>Ce</b> Cerium 58	232 <b>Tho</b> 90
				48 T Titanium 22	91 Zr Zirconium 40 178	2 <sup>±</sup>	_	nic mass bol nic) number
				45 Sc 21	89 Yttrium 39 139	Lanthanum 57 * * 227 AC AC	l series eries	a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		9 Beryllium 24 Magnesium 12	40 <b>Ca</b> Calcium 20	88 Strontium 38 137	56 Barium 56 Barium 226 <b>Ra</b> 88 Radium	*58-71 Lanthanoid series 190-103 Actinoid series	р. <b>Х</b> а.
			7 Lithium 23 Sodium	39 K Potassium 19	85 <b>Rb</b> 37 133	Caesium 5 Fr Francium	3 A	٩

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.