

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/12

Paper 1 Multiple Choice October/November 2012

45 Minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.



International Examinations

1 What are the processes W, X, Y and Z in the following diagram?

$$\begin{array}{ccc} & W & X \\ \text{solid} & \rightleftharpoons & \text{liquid} & \rightleftharpoons & \text{gas} \\ & Y & Z \end{array}$$

	W	X	Y	Z
Α	condensing	boiling	freezing	melting
В	condensing	freezing	melting	boiling
С	melting	boiling	freezing	condensing
D	melting	freezing	condensing	boiling

2 Part of the instructions in an experiment reads as follows.

Quickly add 50 cm³ of acid.

What is the best piece of apparatus to use?

- A a burette
- **B** a conical flask
- C a measuring cylinder
- **D** a pipette
- 3 A mixture of sulfur and iron filings needs to be separated. The solubilities of sulfur and iron filings in water and carbon disulfide are shown in the table below.

	solubility in water	solubility in carbon disulfide
sulfur	X	✓
iron filings	X	x

What are possible methods of separating the sulfur and iron filings?

	using water	using carbon disulfide	using a magnet
Α	✓	✓	x
В	x	✓	✓
С	✓	x	✓
D	X	✓	X

4 Which row gives the number of electrons in the outer electron shell of fluorine and of neon?

	¹⁹ ₉ F	²⁰ ₁₀ Ne
Α	7	8
В	7	10
С	9	8
D	9	10

5 Which statements comparing the properties of electrons, neutrons and protons are correct?

	neutrons and protons are both heavier than electrons	only electrons and neutrons are charged
Α	✓	✓
В	✓	X
С	X	✓
D	X	X

6 The table shows the electronic structures of four atoms.

atom	electronic structure
W	2,1
X	2,7
Υ	2,8,4
Z	2,8,8

Which two atoms combine to form an ionic compound?

- **A** W and X
- **B** W and Y
- **C** X and Y
- **D** X and Z


In the molecules CH₄, HC*l* and H₂O, which atoms use **all** of their outer shell electrons in bonding?

- A C and Cl
- **B** C and H
- C Cl and H
- **D** H and O

8 A compound has the formula CH₃CO₂H.

How should the relative molecular mass, $M_{\rm r}$, of this compound be calculated?

- **A** 12 + 1 + 16
- **B** 3(12 + 1) + 2(12 + 16) + 1
- **C** $(4 \times 12) + (2 \times 1) + 16$
- **D** $(2 \times 12) + (4 \times 1) + (2 \times 16)$
- **9** The diagram shows an electrolysis experiment using metals X and Y as electrodes.




One of the metals becomes coated with copper.

Which metal becomes coated and which aqueous solution is used?

	metal	aqueous solution
Α	Х	CrCl ₃
В	X	$CuC\mathit{l}_{2}$
С	Y	$CrC\mathit{l}_3$
D	Υ	$CuCl_2$


10 The diagram shows the electrolysis of concentrated aqueous sodium chloride.



What is produced at each of the electrodes?

	product at cathode	product at anode	
Α	hydrogen	chlorine	
B hydrogen		oxygen	
C sodium		chlorine	
D	sodium	oxygen	

11 The diagrams show the difference in energies of the reactants and products in two types of reaction.



Which diagram and which type of energy change apply to a fuel burning in air?

	diagram	type of energy change
Α	1	endothermic
В	1	exothermic
С	2	endothermic
D	2	exothermic

- **12** Which change is an oxidation?
 - A FeO to Fe₂O₃
 - **B** Fe₂O₃ to FeO
 - \mathbf{C} H_2O_2 to H_2O
 - \mathbf{D} H₂O to H₂
- 13 The diagram shows a match.



By striking the match, a chemical reaction takes place.

Which statements about the chemical reaction are correct?

	type of reaction	reason
Α	endothermic	because energy is used to strike the match
В	endothermic	because energy is given out as the match burns
С	exothermic	because energy is used to strike the match
D	exothermic	because energy is given out as the match burns

14 Separate samples of anhydrous and hydrated copper(II) sulfate are heated.



Which shows the correct colour changes?

	anhydrous copper(II) sulfate	hydrated copper(II) sulfate	
Α	blue to white	white to blue	
В	no change	blue to white	
С	white to blue	blue to white	
D	white to blue	no change	

15 Element X forms an acidic, covalent oxide.

Which row shows how many electrons there could be in the outer shell of an atom of X?

	1	2	6	7
Α	✓	✓	X	X
В	✓	X	✓	X
С	x	X	✓	✓
D	X	✓	X	✓

- 16 Which change does **not** increase the speed of reaction between zinc and hydrochloric acid?
 - A adding a catalyst
 - **B** decreasing the particle size of the zinc
 - C decreasing the temperature
 - **D** using more concentrated acid
- 17 Barium hydroxide is an alkali. It reacts with hydrochloric acid.

How does the pH of the hydrochloric acid change as an excess of aqueous barium hydroxide is added?


- **A** The pH decreases from 14 and becomes constant at 7.
- **B** The pH decreases from 14 to about 1.
- **C** The pH increases from 1 and becomes constant at 7.
- **D** The pH increases from 1 to about 14.
- 18 Which of these pairs of aqueous ions both react with dilute sulfuric acid to give a visible result?
 - **A** Ba²⁺ and C l^-
 - **B** Ba²⁺ and CO_3^{2-}
 - **C** NH_4^+ and Cl^-
 - **D** NH_4^+ and CO_3^{2-}
- **19** A compound is a salt if it
 - A can neutralise an acid.
 - **B** contains more than one element.
 - C dissolves in water.
 - **D** is formed when an acid reacts with a base.

20 The table gives information about four elements.

Which element is a transition metal?

	colour of element	electrical conductivity of element	colour of oxide
Α	black	high	colourless
В	colourless	low	white
С	grey	high	red
D	yellow	low	colourless

21 The diagram shows an outline of the Periodic Table.



Which of the elements U, V, W, X and Y would react together in the ratio of 1:1?

A U and X

B U and Y

C V and Y

D W and X

22 The element rubidium, Rb, is immediately below potassium in the Periodic Table.

It reacts with bromine to form the compound rubidium bromide.

Which descriptions of this compound are correct?

	type of bond	formula	colour
Α	covalent	RbBr	brown
В	covalent	$RbBr_2$	white
С	ionic	RbBr	white
D	ionic	RbBr ₂	brown

23	Brass	is	used	in	electrical	eaui	pment.

It contains two1..... elements. Together they form2......

Which words correctly complete gaps 1 and 2?

	1	2
Α	metallic	a covalent compound
В	metallic	an alloy
С	non-metallic	a covalent compound
D	non-metallic	an alloy


- 24 Why are weather balloons filled with helium rather than hydrogen?
 - A Helium is found in air.
 - **B** Helium is less dense than hydrogen.
 - **C** Helium is more dense than hydrogen.
 - **D** Helium is unreactive.
- 25 Some properties of aluminium are listed.
 - 1 It has mechanical strength.
 - 2 It conducts heat.
 - 3 It is resistant to corrosion.
 - 4 It has a low density.

Which properties make aluminium useful for making the bodies of aircraft?

A 1, 2 and 3 **B** 1, 2 and 4 **C** 1, 3 and 4 **D** 2, 3 and 4

26 Pieces of copper, iron, magnesium and zinc are added to separate test-tubes containing dilute hydrochloric acid.


Which test-tube contains iron and dilute hydrochloric acid?



27 The Basic Oxygen Process converts iron into steel.

In step 1, oxygen is blown into impure molten iron.

In step 2, oxides are removed by reaction with calcium oxide.



Which chemical reaction takes place in step 1 and which type of oxides are removed in step 2?

	chemical reaction in step 1	type of oxides removed in step 2
Α	carbon is converted to carbon dioxide	acidic
В	carbon is converted to carbon dioxide	basic
С	iron is converted to iron(III) oxide	acidic
D	iron is converted to iron(III) oxide	basic

28 What is the correct order of abundance of the gases in the air?


- **A** nitrogen \rightarrow oxygen \rightarrow argon \rightarrow carbon dioxide
- **B** nitrogen \rightarrow oxygen \rightarrow carbon dioxide \rightarrow argon
- \mathbf{C} oxygen \rightarrow nitrogen \rightarrow argon \rightarrow carbon dioxide
- **D** oxygen \rightarrow nitrogen \rightarrow carbon dioxide \rightarrow argon

29 Which processes are used in the treatment of water?

- A filtration and chlorination
- **B** filtration and reduction
- C neutralisation and chlorination
- **D** neutralisation and reduction
- **30** A factory burns coal with a high sulfur content.

Which pollutant is **most** likely to lead to the death of trees?


- A carbon dioxide
- B carbon monoxide
- C lead compounds
- **D** sulfur dioxide
- 31 The diagram shows an experiment to investigate how paint affects the rusting of iron.



What happens to the water level in tubes P and Q?

	tube P	tube Q
Α	falls	rises
В	no change	rises
С	rises	falls
D	rises	no change

- 32 Carbon dioxide is produced when dilute hydrochloric acid reacts with
 - A calcium sulfate.
 - B carbon.
 - **C** copper(II) carbonate.
 - **D** limewater.
- **33** The diagram shows two substances, X and Y, being heated together.




The Universal Indicator paper turns blue during the experiment.

What are substances X and Y?

- A ammonium nitrate and hydrochloric acid
- B ammonium nitrate and sodium hydroxide
- C sodium carbonate and hydrochloric acid
- **D** sodium carbonate and sodium hydroxide


34 A student is asked to draw a diagram showing the uses of limestone.



Which numbered lines show a correct use of limestone?

- A 1 and 2 only
- B 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3
- 35 Which properties of the different compounds in petroleum enable its separation into fractions?
 - 1 boiling point
 - 2 chain length
 - 3 chemical reactivity
 - 4 solubility in water
 - **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 4
- **D** 3 and 4

36 Which structure is correctly named?



37 Alkenes have the general formula C_nH_{2n} .

Which of the following is an alkene?

- A CH₂
- B CH₄
- \mathbf{C} $\mathbf{C}_3\mathbf{H}_6$
- $D C_6H_6$

38 A hydrocarbon X is cracked to make Y and hydrogen.

Compound Z is formed by the addition polymerisation of Y.

To which homologous series do X, Y and Z belong?

	alkane	alkene
Α	X, Y and Z	_
В	X and Y	Z
С	X and Z	Y
D	Y and Z	X

39 Bitumen is a substance obtained from the fractional distillation of petroleum.

Which row describes its boiling point and the size of its molecules?

	boiling point	size of molecules
Α	high	large
В	high	small
С	low	large
D	low	small

40 Which row is correct for ethanol?

	burns	made by fermentation
Α	✓	✓
В	✓	X
С	X	✓
D	X	X

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	4	He	Helium 2	20	Ne	Neon 10	40		18	84	궃	Krypton 36	131	Xe	Xenon 54			Radon 86					Ľ	_ 7		۲	Ľa
	₹				19	ш	Fluorine 9		C1	17		Б	Bromine 35	127	H	lodine 53		¥	Astatine 85				173	Υp	Ytterbium 70		å	
	5				16	0	Oxygen 8	32		Sulfur 16	79	Se	Selenium 34	128	Те	Tellurium 52			_				169	T	Thulium 69		Md	Mondoloum
	>				41	z	Nitrogen 7	31	۵	Phosphorus 15	75	As	Arsenic 33	122	Sb	Antimony 51	509	ö	_				167	щ	Erbium 68		Fm	
	≥				12	ပ	Carbon 6	28	S.	Silicon 14	73	Ge	Germanium 32	119	Sn		207	РЬ	Lead 82				165	운	Holmium 67		Es	i
	=				1	Ω	Boron 5		ΝI	Auminium 13	70	Ga	Gallium 31		In	49	204	11	Thallium 81				162	ò	Dysprosium 66		ర	:
												Zn	Zinc 30	112	ဦ	Cadmium 48	201	Ę					159	Q_	Terbium 65		番	
											64	Cn	Copper 29	108	Ag	Silver 47	197	Αn	Gold 79				157		Gadolinium 64		Cm	
Group											59	Z	Nickel 28	106	Pd	Palladium 46	195	చ	Platinum 78				152	En	Europium 63		Am	
Ď					,						59	ပိ	Cobalt 27	103		_	192	Ä	Iridium 77				150	Sm	_		Pu	
		-	I	Hydrogen 1							26	Fe	Iron 26	101		Ε	190	SO.	Osmium 76					Pm	Promethium 61		N	
											55	Mn	Manganese 25		ည	Technetium 43	186		_				144	N	nn Neodymium 60	238	⊃	
											52	ပ်	Chromium 24	96	Mo	Molybdenum 42	184		_					Ą	Praseodymium 59		Ра	
											51	>	Vanadium 23	93	qN		181	Та	Tantalum 73				140	Se	Cerium 58	232		
											48	F	Titanium 22	91		Zirconium 40		Ŧ	* Hafnium							nic mass	lod	
		-									45	လွ	Scandium 21	68	>	Yttrium 39	139	La	Lanthanum 57 *	227	Ac	89 +	l corioe	orios	מו	a = relative atomic mass	X = atomic symbol	
	=	-			6	Be	Beryllium 4	24	Mg	Magnesium 12	40	Ca	Calcium 20	88	S	Strontium 38	137	Ва	Barium 56	226	Ra	88	*58_71 Lanthanoid series	30-7 I Lantinandiu sene		a	×	
	_				7	=	Lithium 3	23	Na	Sodium 11	39	¥	Potassium 19	85		Rubidium 37	133	Cs	Caesium 55	ı	L	87	*58_711	100-7-1 L	001-06		Key	,

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.