



## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY 0620/03

Paper 3 Theory (Core)

SPECIMEN PAPER

For Examination from 2016

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 16.


At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

The syllabus is accredited for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 The structures of diamond and chlorine are shown below.



(a) Describe the structure of these two substances. Use the list of words to help you.

	covalent	diatomic	giant	macromolecule	molecule	structure	
dia	mond						
chlo	orine						
							[4]

**(b)** The structure of a compound containing carbon and chlorine is shown below.

What is the molecular formula of this compound?


[1

(c)	Chl	orine is	a halogen.							
	(i)	State	the colour o	f chlorine.						
		[								
	The	The table shows some properties of the halogens.								
			Г	Γ	Γ					
			element	boiling point/°C	density in liquid state/g per cm <sup>3</sup>	colour				
			fluorine	-188	1.51	yellow				
			chlorine	-35	1.56					
			bromine	<b>-7</b>		red-brown				
			iodine	+114	4.93	grey-black				
	Use	e the inf	formation in	the table to answe	r the following ques	stions.				
	(ii)	Drodio	ot the density	y of liquid bromine.						
	("')	Ticalc	tile delisity	y or liquid brottline.				[4]		
	,							[1]		
	(iii)	Descri	ibe the trend	d in boiling point of	the halogens down	the group.				
								[1]		
(d)	(i)	Comp	lete the wor	d equation for the r	eaction of bromine	with aqueous	potassium iodide	e.		
` ,	( )			•	+	•	•			
			то решее.	· · · · · · · · · · · · · · · · · · ·				[2]		
	(ii)	Sugge	set why bron	nine does not react	: with aqueous pota	esium chlorida	2	[-]		
	('')	Ougge	ot willy broth	mile does not read	. With aqueous pote			<b>54 1</b>		
								[1]		
(e)					but iodine is a mol	ecular substar	ice.			
	Hov	w do mo	ost ionic and	d molecular substa	nces differ in their					
	solu	ubility ir	n water?							
								••••		
	eled	ctrical c	onductivity?							
								[2]		

2	Bro	omine is an elei	ment in Group VII o	f the Periodic Table.		
	(a)	State the form	nula for a molecule	of bromine.		
						[1]
	(b)	After two min	utes red-brown fun		the bottom of a sealed gas jar of ove the liquid surface. After one t the gas jar.	
			air liquid bromine			
		st	art	after 2 minutes	after 1 hour	
		Use the kineti	ic particle model of	matter to explain these	e observations.	
						[3]

[Total: 4]

3 The structures of some substances containing nitrogen are shown below.




Answer the following questions by choosing from the structures  $\bf A$ ,  $\bf B$ ,  $\bf C$ ,  $\bf D$  or  $\bf E$ . You can use each structure once, more than once or not at all.

Which structure represents

an acidic oxide,		[1]
an ionic structure,		[1]
a gas which turns damp red litmus paper blue,		[1]
a compound which is formed under conditions of high temperature and pressure in car engines,		[1]
a molecule containing halogen atoms,		[1]
a salt?		[1]
	an ionic structure,  a gas which turns damp red litmus paper blue,  a compound which is formed under conditions of high temperature and pressure in car engines,  a molecule containing halogen atoms,	an ionic structure,  a gas which turns damp red litmus paper blue,  a compound which is formed under conditions af high temperature and pressure in car engines,  a molecule containing halogen atoms,

[Total: 6]


The diagram shows a rotary lime kiln used to make lime from limestone. Limestone is fed in at the top of the kiln and lime comes out at the bottom.



(a) State the chemical name for lim	(a)	(a)	State	the	chemical	name	for	lime	?
-------------------------------------	-----	-----	-------	-----	----------	------	-----	------	---

		[1]
(b)	State the name of the type of chemical reaction that takes place in the kiln.	
		[1]
(c)	Suggest why the air coming out of the kiln has a greater percentage of carbon dioxide the air entering the kiln.	ıan
		[1]
(d)	State <b>one</b> use for lime.	


**(e)** A student compared the rates of reaction of three metal carbonates. She measured the volume of gas released using the apparatus shown.



State **one** thing that must be kept constant if the rates of the three reactions are to be compared in a fair way.

[1]

(f) The graph shows the volume of carbon dioxide released when the three metal carbonates were heated.



(1)	which carbonate produced carbon dioxide at the highest rate?
	[1]
(ii)	What volume of carbon dioxide was produced by strontium carbonate in twelve minutes?
	[1]
iii)	How do the rates of the reactions of these three metal carbonates relate to the position of calcium, strontium and barium in the Periodic Table?
	[2]

(g)	present in calcium carbonate.	are
		- 1.

5	Iroi	n is a	a transition element.	
	(a)	Sta	ate <b>three</b> properties of transition elements which are <b>not</b> shown by the Group I element	S.
		1.		
		2.		
		3.		[3]
	(b)	The	e symbols for two isotopes of iron are shown below.	
			<sup>54</sup> <sub>26</sub> Fe <sup>57</sup> <sub>26</sub> Fe	
		(i)	How do these two isotopes differ in their atomic structure?	
				[1]
		(ii)	Determine the number of neutrons present in one atom of the isotope $^{57}_{26}\mathrm{Fe}.$	
				[1]
		(iii)	Determine the number of electrons in one Fe <sup>3+</sup> ion?	
				[1]
	(c)	Pu	re iron rusts very easily.	
		De	scribe and explain <b>one</b> method of preventing rusting.	
		me	thod	
		exp	olain why this method works	
		•••••		[2]
	(d)	Iroi	n can be recycled.	
		Exp	plain <b>two</b> advantages of recycling metals.	
				[2]

(e) In the blast furnace, iron(III) oxide reacts with carbon monoxide.


$$Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$$

Which substance gets reduced in this reaction?
Explain your answer.

	sub	stance	
	ехр	lanation	
			[2]
(f)	(i)	Carbon monoxide is a pollutant gas produced in motor car engines. State why carbon monoxide is formed.	
		·	[1]
			[,]
	(ii)	State <b>one</b> harmful effect of carbon monoxide.	
			[1]

[Total: 14]


Concentrated hydrochloric acid can be electrolysed using the apparatus shown.



(a)	Define the term ele	ectrolysis?					
					•••••		[1]
(b)	What is the name of Put a ring around to	-		?			
	anion	anode	cathode	cation	electroly	te	[1]
							ניז
(c)	State the name of	the gas given o	ff at the negativ	ve electrode.			
							[1]
, IV		. ,				P. C	
(a)	Complete the follow	wing sentence a	about electrolys	sis using wor	as from the	list.	
	inert	magnesium	platinum	reacti	ve sol	lid	
	Electrodes made	of graphite o	r	are	generally ι	used in	electrolysis
	because they are .						[2]

(e)	Wh	en concentrated hydrochloric acid is electrolysed, chlorine is released.	
	(i)	Draw the shells and the electronic structure in an atom of chlorine.	
	(ii)	Draw the electronic structure of a chlorine molecule. Show only the outer electron shells.	[1]
			[2]
	(iii)	Describe a test for chlorine.	
		test	
		result	[2]
(f)	Нус	drochloric acid reacts with the base calcium hydroxide.	
	(i)	Complete the word equation for this reaction.	
		hydrochloric acid + calcium hydroxide $\rightarrow$ +	
			[2]
	(ii)	Hydrochloric acid also reacts with zinc. Complete the symbol equation for this reaction.	
		$Zn +HCl \rightarrow ZnCl_2 +$	[2]
		[Total:	14]


7 The pie chart shows the composition of air.



(a	) (i	) Wh	at is	the i	percentage	of	nitrogen	in	the	air	?
----	------	------	-------	-------	------------	----	----------	----	-----	-----	---

		[1]
(ii)	Apart from nitrogen and oxygen, state the names of <b>two</b> gases present in unpolluted	l air.
	and	[2]

**(b)** The percentage of oxygen in air can be found using the apparatus shown below.



Air is passed backwards and forwards over the heated copper using the syringes. The copper reacts with oxygen in the air.

As the experiment proceeds, suggest what happens to

	/ = <b>\</b>	4.1								
1	1)	the	total	volume	ot air	ın	the	กลร	SVrinc	125
٨	•,		www	VOIGITIO	oi aii			guo	O y i ii iç	100,

	_
Г1	. 1
L.	J
-	-

(ii) the mass of the wire in the tube.



(c) State one use of copper.



[Total: 6]

8

Eth	ene,	, C <sub>2</sub> H <sub>4</sub> , is manufactured by cracking petroleum fractions.	
(a)	(i)	What do you understand by the term fraction?	
			. <b></b> [1]
	(ii)	Complete the symbol equation for the manufacture of ethene from dodecane, $C_{12}H_{26}$ .	
		$C_{12}H_{26} \rightarrow C_2H_4 + \dots$	[1]
(b)		o fractions obtained from the distillation of petroleum are refinery gas and gasoline. Ite <b>one</b> use of each of these fractions.	
	refi	nery gas	
	gas	soline	[2]
(c)	Wh	nene is an unsaturated hydrocarbon. In at do you understand by the following terms?	
			[2]
(d)	Eth	nene is used to make ethanol.	
	(i)	Which of these reactions is used to make ethanol from ethene? Tick one box.	
		catalytic addition of steam	
		fermentation	
		oxidation using oxygen	
		reduction using hydrogen	[1]

	(11)	Draw	tne s	structure	e or etn	anoi, s	nowing	all aton	ns and	bonds.				
														[2]
(e)	Cor	mplete	the f	to mak ollowing n the lis	g sente	nces al		s reaction	on.					
	ad	dition	s	carbo	ohydra	ites	cata	lysts	n	nonome	rs	polyr	ners	
	The	e ethe	ne mo	lecules	which	join to	form po	oly(ethe	ne) ar	e the				
	The	e poly(	ether	ie) mole	ecules 1	formed	are							[2]
													[Tot	al: 11]

## **BLANK PAGE**

	<b>=</b>	7	He	helium	4	10	Ne	neon	20	18	Ā	argon	40	36	궃	krypton	84	54	Xe	xenon	131	98	各	radon	j				
	5					6	ш	fluorine	19	17	10	chlorine	35.5	35	Ŗ	bromine	80	53	П	iodine	127	85	Ą	astatine	1				
>	\					8	0	oxygen	16	16	ഗ	sulfur	32	34	Se	selenium	79	52	Te	tellurium	128	84	Ро	polonium	1	116	۲۸	livermorium	1
>	>					2	z	nifrogen	14	15	₾	phosphorus	31	33	As	arsenic	75	51	Sp	antimony	122	83	: <u>ā</u>	bismuth	209				
2	^					9	ပ	carbon	12	14	SS	silicon	28	32	g	germanium	73	20	S	ş	119	82	Pb	lead	207	114	Εl	flerovium	Ľ
=	=					2	В	boron	11	13	lΑ	aluminium	27	31	Ga	gallium	20	49	I	indium	115	81	11	thallium	204				
															Zu					0				1300				соретісіит	J
														29	చె	copper	64	47	Ag	silver	108	6/	Au	plog	197	111	Rg	roentgenium	1
Group															Z					_								darmstadtium	1
ozg Ozg														27	ပိ	cobalt	59	45	R	rhodium	103	77	Ä	iridium	192	109	Ĭ	meitnerium	1
	3	<b>-</b> ;	I	hydrogen	_									56	Fe	iron	56	4	Ru	ruthenium	101	9/	SO	osmium	190	108	£	hassium	1
														25	Mn	manganese	55	43	Τc	technetium	1	22	Re	rhenium	186	107	Bh	bohrium	1
					30	e.	pol		nass					24	ပ်	chromium	52	42	Mo	molybdenum	96	74	≥	tungsten	184	106	Sg	seaborgium	1
					Key	atomic number	atomic symbo	name	relative atomic mass					23	>	vanadium			g				Б	tantalum	181	105	Db	dubnium	1
						atı	ato		relati					22	F	titanium	48	40	Zr	zirconium	91	72	士	hafnium	178	104	圣	rutherfordium	1
														21	Sc	scandium	45	39	>	yttrinm	89	11-12	lanthanoids			89-103	actinoids		
=	=					4	Be	beryllium	6	12	Mg	magnesium	24	20	Ca	calcium	40	38	ഗ്	strontium	88	99	Ва	barium	137	88	Ra	radium	1
_	=					3					Na			19	¥	potassium	36	37	R <sub>b</sub>	rubidium	82	92	S	caesium	133	87	<u>ن</u>	francium	J

71	ľ	Iutefium	175	103	5	lawrencium	I	
70	Υp	yfferbium	173	102	%	nobelium	Į.	
69	T	thulium	169	101	Md	mendelevium	ſ	
68	山	erbium	167	100			Ü	
29	웃	holmium	165	66	Es	einsteinium	ľ	
99	۵	dysprosium	163	86	ರ	californium	ľ	
65	Tp	terbium	159	26	Ř	berkelium		
64	В	gadolinium	157	96	S	curium	I.	
63	Eu	europium	152	98	Am	americium	1	
62	Sm	samarinm	150	94	Pu	plutonium	ľ	
61	Pm	promethium	ĵ	63	dN	neptunium	Į)	
09	PN	neodymium	144	35	n	uranium	238	
59	፵	praseodymium	141	91	Ра	protactinium	231	
58	Se	cerium	140	06	片	thorium	232	
25	La	lanthanum	139	89	Ac	actinium	ľ.	
	lanthanoids				actinoids			

The volume of one mole of any gas is  $24\,\mathrm{dm}^3$  at room temperature and pressure (r.t.p.)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.