

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

MATHEMATICS

0580/22 March 2017

Paper 22 (Extended) MARK SCHEME Maximum Mark: 70

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the March 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is a registered trademark.

Abbreviations

correct answer only cao dependent dep follow through after error FT ignore subsequent working isw or equivalent oe Special Case SC not from wrong working nfww seen or implied soi

Question	Answer	Marks	Part Marks
1	18w + 14 final answer	2	M1 for $20w + 12$ or $-2w + 2$ or answer $18w + k$ or $kw + 14$
2	Equilateral triangle with correct arcs	2	M1 for clear evidence of constructed 60° angles or arcs crossing equal in length to <i>AB</i> or an accurate diagram with no/incorrect arcs
3	$\frac{10 \times 20}{90 - 40}$	M1	
	4 nfww	A1	
4	4 nfww	2	M1 for $[7.31 =]7 \left(1 + \frac{1.1}{100}\right)^k$ oe
5	150	2	M1 for $2 \times 3 + 16 \times 3^2$
6	$10^k \times 0.1\dot{7} - [10] \times 0.1\dot{7} \ k \ge 1$ oe	M1	
	$\frac{16}{90}$ or $\frac{8}{45}$ oe nfww	A1	
7	70.7625 cao and 72.4625 cao	3	B2 for 70.7625 or 72.4625 or M2 for 9.25 × 7.65 and 9.35 × 7.75 or B1 for two of 9.25, 9.35, 7.65, 7.75 seen
8	$\frac{10}{3}$ or $\frac{5}{2}$	B1	oe improper fractions
	their $\frac{10}{3} \times their \frac{2}{5}$	M1	accept $\frac{20}{6} \div \frac{15}{6}$
	$1\frac{1}{3}$ cao	A1	
9	18.1 or 18.10	3	M2 for $\sqrt{20^2 - (\frac{1}{2}(17))^2}$ oe
			or M1 for $h^2 + \left(\frac{1}{2}(17)\right)^2 = 20^2$

Question	Answer	Marks	Part Marks
10	1050	3	M2 for 924 ÷ $\frac{(100-12)}{100}$ oe
11		3	or M1 for 88[%] associated with 924 oe B2 for correct translation of A seen or B1 for translation of A by $\begin{pmatrix} -1 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 3 \end{pmatrix}$ seen and B1 for correct reflection of their translation in $x = 2$ seen If 0 scored SC2 for correct TM(A) or SC1 for reflection in $x = 2$ seen or a correct translation of $\begin{pmatrix} -1 \\ 3 \end{pmatrix}$ seen
12	4 5 c(2 c = 1) final anomar	3	M1 for $y = \frac{k}{x^2}$ M1 for $y = \frac{their k}{10^2}$ or M2 for $5^2 \times 16 = 10^2 \times y$ oe
13 (a) (b)	5c(3c-1) final answer (2p-m)(k+3) final answer	2 2	B1 for $5(3c^2 - c)$ or $c(15c - 5)$ B1 for $k(2p - m) + 3(2p - m)$ or $2p(k+3) - m(k+3)$
14 (a) (b)	Point at $(3, 5)$ $\begin{pmatrix} 1\\ -3 \end{pmatrix}$	1 1FT	FT their \overline{AC}
(c)	$\begin{pmatrix} 0 \\ 4 \end{pmatrix} \text{ or } \begin{pmatrix} 0 \\ -4 \end{pmatrix}$	2	M1 for a vector of magnitude 4 or of form $\begin{pmatrix} 0 \\ \pm k \end{pmatrix}$
15 (a)	t^{20} final answer	1	
(b)	x^{10} final answer	1	
(c)	$27m^6$ final answer	2	B1 for $27m^k$ or km^6 as final answer

Q	uestion	Answer	Marks	Part Marks
16	(a)	0.25 or $\frac{1}{4}$	1	
	(b)	0.45	3	B2 for 450 or
				M2 for $\frac{1}{2} \times 60 \times 15 \div 1000$
				or M1 for $\frac{1}{2} \times 60 \times 15$
				If 0 scored SC1 for correct conversion of their distance in metres to kilometres
17	(a) (i)	B C	2	B1 for 2 correct of 4, 2, 5, 9 in the correct places or SC1 for $B = \begin{bmatrix} 2 & L \\ 5 & 9 & 4 \end{bmatrix}$
	(ii)	9	1FT	FT their 9
	(b)		1	
18	(a)	$\begin{pmatrix} 27 & -24 \\ -5 & -10 \end{pmatrix}$	2	B1 for two correct elements
	(b)	$-\frac{1}{13}\begin{pmatrix} -2 & -3\\ -1 & 5 \end{pmatrix}$ oe isw	2	B1 for $k \begin{pmatrix} -2 & -3 \\ -1 & 5 \end{pmatrix}$ or det = -13 soi
19	(a)	11.4 or 11.40 to 11.41	2	M1 for $\frac{1}{2} \times 2.8 \times 8.3 \times \sin 79$ oe
	(b)	231 or 230.8 to 231.1	2FT	FT <i>their</i> (a) $\times 4.5^2$ M1 for 4.5^2 or 20.25 seen

Q	uestion	Answer	Marks	Part Marks
20	(a)	[y=]-2x+3	3	B2 for $[y =] - 2x + c$
				or M1 for rise/run and B1 for $[y=]kx+3$, $k \neq 0$ or $c=3$
	(b)	$y = \frac{1}{2}x - \frac{5}{2}$ oe final answer	3	M1 for gradient = $-\frac{1}{their \text{ gradient in (a)}}$ or gradient = 0.5 oe M1 for substitution of (3, -1) into their y = mx + c oe
21	(a)	10	2	M1 for $\frac{x}{4} - 3 = -0.5$
	(b)	$\frac{x+7}{6}$ final answer	2	M1 for $y + 7 = 6x$ or $\frac{y}{6} = x - \frac{7}{6}$ or $x = 6y - 7$
	(c)	-2	2	M1 for $[f(13) =] \frac{1}{4}$