MARK SCHEME for the May/June 2014 series

0580 MATHEMATICS

0580/21

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0580	21

Abbreviations

cao	correc	t answer	only

- dep dependent
- FT follow through after error
- isw ignore subsequent working
- oe or equivalent
- SC Special Case
- nfww not from wrong working
- soi seen or implied

Question	Answers	Mark	Part Marks			
1	1.37	2	B1 for 0.866 or $\frac{\sqrt{3}}{2}$ or 0.5 or $\frac{1}{2}$			
			or B1 for 1.366 as final answer			
2	$18\frac{1}{18}$	2	M1 for $\frac{2}{36} + \frac{36}{2}$ or better			
3	30	2	M1 for $n - 8 = 22$ or $\frac{n}{2} = 15$			
4 (a)	5×2	1				
	20					
(b)	0.5 or $\frac{1}{2}$ cao	1				
5	$0.5^3 \ 0.5^2 \ 0.5 \ \sqrt[3]{0.5}$	2	B1 for 0.25, 0.125 and 0.793 seen			
	0.5 0.5 0.5 \0.5		or for three in correct order			
6	1.6[0]	3	M1 for 800 × 1.5			
Ū	1.0[0]	5	and M1 for <i>their</i> $1200 \div 750$			
7	$4\pm\sqrt{y-6}$	3	M1 for <i>their</i> 6 moved correctly			
	$1 \pm \sqrt{y}$		M1 for <i>their</i> $$ taken correctly			
			M1 for <i>their</i> 4 moved correctly			
8	2	3	B1 for common denominator $x(x+1)$ seen			
	$\overline{x(x+1)}$		M1 for $2(x+1) - 2x$ oe or better			
9 (a)	119	3	M2 for $18 \times 6 + 11$ oe			
			or B1 for 18 or 11 or 108			
(b)	[0] 1 [00] pm cao	1				
10 (a)	(a+b)(x+y)	2	B1 for $a(x + y) + b(x + y)$			
			or $x(a+b) + y(a+b)$			
(b)	(x-1)(3x-2)	2	B1 for $(x-1)(3(x-1)+1)$			
			If B0 then SC1 for $(x + a)(3x + b)$ where $3a+b = -5$			
			or $ab = 2$ or $3(x-1)(x-\frac{2}{3})$			

	Page	3	Mark Sc	heme		Syllabus	Paper		
			IGCSE – May/June 2014						
11		113.9	to 114.0	4	M2 for [cos =]				
					or M1 for $9^2 = 8^2 + 2^2 - 2 \times 8 \times 2 \times \cos x$				
					A1 for -0.406 or -0.4063 to -0.4062 or $-\frac{13}{32}$ If 0 scored SC2 for 54.3[1] or 11.7 or 11.71 to				
					11.72				
					SC1 for $[\cos =] \frac{9^2 + 2^2 - 8^2}{2 \times 9 \times 2}$ or				
					$[\cos =]\frac{9^2 + 8^2}{2 \times 9}$	$\frac{-2^2}{\times 8}$			
12	(a)	2 × 10	10	2		or 20 000 000 0	00		
	(b)	1.25 ×	10 ⁻¹	2	B1 for 0.125 o	e			
13	(a)	32		2	B1 for $AOC =$	116			
	(b)	35		2	B1 for <i>CDA</i> =	122			
14		$y = \frac{2}{3}$	x-2 oe	4	B1 for (9, 4) and				
		5			M2 for $y = kx$	$-2 \ (k \neq 0) \ \text{or} \ y =$	$=\frac{2}{3}x + k \ (k \neq 0)$ or		
					$\frac{2}{3}x-2$				
					or M1 for $y = -$	$\frac{2}{3}x$ or $\frac{2}{3}x + k$ (k	$k \neq 0$)		
15		[0], 1,	2, 3	4	M1 for moving M1 for collecting				
					A1 for a correct	t inequality for x	$eg [0 \le] x < 4$		
16	(a)	8		2	B1 for 2^{12} or 4	096			
	(b)	$2q^{\frac{3}{2}}$		3	B2 for $kq^{\frac{3}{2}}$ as the	ne answer			
					or	$\frac{1}{2}$			
17	(a)	correc	tworking	2		$\frac{1}{4} \frac{\mathbf{B1}}{\mathbf{A}} \text{ for } q^{\overline{2}} \text{ oe nf}$ $\frac{1}{4} \frac{\mathbf{B1}}{\mathbf{A}} \text{ for } 360 \div 7$			
1/	(")		, working		and B1 for 24				
					M2 for $\frac{24}{72} \times 36$	60[=120] oe			
	(b)	6 nfw	V	3	M1 for $150 + 1$	120 + x + 2x = 36 ified as the require			
18	(a)	correc	tworking	2			$D \frac{10}{2} = 5$ oe and $\frac{4}{2} = 2$		
					oe or				
						$\sqrt[3]{8}$ or $8 = 2^3$ or	$\frac{1}{8} = (\frac{1}{2})^3$		

Page 4		Mark Scheme			Syllabus	Paper	
	IGCSE – May/June 2014			0580	21		
(b) 19	147 or 146.5 to 146.6 1.38 or 1.39 or 1.384 to 1.389		4	M3 for $\frac{7}{8} \times \frac{1}{3} \times \pi \times 4^2 \times 10$ or M1 for $\frac{1}{3} \times \pi \times 4^2 \times 10$ and M1 for $\frac{1}{3} \times \pi \times 2^2 \times 5$ and M1 for subtracting <i>their</i> volumes M3 [Area $\Delta =$] $\frac{1}{2} \times 8 \cos 60 \times 8 \sin 60$			
				or M1 for [and M1 for Area and M1 for Area	$AE = 3 \cos 60 \text{ and } \frac{30}{360} \times \pi \times 8$ a sector $\frac{30}{360} \times \pi \times 8$ a rectangle = 8 × 8c $32 - (their \ 13.86 - 6)$	M1 for $[ED] = 88$	