

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

MATHEMATICS 0580/43
Paper 4 (Extended) May/June 2017

MARK SCHEME
Maximum Mark: 130

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

® IGCSE is a registered trademark.



Abbreviations

correct answer only cao

dependent dep

follow through after error FT ignore subsequent working or equivalent isw

oe SC

Special Case not from wrong working nfww

soi seen or implied

Question	Answer	Marks	Part marks	
1(a)(i)	9550	1		
1(a)(ii)	23 158 750	2FT	FT their (a)(i) × 2425 correctly evaluated M1 for their lower bound × 2425	
1(a)(iii)	23 160 000	1FT	FT their (a)(ii) rounded to 4 sf	
1(a)(iv)	2.316×10^7		FT their (a)(iii) or their (a)(ii) rounded to 3sf or more and in standard form	
1(b)	520 nfww	3	M2 for $546 \times \frac{100}{(100+5)}$ oe	
			or M1 for 105[%] associated with 546 oe	
1(c)	3380 or 3376 to 3377	2	M1 for $3000 \times \left(1 + \frac{3}{100}\right)^4$ oe	
2(a)	38	1		
	118	1		
	62	1FT	FT 180 – their y	
2(b)	69	3	B2 for $ACB = 42$ or B1 for $ADB = 42$ If zero scored, SC1 for $ACB = their ADB$	
2(c)	107	2	B1 for <i>QPS</i> = 73 or [reflex] <i>QOS</i> = 214	
3(a)	0 2.25 2 1.25	4	B1 for each	
3(b)	Fully correct smooth curve	4	B3 FT for 7 or 8 points or B2 FT for 5 or 6 points or B1 FT for 3 or 4 points	

© UCLES 2017 Page 2 of 7

Question	Answer	Marks	Part marks
3(c)	1	1	
3(d)(i)	[y =] x + 1	1	
3(d)(ii)	-2.2 to -2.1	1	
	-0.45 to -0.4	1	
	0.51 to 0.6	1	If zero scored, SC1 for <i>their</i> line in (d)(i) drawn. It must be of the form $y = mx + c$ $(m \ne 0)$ and drawn 'fit for purpose'
3(e)	-1.33 < k < 0 to 0.1	2FT	FT Strict ft of <i>their</i> max point and min point dep on cubic graph or accept correct answer from calculus B1 for each If zero scored, SC1 for two correct values reversed
4(a)(i)	17.5 or 17.46nfww	6	B3 for triangle height 3.46[4] or $\sqrt{12}$ oe or M2 for $\sqrt{4^2 - 2^2}$ or M1 for $h^2 + 2^2 = 4^2$ and M2 for $2 \times 7 + \frac{1}{2} \times 2 \times their \ h$ oe or M1 for $\frac{1}{2} \times 2 \times their \ h$
4(a)(ii)	140 or 139.6 to 139.7	1 F.T	-
4(a)(ii)		1FT	FT their (a) × 8
4(b)(i)	2.62 or 2.618	3	M2 for $[r^2 =] \frac{280}{13\pi}$ oe or M1 for $280 = \pi \times r^2 \times 13$
4(b)(ii)	10.2 or 10.20 or $10\frac{10}{49}$	3	M2 for $\frac{280}{14^3}$ [×100] oe
			or B1 for 2744 or 14 ³ seen
5(a)(i)	80 33 20	1, 1, 1	
5(a)(ii)	17.3 nfww	4	M1 for 5, 15, 22.5, 27.5, 40 soi
			M1 for $\sum fx$ with their f 's and x in correct interval including both boundaries
			M1 (dep on 2nd M1) for $\sum fx \div 200$

© UCLES 2017 Page 3 of 7

Question	Answer	Marks	Part marks
5(b)(i)	$\frac{30}{210}$ oe	2	M1 for $\frac{6}{15} \times \frac{5}{14}$ If zero scored, SC1 for answer $\frac{36}{225}$ oe
5(b)(ii)	$\frac{108}{210}$ oe	3	M2 for $\frac{6}{15} \times \frac{9}{14} + \frac{9}{15} \times \frac{6}{14}$ oe or $1 - \frac{9}{15} \times \frac{8}{14} - \frac{6}{15} \times \frac{5}{14}$ or M1 for $\frac{6}{15} \times \frac{9}{14}$ or $\frac{9}{15} \times \frac{6}{14}$ or $\frac{9}{15} \times \frac{8}{14} + \frac{6}{15} \times \frac{5}{14}$ If zero scored, SC1 for answer $\frac{108}{225}$ oe
5(c)	150	1	
6(a)(i)	Translation	1	
	$\begin{pmatrix} 3 \\ -13 \end{pmatrix}$ oe	1	
6(a)(ii)	Enlargement	1	
	$[sf] - \frac{1}{2}$ oe	1	
	(0, -4)	1	
6(b)	Image at (0,0)(0,6)(-4,6)(-4,2)	2	B1 for rotation of 90° anticlockwise about the wrong centre or 90° clockwise about (3, -1) or 4 points correct but not joined.
6(c)	Image at (4,0)(10,0)(10,-4)(6,-4)	2	B1 for reflection in $y = k$ or in $x = 1$ or 4 points correct but not joined
6(d)	Enlargement	1	
	[sf] 3	1	
	Origin oe	1	

© UCLES 2017 Page 4 of 7

Question	Answer	Marks	Part marks
7(a)	[x=]-5	4	M1 for correctly equating one set of coefficients
	[y =] 7 with correct working		M1 for correct method to eliminate one variable
			OR
			M1 for correctly rearranging one equation
			M1 for correct method to eliminate one variable
			A1 $x = -5$ A1 $y = 7$ both dep on M2
			If zero scored, SC1 for 2 values satisfying one of the original equations
			SC1 if no correct working shown, but 2 correct answers given
7(b)	[a=] 36	3	B2 for either correct
	[b=]-6		or M1 for $a = b^2$ or for $x^2 + bx + bx + b^2$ or
			better or for $(x - 6)^2$ seen and M1 for $2b = -12$ soi
7(c)	$\frac{7x^2 - 12x - 10}{(2x - 5)(x - 1)}$ oe final answer nfww	4	B1 for common denom $(2x-5)(x-1)$
	(2x-5)(x-1)		seen oe isw M1 for $x(x-1)+(3x+2)(2x-5)$ soi isw
			B1 for $6x^2 - 15x + 4x - 10$ soi
8(a)(i)	4 points correctly plotted	2	B1 for 2 or 3 points correctly plotted
8(a)(ii)	Positive	1	
8(b)	mean 3.1	3	M2 for $\frac{\text{sum of products}}{30}$
			or M1 for at least 4 correct products soi
	median 3	2	M1 for 15.5 oe indicated
	mode 5	1	
	range 5	1	
8(c)	24 nfww	3	M1 for $\frac{x \times 52 + 45 \times 75 + 11 \times 91}{x + 45 + 11}$ [= 70.3]
			x + 45 + 11 M1 for clearing <i>their</i> fraction

© UCLES 2017 Page 5 of 7

Question	Answer	Marks	Part marks
9(a)	1120 or 1121	4	M2 for $[AC^2 =]$ $525^2 + 872^2 - 2 \times 525 \times 872 \times \cos 104$ or M1 for implicit version A1 for 1257000 to 1258000
9(b)	$[QB \text{ or } x =] 872 \times \tan 1 \text{ seen}$	M2	M1 for tan $1 = \frac{QB}{872}$
	$tan = their QB \div 525$	M1	
	1.7 or 1.660 to 1.661 nfww	A1	dep on M3
9(c)(i)	222 000 or 222 100 or 222 101	2	M1 for $\frac{1}{2} \times 525 \times 872 \times \sin 104$
9(c)(ii)	5.55 or 5.550 to 5.553 nfww	2FT	FT their (c)(i) × $100^2 \div 20000^2$ M1 for their (c)(i) × $100^2 \div 20000^2$ or restart
10(a)	26 28 22 25 29 29 29 20 21 22 22 25 C	4	All 8 regions correct M3 for 6 or 7 regions correct M2 for 4 or 5 regions correct M1 for 3 regions correct
10(b)(i)	∉	1	
10(b)(ii)	Ø	1	
10(c)	21, 23, 24, 29	2FT	Correct or FT SC1 for 1 omission or 4 correct and 1 extra
10(d)(i)	5	1FT	Correct or FT if less than 10
10(d)(ii)	9	1FT	Correct or FT if less than 10
10(e)		1	

© UCLES 2017 Page 6 of 7

Question		Answer	Marks	Part marks
11	64	$(n+3)^2$ oe final answer	1, 2	M1 for a quadratic expression seen or second differences 2
	17	3n+2 oe final answer	1, 2	B1 for $3n + k$ (any k) or $kn + 2$ ($k \ne 0$)
	47	$(n+3)^2 - (3n+2)$ oe isw	1, 2FT	FT their difference expressions $A - B$ M1 for expression $an^2 + bn + c$ seen or second differences 2
	$\frac{7}{6}$	$\frac{n+2}{n+1}$ oe final answer	1, 2	B1 for $\frac{n+k+1}{n+k}$ seen

© UCLES 2017 Page 7 of 7