

## **Cambridge Assessment International Education**

Cambridge International General Certificate of Secondary Education

MATHEMATICS

Paper 3 (Core)

MARK SCHEME

Maximum Mark: 104

0580/32

October/November 2017

## **Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

 ${\rm \rlap{R}\hskip-1pt B}$  IGCSE is a registered trademark.



## **Abbreviations**

cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

nfww not from wrong working

soi seen or implied

Question	Answer	Marks	Partial Marks
1(a)(i)	45	1	
1(a)(ii)	1010	1	
1(a)(iii)	[0].55	2	<b>M1</b> for $(1.66 \times 5) - 7.75$ oe
1(b)(i)	50	1	
1(b)(ii)	2, 7, 4, 5, 6, 6	2	B1 for 4 correct in frequency column or B1 for correct tallies if frequency column blank or B1 if 2, 7, 4, 5, 6, 6 seen in tally column with frequency column blank or incorrect
1(b)(iii)	Correctly scaled frequency axis	1	
	all heights correct	1FT	FT their table
	consistent width of bars	1	
1(b)(iv)	10 [to] 19	1	FT their bar chart if 5 or 6 bars or their table if no bar chart
2(a)	Eight thousand [and] forty-five	1	
2(b)(i)	64	1	
2(b)(ii)	61 or 67	1	
2(b)(iii)	68	1	
2(c)(i)	$2 \times 7^2$ or $2 \times 7 \times 7$	2	M1 for 2, 7, 7 or 2, $7^2$ or $1 \times 2 \times 7 \times 7$ or $1 \times 2 \times 7^2$
2(c)(ii)	14	2	M1 for $(182 = ) 2 \times 7 \times 13$ or 2, 7, 13 or B1 for 2 or 7 or $2 \times 7$ as final answer

© UCLES 2017 Page 2 of 5

Question	Answer	Marks	Partial Marks
2(d)(i)	1296	1	
2(d)(ii)	29	1	
2(d)(iii)	14	1	
2(d)(iv)	$0.008 \text{ or } \frac{1}{125}$	1	
3(a)	2, 6	2	B1 mark for each
3(b)(i)	Triangle at (-3, 1) (-5, 3) (-3, 3)	2	<b>B1</b> for reflection in $x = k$ or $y = -1$
3(b)(ii)	Triangle at (2, 2) (2, 6) (6, 6)	2	B1 for correct size and orientation, incorrect centre
3(b)(iii)	Translation	1	
	$\begin{pmatrix} -5 \\ 3 \end{pmatrix}$	1	
4(a)(i)	6 pens and 1.3[0]	3	M1 for $\frac{10}{1.45}$ M1 for $k \times 1.45$ where $k$ is an integer
4(a)(ii)	4.76	2	<b>M1</b> for $5.60 \times (1 - \frac{15}{100})$ oe
4(b)	22	2	M1 for ordered list of first 6 or last 6 or B1 for 19 and 25 both identified
4(c)	3000 1500 2500	3	M2 for $\frac{7000}{6+3+5} \times k$ or better, where $k$ is 6 or 3 or 5  or M1 for $\frac{7000}{6+3+5}$ or better implied by 500  If no working M2 implied by one correct answer in correct place
			If zero scored, M1 for all correct answers in wrong order
4(d)	909.09 or 909.1[0] or 909.0 or 909	2	<b>M1</b> for $\frac{1400}{1.54}$
4(e)	2160.09 or 2160.1[0] or 2160.0 or 2160	3	M2 for 2000 $(1 + \frac{2.6}{100})^3$ oe or M1 for 2000 $(1 + \frac{2.6}{100})^2$ soi by 2105.35

Page 3 of 5

Question	Answer	Marks	Partial Marks
5(a)	$\frac{90}{360} \times 900 = 225$	1	
5(b)	45	2	<b>M1</b> for $\frac{18}{360} \times 900$ oe
5(c)	Correct pie chart	2	<b>B1</b> for 56° or 50° soi
5(d)(i)	0	1	
5(d)(ii)	$\frac{1}{20}$ cao	2	<b>M1</b> for $\frac{18}{360}$ or $\frac{their(\mathbf{b})}{900}$ oe
5(e)	350	2	<b>M1</b> for $\frac{125}{900} \times 2520$ or $\frac{50}{360} \times 2520$ oe
6(a)(i)	95	2	<b>B1</b> for 9.5
6(a)(ii)	135	1	
6(b)(i)	Correct length and bearing	2	<b>B1</b> for 7.8 cm from <i>A</i> <b>B1</b> for 103° from <i>A</i>
6(b)(ii)	104	2	M1 for $\frac{78}{45} \times 60$ oe  or for $\frac{78}{\text{time}}$
6(c)	Correct region shaded with correct arcs	5	B2 for correct bisector with correct arcs or B1 for short bisector with correct/incorrect/no arcs or for correct arcs but no line  B2 for arc 7 cm centre A or B1 for short arc 7 cm from centre A
7(a)(i)	Pentagon	1	
7(a)(ii)	Parallelogram	1	
7(a)(iii)	Obtuse	1	
7(b)(i)	2400	2	<b>M1</b> for 25 × 12 × 8
7(b)(ii)	[0] .0024	1FT	

Question	Answer	Marks	Partial Marks
7(c)(i)	Radius	1	
7(c)(ii)	Angle [in a] semicircle, [90°]	1	
7(c)(iii)	50.3 or 50.26 to 50.27	2	<b>M1</b> for $2 \times 8 \times \pi$ or $16 \times \pi$
7(c)(iv)	11.5 or 11.48 to 11.49	3	M2 for $\sqrt{14^2 - 8^2}$ soi or better or M1 for $14^2 = 8^2 + CD^2$ or better
8(a)(i)	12p - 7r final answer	2	B1 for $12p + jr$ or $kp - 7r$ $j$ , $k$ can be 0 or $12p + -7r$
8(a)(ii)	$24x^5$ final answer	1	
8(b)	90x + 75y final answer	2	<b>B1</b> for $90x + jy$ or $kx + 75y$ $j$ , $k$ can be 0 or $0.9x + 0.75y$
8(c)	4p(3p-2) final answer	2	<b>B1</b> for $4(3p^2 - 2p)$ or $p(12p - 8)$ or $2(6p^2 - 4p)$ or $2p(6p - 4)$
8(d)	5	3	M1 for first correct step
			M1FT for second correct step
8(e)	Correctly equating one set of coefficients	M1	
	Correct method to eliminate one variable	M1	Dependent on the coefficients being the same for one of the variables.  Correct consistent use of addition or subtraction using their equations.
	[x = ] 2.5	A1	
	[y = ] 11	A1	If zero scored, SC1 if no working shown, but 2 correct answers given or SC1 for 2 values satisfying one of the original equations
9(a)(i)	-6, 6, 14	3	B1 for each
9(a)(ii)	Correct curve	4	B3FT for 6 or 7 points correctly plotted or B2FT for 4 or 5 points correctly plotted or B1FT for 2 or 3 points correctly plotted
9(b)(i)	Correct ruled line	1	
9(b)(ii)	$1.8 \leqslant x < 2.0, 5$	1FT	<b>FT</b> intersection of <i>their</i> curve with the line $y = 5$

© UCLES 2017 Page 5 of 5