MARK SCHEME for the May/June 2015 series

0625 PHYSICS

0625/21

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme Cambridge IGCSE – May/June 2015	Syllabus 0625	Paper 21			
	NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS					
B marks	are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.					
M marks	are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers must be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.					
C marks	are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. For example, if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.					
A marks	are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.					
Brackets ()	around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets, e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.					
c.a.o.	means "correct answer only".					
e.c.f.	means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but only applies to marks annotated "e.c.f."					
e.e.o.o.	means "each error or omission".					
<u>Underlining</u>	indicates that this <u>must</u> be seen in the answer offered, or some	ething very s	similar.			
OR / or	indicates alternative answers, any one of which is satisfactory	for scoring t	he mark.			
AND	indicates that both answers are required to score the mark.					
Spelling	Be generous with spelling and use of English. However, do no e.g. spelling which suggests confusion between reflection/refra thermistor/transistor/transformer.		•			
Sig. figs.	On this paper, answers are generally acceptable to any numbe ≥2, except where the mark scheme specifies otherwise or give significant figure.					
Units	On this paper, incorrect units are not penalised, except where commonly, marks are awarded for specific units.	specified. N	lore			
Fractions	Fractions are only acceptable where specified.					

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0625	21
Extras	If a candidate gives more answers than required, irrelevant extras are ignored; for extras which contradict an otherwise correct response, or are forbidden by the mark scheme, use right plus wrong = 0.		
Ignore	indicates that something which is not correct is disregarded and does not cause a right plus wrong penalty.		
NOT	indicates that an incorrect answer is not to be disregarded, bu otherwise correct alternative offered by the candidate i.e. right applies.		

Page 4		4	Mark Scheme		Paper
			Cambridge IGCSE – May/June 2015	0625	21
1	(a)	any • •	v two from: gap between ruler and stack eye not perpendicular/ level with top of stack zero error of ruler		B2
	(b)		÷20 85(cm) OR 0.39(cm)		C1 A1
	(c)	0.0	12(kg) c.a.o.		B1
					[Total: 5]
2	(a)	40 ((km)		B1
	(b)	0.5	eed = distance ÷ time in any form ÷0.04 5m/s		C1 C1 A1
	(c)	(i)	distance travelled = area under slope OR 0.5×15×6 45(m)		C1 A1
		(ii)	(straight) line from 15 m/s to 0 in 2.0 seconds		A1
					[Total: 7]
3	(a)	(i)	any answer in range 40 to 100 <u>kg</u> OR equivalent in g		B1
		(ii)	mass of chair is the same on the moon		B1
	(b)	(i)	pressure greater in Fig. 3.2 OR reverse argument force/weight is the same smaller (contact/surface) <u>area</u>		B1 B1 B1
		(ii)	vertical line through centre of mass drawn or explained centre of mass outside base area of chair/beyond back leg of chair		B1 B1
					[Total: 7]
4	kine	rmal			B1 B1 B1 B1
					[Total: 4]

© Cambridge International Examinations 2015

Page 5		Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0625	21
5 (a)	(i) C in box		B1
((ii) A AND C in any order		B1
	 any 5 points in any order from: starting pistol fired stopwatch started on seeing smoke/signal stopwatch stopped on hearing bang time taken (between flash and bang) calculated/recorded distance measured OR at least 100 m apart, IGNORE distances speed = distance ÷ time 	less than 100	B5 n
			[Total: 7]
6 (a)	(i) <u>380</u> (mm) AND <u>220</u> (mm)		B1
((ii) 380–220 OR 160 OR ecf from (a)(i)		C1
	760 + 160 OR ecf from (a)(i) ECF 920 (mmHg) OR ecf from (a)(i)		C1 A1
(b)	(i) decreases		B1
((ii) molecules slow down OR (average) speed/movement decreases OR molecules have less (average kinetic) energy 	5	B1
	molecules closer		B1
			[Total: 7]
7 (a)	(i) <u>conduction</u>		B1
	 (ii) 1. water expands when heated <u>density</u> (of warm water) decreases OR reverse argument warm water rises 		B1 B1 B1
	2. convection		B1
(b)	(i) reduce heat losses OR to act as insulation		B1
	(ii) any two from:		B2
	 economic reason: lower costs OR cheaper OR more efficien environmental reason: less greenhouse gases OR maintain reason to do with system: maintain temperature of water OR needed to keep water hot OR water stays hotter for longer 	fuel reserves	
			[Total: 8]

Pa	age (6	Mark Scheme	Syllabus	Paper
			Cambridge IGCSE – May/June 2015	0625	21
8	(a)	(i)	angle of refraction correctly labelled		B1
		(ii)	normal		B1
	(b)	(i)	light ray shown undergoing TIR/turns through 90°		B1
		(ii)	total internal (reflection)		B1
		(iii)	angle of incidence = angle of reflection OR angle of incidence great critical angle	iter than	B1
					[Total: 5]
9	(a)	alte	rnating voltage OR a.c. (supply)		B1
	(b)	mot	or (accept fan) AND lamp		B1
	(c)	line	1 tick and then tick 2 cross/nothing and then tick 3 tick and then cross/nothing		B3
	(d)	V=	<i>IR</i> in any form		B1
	(e)	50 » 250			C1 A1
	(f)	•	two from: current too large fuse wire melts/"blows" breaks circuit		B2
		•	prevents overheating/fires/damage to other components		
					[Total: 10]
10	(a)		clearly indicated el clearly indicated		B1 B1
	(b)		to see if there is repulsion/attraction ar indication that repulsion identifies the magnets		C1 A1
	(c)	stee	el		B1

Pa	age 7		Syllabus	Paper
		Cambridge IGCSE – May/June 2015	0625	21
	(d)	(i) iron filings OR (plotting) compass		B1
		(ii) at least two complete concentric circles around wire		B1
				[Total: 7]
11	(a)	transverse waves OR travel at same (high) speed OR travel across a v	acuum	B1
	(b)	infra-red next to visible microwaves next to radio waves		B1 B1
				Ы
	(c)	gamma rays		B1
	(d)	 (i) medical imaging OR security scanning (at airports etc.) OR dentist OR finding defects in welding 	ry	B1
		(ii) use of shielding OR monitor exposure		B1
				[Total: 6]
12	(a)	3 plots all correct		B1
		good best-fit single line curve		B1
	(b)	point at 40 days indicated		C1
		775±75		A1
	(c)	initial count rate halved OR pair of count rates indicating halving		C1
		at least one corresponding time from graph 20 days ±2 days		C1 A1
				[Total: 7]