MARK SCHEME for the May/June 2015 series

0654 CO-ORDINATED SCIENCES

0654/22

Paper 2 (Core Theory), maximum raw mark 120

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2		2			Paper
			Cambridge IGCSE – May/June 2015	0654	22
1	(a)	wei ma field	ss is a measure of amount of matter in an object ; ght is the gravitational force pulling on the object ; ss will be the same throughout the universe but weight will depend o d strength ; ss is measured in kg weight is measured in N ;	on the gravit	ational [max 2]
	(b)	(i)	kinetic (energy) ;		[1]
		(ii)	(gravitational) potential energy ;		[1]
	(c)	(i)	B and D, and A and C (either order) ; B and D ;		[2]
		(ii)	equal ; opposite ;		[2]
	(d)	(i)	B–C – horizontal line means constant speed ;		[1]
		(ii)	A–B or C–D – (diagonal line means) speed is changing ;		[1]
					[Total: 10]
2	(a)	(all			[2]
	(b)	(i)	increases;		[1]
		(ii)	7 ; mixture is neutral/the acid has been neutralised ;		[2]
	(c)	(i)	limewater/calcium hydroxide/slaked lime ;		[1]
		(ii)	goes cloudy/milky/white precipitate ;		[1]
		(iii)	calcium chloride ; water ; in either order		[2]
		(iv)	increase acid concentration ; increase (acid) temperature ; increase surface area (of calcium carbonate)/smaller particle size	,	[max 2]

[Total: 11]

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0654	22
3 (a)	(labels, from top left) photosynthesis ; respiration ; combustion ;		[3]
(b)	arrow from plants to animals ; ignore arrow from died and decaying matter to animals		[1]
(c)	more photosynthesis (than respiration and decay) in spring/summer ; more decay/respiration (than photosynthesis) in autumn ;		[2]
(d)	(increase – no mark) plants remove less CO_2 from atmosphere ; by photosynthesis ; removed trees form dead matter ; and decay to produce more CO_2 ; burning wood/ combustion release CO_2 ;		[max 2]
			[Total: 8]

4	(a)	description	element symbol(s)	
		it is an unreactive gas	Ne	
		it oxidises to form rust	Fe	
		its atoms have the lowest proton number	ber H	
		they are good electrical conductors Na K Fe Cu		
		they are transition metals	Fe Cu	
		they combine to form sodium chloride	Na C <i>l</i>	

1 mark for each completely filled box ; ; ; ; ; ;

(b) (i) 13;
(ii) Group 4 - silicon; 4th period - calcium;
(c) (i) (KF) reference to metal combining with non-metal;
(ii) reference to gain of electrons/outer shell is completed / outer shell electron number goes from 7 to 8 / the ion now has a single negative charge;

[6]

Page 4				Syllabus	Paper
			Cambridge IGCSE – May / June 2015	0654	22
5	(a)	(i)	1955 ;		[1]
		(ii)	330 (g/m²) ;		[1]
	(b)	(i)	identify/choose highest yielding plants ; use these for breeding/repeat over many generations/check for a undesirable characteristics ;	opearance c	of [2]
		(ii)	more / better / use of fertiliser ; better pest control ; irrigation ; new varieties of wheat from outside ; better soil quality ;		
			better weather ;		[max 2]
	(c)	dise	ease/drought/flood/frost/AVP;		[1]
	(d)	dise rate	ease resistance/pest resistance/hardiness/taste/nutrient content/l e;	high germina	ation [1]
					[Total: 8]
6	(a)		tion ; nsfer of electrons/charged particles ;		[2]
	(b)	(i)	symbols for lamp and switch correct in a working circuit ;		
			lamps connected in parallel ; switch in correct position to control both lamps ;		[3]
		(ii)	still a complete circuit for the other lamp ;		[1]
		(iii)	current = voltage/resistance ; = 12/2 = 6A ;		[2]
	(c)	(i)	quieter ;		[1]
		(ii)	transverse waves oscillate at right angles to direction of wave/ene longitudinal waves oscillate parallel to direction of wave/energy tra		; [2]
					[Total: 11]

Page	9 5	Mark Scheme	Syllabus	Paper
		Cambridge IGCSE – May/June 2015	0654	22
7 (a) ova	ıry ;		[1]
(b) (i)	oviduct/fallopian tube ;		[1]
	(ii)	prevents egg reaching uterus/sperm cannot reach egg / prevents for cannot enter fallopian tube ;	ertilisation/	sperm [1]
(c) (i)	chemical substance produced by gland ; carried in the blood ; affects/alters activity of target organs ; destroyed in liver ;		[max 3]
	(ii)	ovary labelled on Fig. 7.1 ;		[1]
				[Total: 7]
8 (a) (i)	46.6% ;		[1]
	(ii)	nitrogen 78% ; oxygen 21% ;		[2]
(b) (i)	reduction ;		[1]
	(ii)	compounds are broken down by electrical energy /by passing an e them ;	electric curre	ent through
		contains (mobile) ions/a compound that conducts ; the negative electrode ;		[max 3]
(c) (i)	malleability ;		[1]
	(ii)	unreactive/will not react with food/catch fire in oven high melting point/will not melt during cooking ; other science based ideas, e.g. reflects heat back into food ;		[max 2]
				[Total: 10]

Page 6		6	Mark Scheme		Paper
			Cambridge IGCSE – May/June 2015	0654	22
9	(a)	(i)	(time) = distance/speed ; = 50/1500 = 0.03(3)(s) ;		[2]
		(ii)	cannot hear (no mark) max human audible frequency is 20000 Hz ;		[1]
	(b)	-	from head bends at surface ; ers eye ;		[2]
	(c)	(i)	temperature at which a liquid boils and turns into a vapour ;		[1]
		(ii)	thermal energy transferred to (water) particles (from surroundings) KE/move faster when heated ; water changes from liquid to vapour/gas ; ref. to attraction between particles in the liquid ; fastest moving particles escape ; (escape) at surface/ref to process happening at temperature below average energy of the rest of the particles reduced/thermal energy liquid ;	v boiling poi	nt ;
	(d)	(i)	${f B}$ because most particles are touching and randomly arranged ;		[1]
		(ii)	${f C}$ because particles are widely spaced and randomly arranged ;		[1]
				I	[Total: 11]
10	(a)	(i)	root hair (cell) ;		[1]
		(ii)	cell wall ; nucleus ;		[2]
	(b)	abs	orbs mineral ions/nitrate/magnesium (ions)/other named mineral i	on ;	[1]
	(c)	(i)	transpiration ;		[1]
		(ii)	leaves/stomata/mesophyll;		[1]
	(d)	as sup	photosynthesis ; part of cytoplasm/for growth ; port/turgor ; transport (of ions/sugars) ;		[max 1] [Total: 7]

Page 7		7	Mark Scheme		Paper
			Cambridge IGCSE – May/June 2015	0654	22
11	(a)	(i)	cracking;		[1]
		(ii)	(alkene) ref. to double bond/conforms to general formula $C_n H_{2n}$;		[1]
		(iii)	orange ; to colourless ;		[2]
	(b)	(i)	(addition) polymerisation ;		[1]
		(ii)	several G symbols linked into a chain (minimum 4);		[1]
		(iii)	(white solid is hydrocarbon) made of the elements hydrogen and carbon ; only ;		
			OR		
			G is a hydrocarbon and so G s linked must be hydrocarbon ; because no other elements are included ;		[2]
					[Total: 8]
12	(a)	inci	sor ;		[1]
	(b)	flat [ma (fur	ucture) larger ; o roots ; ter ; ax 2 for structure] nction) grinding/crushing ; for biting ;		[max 3]
	(c)	(so	aks into small pieces ;) easier to swallow ; re surface area for enzyme action ;		[max 2]
	(d)	ren whi	noves plaque/bacteria ; noves sugar/food remnants ; ich encourage bacteria ; noves/neutralises acid ;		[max 2]
	(e)	avo avo mo	ssing ; biding sugary/sticky foods ; biding snacks between meals ; uthwash ; bride ;		
			ular dental checks/professional cleaning/sealing ;		[max 2]
					[Total: 10]

Page 8		Mark Scheme	Syllabus	Paper
		Cambridge IGCSE – May/June 2015	0654	22
13	(a) () removes electrons from atoms / turns atoms to ions ;		[1]
	(i	 repeated exposure to X-rays is harmful ; X-rays are harmful to humans/cause cancer, etc. ; metal screen stops X-rays penetrating ; 		[max 2]
	(ii)X-rays in 6 th box ; γ rays in 7 th box ;		[2]
	(b) () reflection continues through fibre with angle approx. correct ;		[1]
	(i) total internal reflection ; angle of incidence always exceeds critical angle ;		[max 1]
	• •	can pass through the human body ${\bm and}$ it is safer than α or β radiation both required for 1 mark)	,	[1]
				[Total: 8]