UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

MARK SCHEME for the May/June 2012 question paper for the guidance of teachers

5070 CHEMISTRY

5070/32


Paper 3 (Practical Test), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2012	5070	32

1 (a) Titration [12]

Accuracy 8 marks

For the two best titres give:

- 4 marks for a value within 0.2 cm³ of Supervisor
- 2 marks for a value within 0.3 cm³ of Supervisor
- 1 mark for a value within 0.4 cm³ of Supervisor

Concordance 3 marks

Give:

- 3 marks if all the ticked values are within 0.2 cm³
- 2 marks if all the ticked values are within 0.3 cm³
- 1 mark if all the ticked values are within 0.4 cm³

Average 1 mark

Give 1 mark if the candidate calculates a correct average (error not greater than 0.05) of all his ticked values.

Assuming a 25 cm³ pipette and a titre of 24.8 cm³.

(b) concentration of ethanedioic acid in P

[2]

$$=\frac{25.0\times0.15}{24.8\times2} (1)$$

$$= 0.0756(1)$$

Answers should be correct to + or - 1 in the third significant figure.

(c) concentration of ethanedioic acid in P in g/dm³

[1]

$$= 0.0756 \times 90 (1)$$

= 6.80

(d) mass of water in g

[1]

$$= 9.45 - 6.80(1)$$

= 2.65

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2012	5070	32

(e) the value of x [2]

mole
$$H_2O = \frac{2.65}{18}$$

= 0.147
 $\mathbf{x} = \frac{0.147}{0.0756}$

= 1.94 or 2

Shows the working to obtain value of \mathbf{x} (1)

The value of ${\bf x}$

i.e. the correct arithmetical answer or the nearest whole number (1)

[Total: 18]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2012	5070	32

2 R is potassium iodide **S** is hydrogen peroxide

Test		Notes		
For ppt	General points For ppt Allow solid, suspension, powder			
Name o	For gases Name of gas requires test to be at least partially correct. Effervesces = bubbles = gas vigorously evolved but not gas evolved			
Solutions Colourless not equivalent to clear, clear not equivalent to colourless				
Solution R				
Test 1				
(a)	yellow ppt (1)	accept pale yellow		
(b)	insoluble in acid (1)			
Test 2				
red/brov	vn solution (1)			
Test 3				
(a)	turns brown (1)	accept black		
	solid formed (1)			
(b)	turns green (1)			
	solid disappears (1)			

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2012	5070	32

Test 4		
(a)	yellow/red/brown solution (1	
(b)	black solid (1	allow dark brown solid
Test 5		
(a)	yellow solution (1	allow brown
(b)	red-brown ppt (1	
	insoluble in excess (1	
	bubbles (1	
	gas relights a glowing splint (1	
	oxygen (1	
Test 6		
purple o	colour lost (1	turns colourless/decolourised
bubbles	(1	
oxygen	(1	
Test 7		
(a)	no reaction (1	
(b)	bubbles (1	
	oxygen (1	
	liquid turns blue (1	

Conclusions

The anion in \mathbf{R} is iodide or I^- (in Test 1 yellow ppt remains in acid) (1)

S is acting as an oxidising agent (in Test 5 yellow solution or red-brown ppt) (1)

S is acting as a reducing agent (in Test 6 indication purple colour lost) (1)

Note: 25 marking points, maximum 22.

[Total: 22]