

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CHEMISTRY 5070/12

Paper 1 Multiple Choice May/June 2013

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.



1	Wh	ich mixture could best be separated by using a separating funnel?			
	Α	oil and sand			
	В	oil and water			
	С	sodium chloride and sand			
	D	sodium chloride and water			
2	Wh	ich process involves boiling a liquid and condensing the vapour?			
	Α	crystallisation			
	В	distillation			
	С	evaporation			
	D	filtration			
3	Wh	ich compound, when mixed with aqueous barium nitrate, does not form a white precipitate?			
	Α	ammonium carbonate			
	В	dilute sulfuric acid			
	С	silver nitrate			
	D	sodium carbonate			
4	The	e structure of metals consists of positive ions in a 'sea of electrons'.			
		nich statement correctly describes what happens to the particles in the metallic heating element an electric kettle when the kettle is switched on?			
	Α	Electrons move in both directions in the element.			
	В	Electrons move in one direction only in the element.			
	С	Electrons move in one direction and positive ions move in the opposite direction in the element.			
	D	Positive ions move in one direction only in the element.			

What can be deduced about naturally-occurring bromine from this information only?

A Bromine contains the two isotopes in equal proportions.

Naturally-occurring bromine has a relative atomic mass of 80 and consists entirely of two

B Bromine has different oxidation states.

isotopes of relative atomic masses 79 and 81.

- **C** Bromine isotopes have different numbers of protons.
- **D** Bromine is radioactive.

5

6 Silicon carbide, SiC, has a structure similar to diamond. Boron nitride, BN, has a structure similar to graphite. Bronze is an alloy of copper and tin.

Which statements about SiC, BN and bronze are correct?

- 1 All are bonded covalently.
- 2 All except silicon carbide conduct electricity when solid.
- 3 All have high melting points.
- A 1 and 2 only
- **B** 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3
- 7 What can be deduced about two gases that have the same relative molecular mass?
 - **A** They have the same boiling point.
 - **B** They have the same number of atoms in one molecule.
 - **C** They have the same rate of diffusion at room temperature and pressure.
 - **D** They have the same solubility in water at room temperature.
- 8 Sodium is in Group I of the Periodic Table.

When sodium combines with chlorine, what happens to each sodium atom?


- **A** It gains one electron from one chlorine atom.
- **B** It shares one electron with one chlorine atom.
- **C** It transfers one electron to one chlorine atom.
- **D** It transfers two electrons to one chlorine atom.
- **9** Hydrogen and sulfur react to form the compound hydrogen sulfide.

Which row shows the type of bonding between hydrogen and sulfur and the electrical conductivity of liquid hydrogen sulfide?

	type of bonding	electrical conductivity in the liquid state	
Α	covalent	good	
В	covalent	non-conductor	
С	ionic	good	
D	ionic	non-conductor	

10	Wh	Which statement about aqueous potassium sulfate is correct?								
	Α	It contains more	e su	ılfate ions than բ	ootas	sium ions	-			
	В	It contains two different types of molecule.								
	С	It does not con-	duct	t electricity.						
	D	It forms a white	pre	ecipitate when a	dded	to aqueo	us barium	nitrate.		
11		e volume of a g n two volumes o				ibines wit	h an equa	l volume	of gaseous	hydrogen to
	Wh	at is the formula	for	the hydride of λ	(?					
	A	H_2X	В	HX	С	HX_2	D	H_2X_2		
40	T L.			a a stable de a ta	05.5					
12	Ine	e relative atomic	mas	ss of chlorine is	35.5	•				
	Wh	at is the mass o	f 2 n	noles of chlorine	e gas	?				
	Α	17.75 g	В	35.5 g	С	71 g	D	142 g		
13	Ηον	w could a sample	e of	potassium be o	btain	ed from p	otassium o	hloride,	KC1?	
		method 1	ado	ding zinc to a so	olutio	n of KC <i>l</i>				
				ectrolysing an ac			n of KC <i>l</i>			
				ctrolysing molte						
	Α	method 1 only		, ,						
	В	methods 1 and	2							
	С	methods 2 and	3							
	D	method 3 only								
14	A concentrated aqueous solution of copper(II) chloride is electrolysed using inert electrodes.									
	What is the product at the positive electrode?									
	Α	chlorine								
	В	copper								
	С	hydrogen								
	D	oxygen								


15 The diagrams show an electrolysis experiment using inert electrodes.



Which could be liquid **Y**?

- A aqueous copper(II) sulfate
- B concentrated aqueous sodium chloride
- C dilute sulfuric acid
- **D** ethanol

16 The energy profile for the forward direction of a reversible reaction is shown.



Which row correctly shows both the sign of the activation energy and the type of the enthalpy change for the **reverse** reaction?

	sign of activation energy	enthalpy change	
Α	negative	endothermic	
В	negative	exothermic	
C positive		endothermic	
D	positive	exothermic	

17 Which ionic equation describes a redox reaction?

A
$$Ag^{+}(aq) + Cl^{-}(aq) \rightarrow AgCl(s)$$

B
$$2H^{+}(aq) + CO_3^{2-}(aq) \rightarrow CO_2(g) + H_2O(I)$$

$$\mathbf{C}$$
 $H^{+}(aq) + OH^{-}(aq) \rightarrow H_{2}O(I)$

D
$$Zn(s) + Cu^{2+}(aq) \rightarrow Zn^{2+}(aq) + Cu(s)$$

18 Four separate mixtures of a solution and a solid are made, as given in the table.

The mixtures are warmed.

In which mixtures does gas form?

	NaOH(aq) and NH₄C <i>l</i> (s)	NaOH(aq) and Mg(s)	H ₂ SO ₄ (aq) and NH ₄ C <i>l</i> (s)	H₂SO₄(aq) and Mg(s)	
Α	✓	X	✓	X	key
В	✓	x	x	✓	√ = gas forms
С	x	✓	✓	x	x = no gas forms
D	X	✓	X	✓	

19 Four oxides are added separately to aqueous sodium hydroxide.

- 1 aluminium oxide
- 2 carbon dioxide
- 3 copper(II) oxide
- 4 magnesium oxide

Which oxides react with aqueous sodium hydroxide?

- A 1 and 2 only
- **B** 1, 3 and 4 only
- C 2 only
- **D** 3 and 4 only

© UCLES 2013

20 Chlorine can be manufactured by the following reaction.

$$4HCl(g) + O_2(g) \rightleftharpoons 2H_2O(g) + 2Cl_2(g) \Delta H$$
 is negative

A mixture in dynamic equilibrium is formed.

Which change to the mixture will increase the amount of chlorine at equilibrium?

- A adding a catalyst
- **B** adding more HCl(g)
- **C** decreasing the pressure
- **D** increasing the temperature
- 21 Which is a use of sulfuric acid?
 - A as a bleach
 - **B** in the manufacture of ammonia
 - **C** in the manufacture of fertilisers
 - **D** in the manufacture of sulfur trioxide
- 22 Which statement about ammonia is correct?
 - A It is a colourless, odourless gas.
 - **B** It is a gas which turns damp blue litmus paper red.
 - **C** It is formed when potassium nitrate is heated with aqueous sodium hydroxide and aluminium.
 - **D** It is manufactured using vanadium(V) oxide as a catalyst.
- 23 Which property is common to calcium, potassium and sodium?
 - **A** Their atoms all have more neutrons than protons.
 - **B** Their ions all have eight electrons in their outer shell.
 - C They all sink when added to water.
 - **D** They are all deposited at the positive electrode when their molten chloride is electrolysed.

24 The table shows the solubility of some compounds of metal Q in cold water.

salt	solubility in cold water
carbonate	insoluble
chloride	soluble
sulfate	insoluble

What is metal Q?

Α	bariu	ım
_	Danc	1111

- **B** lead
- **C** magnesium
- **D** sodium

25 Which two statements indicate that metal *M* may have a proton number between 21 and 30?

- 1 It conducts electricity.
- 2 It does not react with water.
- 3 It forms two basic oxides with formulae MO and M_2O_3 .
- 4 It forms two coloured sulfates.
- **A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4


26 An atom of which element has the same electronic configuration as the strontium ion?

- A calcium
- **B** krypton
- C rubidium
- **D** selenium

27 Which substance, in the given physical state, is found at the bottom of the blast furnace?

	substance	physical state	
Α	calcium carbonate	solid	
В	calcium silicate	liquid	
С	carbon	liquid	
D	iron	solid	

28 Gas Z is to be separated from a mixture of gases X, Y and Z by the apparatus shown in the diagram.



For which mixture will this system work successfully?

	x	Y	Z
Α	hydrogen	carbon dioxide	nitrogen
В	oxygen	hydrogen	carbon monoxide
С	nitrogen	oxygen	hydrogen
D	carbon dioxide	nitrogen	oxygen

- 29 Magnesium can be obtained by heating magnesium oxide with which element?
 - A carbon
 - **B** hydrogen
 - C sodium
 - **D** zinc

30 Methanol is manufactured using the following reaction.

$$CO(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$$

The usual conditions are 30 atmospheres and 300 °C.

At 400 °C the percentage of methanol in the equilibrium mixture is lower than at 300 °C.

What could be the explanation for this?

- All the molecules are gaseous.
- В The forward reaction is exothermic.
- C The reaction is slower at 400 °C.
- D There are fewer product molecules than reactant molecules.
- 31 In the electrolysis of molten aluminium oxide for the extraction of aluminium, the following three reactions take place.

1
$$Al^{3+} + 3e^{-} \rightarrow Al$$

$$2 20^{2-} \rightarrow O_2 + 4e^{-}$$

3 C +
$$O_2 \rightarrow CO_2$$

Which reactions take place at the positive electrode?

- **B** 2 only A 1 only
- C 1 and 3 only D 2 and 3 only
- 32 An alloy of copper and zinc is added to an excess of dilute hydrochloric acid. The resulting mixture is then filtered.

Which observations are correct?

	filtrate	residue
Α	colourless solution	none
В	colourless solution	red-brown
С	blue solution	grey
D	blue solution	none

33 The compounds $CO(NH_2)_2$ and NH_4NO_3 are used as fertilisers.

The proportion of nitrogen by mass in $CO(NH_2)_2$ is1..... that in NH_4NO_3 .


The proportion of nitrogen by mole in CO(NH₂)₂ is2..... that in NH₄NO₃.

Which words correctly complete gaps 1 and 2?

	1	2	
Α	equal to	equal to	
В	higher than	equal to	
C higher than		higher than	
D lower than		lower than	

- 34 Which method will remove salt from seawater?
 - **A** chlorination
 - **B** distillation
 - **C** filtration
 - **D** use of carbon
- Which organic compound requires the least oxygen for the complete combustion of one mole of the compound?
 - \mathbf{A} $\mathbf{C}_3\mathbf{H}_7\mathbf{OH}$
- **B** C_3H_7COOH
- \mathbf{C} C_3H_8
- $D C_4H_8$
- 36 Which polymer contains only three elements?
 - A protein
 - **B** poly(ethene)
 - C poly(propene)
 - **D** starch

37 What are the reactions of compounds W, X, Y and Z?



	decolourises aqueous bromine	has a pH of less than 7	reacts with a carboxylic acid to form an ester
Α	X and Y	W, X and Y	W, X , Y and Z
В	X and Y	X and Z	X and Z
С	W and Z	W, X and Y	X and Z
D	W and Z	X and Z	W, X and Y

38 The diagram shows the partial structure of *Terylene*.

From which pair of compounds is it made?

39 Which straight chain hydrocarbon can form a polymer by addition polymerisation?

- **A** C₆H₁₄
 - **B** C₇H₁₄
- **C** C₈H₁₈
- **D** C_9H_{20}

40 Which information is correct regarding the formation of ethanol by the process of fermentation?

	substances fermented	gas evolved during fermentation
Α	carbohydrates	carbon dioxide
В	carbohydrates	carbon monoxide
С	hydrocarbons	carbon dioxide
D	hydrocarbons	carbon monoxide

BLANK PAGE

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	Heilum	20 Ne on	40 Ar Argon	84 X	36	5 3	Xenon 54		Radon 86		175 Lu Lutetium 71	Lr Lawrencium
	II/		19 Fluorine	35.5 C1 Chlorine	80 Br		127	_		Astatine 85		173 Yb Ytterbium 70	
			16 Oxygen	32 S Sulfur 16	79 Se Selenium	\dashv	128 -	E		Po Polonium 84		169 Tm Thulium	Mendelevium
	>		Nitrogen 8	31 Phosphorus 15	75 As Arsenic		122 C.		209	Bismuth 83		167 Er Erbium 68	Fm Fermium
	2		12 Carbon	28 Si Silicon			119		207			165 Ho Holmium 67	Einsteinium
	=		11 Boron 6	27 A1 Auminium 13	70 Ga Gallium		115		204			Dy Dysprosium 66	
					65 Zn Zinc		112		201	Hg Mercury 80		159 Tb Terbium 65	BK Berkelium
					Copper			Silver 47		Au Good		Gd Gadolinium 64	Curium
dn					Si Kickel	28	106	Palladium 46	195	Pt Platinum 78		152 Eu Europium 63	Am Americium
Group					59 Cobatt	27	103 7	Rhodium 45	192	Ir Iridium 77		Sm Samarium 62	Pu Plutonium
		T Hydrogen			56 F.e.	26	101	Ruthenium 44	190	Osmium Osmium 76		Pm Promethium 61	Neptunium
					55 Mn Manganese	25	Ę	E	186	Re Rhenium 75		Neodymium 60	238 U
					52 Cr Chromium	24	96 2	Ę	184	Tungsten 74		Pr Praseodymium 59	Pa Protactinium
					51 V	23	93	Niobium 41	181	Ta Tantalum 73		140 Ce Cerium	232 Th
					48 T	22	91	Zirconium 40	178	72			nic mass bol
					Scandium	21	% >	Yttrium 39	139	Lanthanum 57 *	227 Ac Actinium 89	series eries	 a = relative atomic mass X = atomic symbol b = protein (atomic) number
	=		Be Beryllium	24 Mg Magnesium 12	Calcium	20	88 0	Strontium 38	137	Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series	« ×
	_		7 Li Lithium	23 Na Sodium	39 K Potassium	19	85	Rubidium 37	133	Caesium 55	Fr Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.