MARK SCHEME for the May/June 2014 series

5070 CHEMISTRY

5070/41

Paper 4 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



	Pa	ige 2		Mark Scheme	Syllabus	Paper			
1	(2)	(i)	2011	± 0	5070	41			
'	(a)	(1)	20u	$+ O_2 \rightarrow 2CuO(1)$		[1]			
		(11)	DIACI	K (1)		[1]			
	(b)	(i)	72 (′	1) cm ³		[1]			
		(ii)	nitro	gen (1)		[1]			
		(iii)	18 (1	1) cm ³		[1]			
		(iv)	0.00	075 (1) moles		[1]			
		(v)	0.09	6 (1) g		[1]			
	(-)	0.00		3		[4]			
	(C)	300) (1) C	m		[1]			
						[lotal: 8]			
2	(a)	(i)	red/	pink (1)		[1]			
		(ii)	hydr	ochloric acid (1)		[1]			
		(iii)	Univ	ersal indicator/pH meter/full range indicator (1)		[1]			
	(b)	(i)	diffu	sion (1)		[1]			
		(ii)	amm	nonium chloride AND NH₄Cl (1)		[1]			
		(iii)	C (1))					
			Expl Amn	anation nonia molecules move or diffuse faster (than HC <i>l</i> mol	ecules), or reverse	e (1)			
			Amn mole	nonia has lower density <u>than HC<i>l</i></u> /lower <i>M</i> r ecules are lighter <u>than HC<i>l</i> molecules</u> , or reverse (1)	<u>than HC1</u> /ammo)	onia			
			lf de amm	ensity of gases are compared to air, both densities nonia lighter than air AND hydrogen chloride heavie	s must be stated r than air.	e.g. [3]			
	(c)	c) Y (NH ₃) (1); X (HC l) (1)							
		<u>Bot</u> HC	<u>h</u> solu <i>l</i> is m	uble in water (1) ore dense than air AND NH₃ is less dense than air ((1)	[4]			
						[Total: 12]			

	Pa	ge 3			Ма	rk Scheme	Syllabus	Paper
			G	CE O LI	EVE	EL – May/June 2014	5070	41
3	(d)							[Total: 1]
4	(b)							[Total: 1]
5	(a)							[Total: 1]
6	(b)							[Total: 1]
7	(a)	1.70 (1)	g					[1]
	(b)	carbon d	lioxide (1) t	turns lim	e v	vater milky/white ppt (1)		[2]
	(c)	pink/red	to yellow ((1)				[1]
	(d)	25.9 0.0 25.9	48.6 23.3 25.3	32.4(6.9(25.5(1) 1) 1)	1 mark for each correct row <u>or</u> column to the benefit o	of the candidate (3)	
		Mean va	lue 25.4 (1) cm ³				[4]
	(e)	0.00254	(1) moles					[1]
	(f)	0.00254	(1) moles					[1]
	(g)	0.0254 (*	1) moles					[1]
	(h)	0.05 (1)	moles					[1]
	(i)	0.0246 (*	1) moles					[1]
	(j)	0.0123 (*	1) moles					[1]
	(k)	138 (1) 3	39 (1)					[2]
								[Total: 16]

	Page 4			Mark Scheme	Syllabus	Paper						
				GCE O LEVEL – May/June 2014	5070	41						
8	(a)	(a) Transition metal ion/compound may be present (1)										
	(b)	(i)	gree	en precipitate (1)								
		(ii)	prec	ipitate insoluble (1)								
		(iii)	gas amn	evolved that turns damp red litmus blue (1) nonia (1)								
	(c)	Ba HC whi										
						[Total: 8]						
9	(a)	yel	low (1)		[1]						
	(b)	0.6	4, 1.2	7, 1.91, 2.35, 2.35, 2.35 all correct (1)		[1]						
	(c)	all two line	points o strai es inte		[3]							
	(d)	(i)	3.2 ((1) cm ³		[1]						
		(ii)	2.35	i (1) g		[1]						
		(iii)	7.4 ((1) cm ³		[1]						
	All answers in (d) must come from the candidate's graph. Read candidate's graph to +/– half a small square.											
	(e)	Agl	NO ₃ -	+ KI \rightarrow AgI + KNO ₃ (1)		[1]						
	(f)	1.3	5 (1)	mol/dm ³		[1]						
	(g)	<i>M</i> ₁ Ma	AgC <i>l</i> , ss of	143.5 (1) AgC <i>l</i> = 1.435 (1) g		[2]						
						[Total: 12]						