## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CHEMISTRY 5070/01

Paper 1 Multiple Choice

October/November 2004

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C**, and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate answer sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.

1 A pale green solution **X** gives a green precipitate with excess aqueous sodium hydroxide.


An alkaline gas is only given off when the mixture is warmed with powdered aluminium.

Which ions does X contain?

- **A** ammonium and copper(II)
- **B** ammonium and iron(III)
- C copper(II) and nitrate
- **D** iron(II) and nitrate
- 2 The diagram shows the chromatogram of four different sugars using the same solvent.

Glucose has an  $R_{\rm f}$  value of 0.5.

Which sugar is glucose?




3 A liquid boils at a temperature of 100 °C.


Which other property of the liquid proves that it is pure water?

- A It does not leave a residue when boiled.
- **B** It freezes at 0 °C.
- C It is neither acidic nor alkaline.
- **D** It turns white anhydrous copper(II) sulphate blue.


**4** The diagram shows apparatus used to separate hexane (boiling point, 70 °C) and heptane (boiling point, 98 °C).



Which graph would be obtained if the temperature at point **T** was plotted against the total volume of distillate collected?



5 In which conversion do H<sub>2</sub>O molecules lose speed?



- $\textbf{A} \quad \text{ice} \rightarrow \text{water}$
- **B** ice  $\rightarrow$  steam
- $\mathbf{C}$  steam  $\rightarrow$  ice
- **D** water → steam

**6** Two particles **X** and **Y** have the composition shown in the table.


particle	number of electrons	number of neutrons	number of protons
x	10	8	8
Y	18	18	17

The particles X and Y are

- A metal atoms.
- **B** non-metal atoms.
- **C** negative ions.
- **D** positive ions.
- 7 What is the nucleon number of the isotope of uranium,  $^{235}_{92}$  U?
  - **A** 92
- **B** 143
- **C** 235
- **D** 327

- **8** Which of the following is a compound?
  - A air
  - **B** carbon
  - **C** oxygen
  - **D** steam

**9** The experiment shown is used to test potassium bromide crystals.



The lamp does not light.

Distilled water is then added to the beaker and the lamp lights.

Which statement explains these results?

- A Electrons are free to move in the solution when potassium bromide dissolves.
- **B** Metal ions are free to move when potassium bromide melts.
- **C** Metal ions are free to move when potassium reacts with water.
- **D** Oppositely charged ions are free to move in the solution when potassium bromide dissolves.
- 10 Which compound has both ionic and covalent bonds?
  - A ammonium chloride
  - **B** carbon dioxide
  - C ethyl ethanoate
  - **D** sodium chloride
- 11 'Cracking' of hydrocarbons breaks them into smaller molecules.

Which example of 'cracking' would produce the largest volume of products from one mole of hydrocarbon? Assume that all measurements are made at the same temperature and pressure.

- **A**  $C_6H_{14}(g) \rightarrow 3C_2H_4(g) + H_2(g)$
- **B**  $C_8H_{18}(g) \rightarrow 2C_3H_8(g) + C_2H_2(g)$
- **C**  $C_{10}H_{22}(g) \rightarrow C_8H_{18}(g) + C_2H_4(g)$
- **D**  $C_{12}H_{26}(g) \rightarrow C_8H_{18}(g) + 2C_2H_4(g)$

**12** When 20 cm³ of a gaseous alkene burns in an excess of oxygen, 60 cm³ of carbon dioxide are formed. Both volumes are measured at r.t.p.

What is the formula of the alkene?

- A  $C_3H_6$
- $\mathbf{B}$   $C_3H_8$
- $C C_6H_{12}$
- **D**  $C_6H_{14}$
- 13 'Meta-fuel', C<sub>8</sub>H<sub>16</sub>O<sub>4</sub>, is a fuel used in camping stoves.

What is the equation for its complete combustion?

- **A**  $C_8H_{16}O_4 + 2O_2 \rightarrow 8C + 8H_2O$
- **B**  $C_8H_{16}O_4 + 5O_2 \rightarrow 8CO + 8H_2O$
- **C**  $C_8H_{16}O_4 + 10O_2 \rightarrow 8CO_2 + 8H_2O$
- **D**  $C_8H_{16}O_4 + 8O_2 \rightarrow 4CO_2 + 4CO + 8H_2O$
- **14** Dilute sulphuric acid is electrolysed using inert electrodes.

Which equation represents the reaction at the anode (+ve)?


- **A**  $O_2^{2-} \rightarrow O_2 + 2e^-$
- $\mathbf{B} \quad 2\mathbf{H}^{+} + 2\mathbf{e}^{-} \rightarrow \mathbf{H}_{2}$
- **C**  $4OH^- \rightarrow O_2 + 2H_2O + 4e^-$
- **D**  $SO_4^{2-} \rightarrow O_2 + SO_2 + 2e^{-}$
- 15 What are the products when concentrated aqueous lithium chloride is electrolysed?

	at the anode (positive)	at the cathode (negative)
Α	chlorine	hydrogen
В	chlorine	lithium
С	oxygen	hydrogen
D	oxygen	lithium

**16** A solid deposit of element **R** is formed at the cathode(-ve) when an aqueous solution containing ions of **R** is electrolysed.

Which statement about element R must be correct?

- **A R** forms negative ions.
- **B** R ions gain electrons at the cathode.
- **C R** ions lose electrons at the cathode.
- **D R** is above hydrogen in the reactivity series.
- **17** Apparatus was set up as shown.



For which pair of metals would electrons flow in the direction shown?

	metal <b>X</b>	metal <b>Y</b>
Α	copper	zinc
В	iron	aluminium
С	iron	magnesium
D	zinc	silver


18 The table shows the energy released by the complete combustion of some compounds used as fuels


compound	formula	M <sub>r</sub>	∆ <i>H</i> in kJ/mol
methane	CH₄	16	-880
ethanol	C <sub>2</sub> H <sub>5</sub> OH	46	-1380
propane	C <sub>3</sub> H <sub>8</sub>	44	-2200
heptane	C <sub>7</sub> H <sub>16</sub>	100	-4800


Which fuel produces the most energy when 1g of the compound is completely burned?

- **A** ethanol
- **B** heptane
- **C** methane
- **D** propane


## **19** Which reaction is the fastest?










20 The diagram shows the reaction pathway for a reaction without a catalyst.




Which diagram shows the pathway resulting from the addition of a catalyst to the reaction?









21 Nitrogen reacts with oxygen.

$$N_2(g) + O_2(g) \Longrightarrow 2NO(g)$$
  $\Delta H = +170 \text{ kJ/mol}$ 

At equilibrium, which statement is true?

- A The concentration of nitrogen present will change with time.
- **B** The forward and backward reaction are taking place at the same rate.
- **C** The forward reaction releases heat energy.
- **D** There are more molecules on the left hand side of the equation than on the right.

22 Which series of changes includes both oxidation and reduction?

$$\textbf{A} \quad \textbf{C} \rightarrow \textbf{CO} \rightarrow \textbf{CO}_2$$

**B** 
$$PbO_2 \rightarrow PbO \rightarrow Pb$$

$$\textbf{C} \quad N_2 \rightarrow NH_3 \rightarrow NO$$

$$\mathbf{D} \quad C_2H_2 \to C_2H_4 \to C_2H_6$$

23 The table gives information about three indicators.

indicator	colour at pH1	pH at which colour changes	colour at pH 12
thymol blue	red	3	yellow
congo red	blue	5	red
phenolphthalein	colourless	10	red


Which colours would be obtained when each indicator was added separately to pure water?

	thymol blue	congo red	phenolphthalein
Α	red	blue	red
В	yellow	blue	colourless
С	yellow	blue	red
D	yellow	red	colourless

24 Which reactants could be used safely to prepare potassium chloride?

- A aqueous potassium hydroxide and dilute hydrochloric acid
- **B** aqueous potassium sulphate and aqueous sodium chloride
- **C** potassium and aqueous sodium chloride
- **D** potassium and dilute hydrochloric acid

25 In an experiment 5 cm³ of 1.0 mol/dm³ sodium hydroxide are gradually added to 10 cm³ of 1.0 mol/dm³ hydrochloric acid containing methyl orange.



Which change occurs in the mixture?

- **A** The concentration of the H<sup>+</sup> ions increases.
- **B** The methyl orange changes colour.
- C More water molecules are formed.
- **D** A precipitate is formed.

**26** X and Y are diatomic elements. X is less reactive than Y.

What are elements X and Y?

	Х	Y
Α	bromine	iodine
В	iodine	bromine
С	potassium	sodium
D	sodium	potassium

- **27** Element **Z** has the following properties.
  - It has a high melting point.
  - Its presence can lower the activation energy for a reaction.

What type of element is **Z**?

- A a halogen
- B an alkali metal
- C a noble gas
- **D** a transition metal

28 All ammonium salts on heating with sodium hydroxide produce ammonia gas.

From which ammonium salt can the greatest mass of ammonia be obtained?

- **A** 0.5 mol (NH<sub>4</sub>)<sub>3</sub>PO<sub>4</sub>
- **B**  $0.5 \,\text{mol} \, (NH_4)_2 SO_4$
- **C** 1.0 mol NH<sub>4</sub>C*l*
- D 1.0 mol NH<sub>4</sub>NO<sub>3</sub>
- 29 The position of metal M in the reactivity series is shown.

Which method will be used to extract **M** from its ore?

- A electrolysis of its molten oxide
- **B** electrolysis of its aqueous sulphate
- C reduction of its oxide by heating with hydrogen
- D reduction of its oxide by heating with coke
- 30 Two elements are in the same group of the Periodic Table.


Which property will be the same for both elements?

- A the charge on their ions
- B their electronic structure
- C their melting point
- **D** their reactivity with water or acids
- 31 How does the mass of a sample of copper(II) oxide change when it is heated in hydrogen and in oxygen?

	mass after heating in hydrogen	mass after heating in oxygen
Α	decreases	decreases
В	decreases	unchanged
С	unchanged	decreases
D	unchanged	unchanged

- 32 From which reaction is a gas produced?
  - A adding calcium to water
  - **B** adding dilute hydrochloric acid to silver
  - **C** adding dilute sulphuric acid to copper
  - **D** electrolysing aqueous copper(II) sulphate, using copper electrodes
- 33 The diagram shows a boat made from iron.

Some magnesium blocks are attached to the iron below the water line.



Why does the magnesium stop the iron from rusting?

- A Magnesium reacts in preference to the iron.
- **B** Magnesium reacts to form a protective coating of magnesium oxide on the iron.
- **C** The magnesium forms an alloy with the iron.
- **D** The magnesium stops oxygen in the water from getting to the iron.
- **34** A catalytic converter in a car exhaust system changes pollutants into less harmful products.

Which change does **not** occur in a catalytic converter?

- A carbon dioxide → carbon
- **B** carbon monoxide → carbon dioxide
- **C** nitrogen oxides → nitrogen
- **D** unburned hydrocarbons → carbon dioxide and water
- **35** The equation shows a reaction in the Contact process.

$$2SO_2(g) + O_2(g) \Longrightarrow 2SO_3(g)$$
  $\Delta H = -98 \text{ kJ/mol}$ 


Which change would move the position of equilibrium to the left?


- A adding more O<sub>2</sub>
- **B** increasing the pressure
- **C** increasing the temperature
- **D** removing SO<sub>3</sub> from the reacting mixture


36 Poly(ethene) can be manufactured by the process below.




Which diagram shows the change in molecular size during this process?









**37** Compound **Q** has the structure shown.

Which structure is an isomer of **Q**?

- **38** Compound **X** has the molecular formula  $C_2H_6O$ .
  - X can be made by a fermentation process.
  - X can be oxidised to Y.
  - X can react with Y to form Z and water.

To which homologous series do X, Y and Z belong?

	х	Y	Z
Α	alcohols	carboxylic acids	esters
В	alcohols	esters	carboxylic acids
С	carboxylic acids	alcohols	esters
D	carboxylic acids	esters	alcohols

**39** The list shows reactions in which ethanol is either a reactant or a product.

1	combustion of ethanol
2	conversion of ethene to ethanol
3	fermentation of glucose
4	oxidation of ethanol to ethanoic acid

In which reactions is water also either a reactant or a product?

- **A** 1, 3 and 4 only
- **B** 2, 3 and 4 only
- **C** 1, 2 and 4 only
- **D** 3 only
- **40** A vegetable oil is polyunsaturated.

Which statement about this vegetable oil is correct?

- A It has double bonds between carbon and hydrogen atoms.
- **B** It reacts with hydrogen to form a solid compound.
- **C** It reacts with steam to form margarine.
- **D** It turns aqueous bromine from colourless to brown.

The Periodic Table of the Elements **DATA SHEET** 

		0	4 <b>H</b>	Helium 2	20	Ne	Neon 10			Argon 18	84	궃	Krypton 36	131	Xe	Xenon 54		Ru	Radon 86				
		II/			19	ш	Fluorine 9	35.5	ľ	Chlorine 17	80	ğ	Bromine 35	127	_	lodine 53		¥	Astatine 85				
					16	0	Oxygen 8	32	တ	Sulphur 16	62	Se	Selenium 34	128	<u>P</u>	Tellurium 52		Ъ	Polonium 84				
		>			14	z	Nitrogen 7			Phosphorus 15		As			Sp	Antimony 51	209	ö	Bismuth 83				
		2			12	ပ	(0		Si	Silicon 14		Ge	Germanium 32	119	Sn	Tin 50	207	Ъ	Lead 82				
		=			11	В	Boron 5	27	Αl	Aluminium 13	70	Ga	Gallium 31		I	49		11	Thallium 81				
2												Zu	Zinc 30	112	ဦ	Cadmium 48	201	Hg	Mercury 80				
											64	ວ	Copper 29		Ag	47		Αn	Gold 79				
	Group										59	Z	Nickel 28	106	Pd	Palladium 46	195	ፚ	Platinum 78				
2	G										69	ද	Cobalt 27	103	Rh	Rhodium 45	192	<u>'</u>	Iridium 77				
2			- I	Hydrogen 1								Pe	9	101	Ru	Ruthenium 44		os	Osmium 76				
											55	Mn	Manganese 25		ည	Technetium 43	186	Re	Rhenium 75				
													Chromium 24	96	Mo	Molybdenum 42	184	>	Tungsten 74				
											51	>	Vanadium 23	93	QN	Niobium 41	181	Б	Tantalum 73				
											48	j	Titanium 22	91	Zr	Zirconium 40	178	Ξ	Hafnium 72				
											45	လွင	Scandium 21	88	>	Yttrium 39	139	Га	Lanthanum 57 *	227	Ac	Actinium 89	
		=			6	Be	Beryllium 4	24	Mg	Magnesium 12	40	Ca	Calcium 20	88	ຮ	Strontium 38	137	Ва	Barium 56	226	Ra	Radium 88	
		_			7	=	Lithium 3	23	Na	Sodium 11	39	¥	Potassium 19	85	Rb	Rubidium 37	133	S	Caesium 55		ਛ	Francium 87	

3														
ooid corioe	140	141	144		150	152	157		162		167	169		
iold series	రి	ቯ	۶	Pm	Sm	En	P G	<b>₽</b>	ò		ш	Ш		Γn
d selles	Cerium 58	Praseodymium 59		Promethium 61	9	Europium 63	Gadolinium 64	55	Dysprosium 66	Holmium 67	Erbium 68	Thulium 69	Ytterbium 70	7
a = relative atomic mass	232	3	238			3			3		3	3		
X = atomic symbol	Ļ	Ра	<b>-</b>	d N	Pu	Am	Cm	BK	ర	Es	Fm	Md	8 N	ב
b = proton (atomic) number	Thorium 90	Protactinium 91	Uranium 92		Plutonium 94	Americium 95	Curium 96	Berkelium 97	Californium 98	Einsteinium 99	Fermium 100	Mendelevium 101	Nobelium 102	Lawrenciu

Key

\*58-71 Lanthanoid series 90-103 Actinoid series

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).