

#### CHEMISTRY

Paper 1 Multiple Choice

5070/12 October/November 2010 1 hour

Additional Materials:

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB recommended)

### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

04

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 20.

This document consists of 18 printed pages and 2 blank pages.



1 The boiling points of various gases found in the air are shown below.

	°C
argon	-186
carbon dioxide	-78
nitrogen	-198
oxygen	-183

If the air is cooled, the first substance to condense is water.

If the temperature is lowered further, what is the next substance to condense?


- A argon
- B carbon dioxide
- **C** nitrogen
- D oxygen
- 2 Substance X dissolves in water to form a colourless solution. This solution reacts with aqueous lead(II) nitrate in the presence of dilute nitric acid to give a yellow precipitate.

What is substance X?


- A calcium iodide
- **B** copper(II) chloride
- **C** iron(II) iodide
- D sodium chloride

**3** The fractional distillation apparatus shown is to be used for separating a mixture of two colourless liquids. A thermometer is missing from the apparatus.

Where should the bulb of the thermometer be placed?



4 The diagram shows a diffusion experiment.




Which gas, when present in the beaker over the porous pot, will cause the water level at Y to rise?

- A carbon dioxide, CO<sub>2</sub>
- **B** chlorine,  $Cl_2$
- **C** methane, CH<sub>4</sub>
- D nitrogen dioxide, NO<sub>2</sub>
- **5** Hydrogen can form both  $H^+$  ions and  $H^-$  ions.

Which one of the statements below is correct?

- **A** An  $H^+$  ion has more protons than an  $H^-$  ion.
- **B** An  $H^+$  ion has no electrons.
- **C** An  $H^-$  ion has one more electron than an  $H^+$  ion.
- **D** An  $H^-$  ion is formed when a hydrogen atom loses an electron.

6 The diagram shows apparatus used to obtain carbon monoxide.



What is the main purpose of Y?

- **A** to dry the gas
- **B** to prevent water being sucked back on to the hot carbon
- **C** to remove carbon dioxide from the gas
- **D** to remove hydrogen chloride from the gas
- 7 A dark, shiny solid, X, conducts electricity.


Oxygen combines with X to form a gaseous oxide.

What is X?

- A graphite
- B iodine
- **C** iron
- D lead
- 8 Which substance could be sodium chloride?

	malting point / °C	conduction of electricity								
	melting point/°C	when liquid	in aqueous solution							
Α	-114	nil	good							
в	180	nil	nil (insoluble)							
С	808	good	good							
D	3550	nil	nil (insoluble)							

**9** The diagram shows the molecule ethyl propanoate.




How many bonding pairs of electrons are there in the molecule?

**A** 13 **B** 16 **C** 17 **D** 20

- 10 The conduction of electricity by metals is carried out by the movement of
  - A electrons only.
  - **B** electrons and positive ions.
  - **C** negative ions only.
  - **D** negative ions and positive ions.
- **11** What is the concentration of iodine molecules,  $I_2$ , in a solution containing 2.54 g of iodine in 250 cm<sup>3</sup> of solution?
  - **A** 0.01 mol/dm<sup>3</sup>
  - **B**  $0.02 \text{ mol}/\text{dm}^3$
  - C 0.04 mol/dm<sup>3</sup>
  - **D**  $0.08 \text{ mol}/\text{dm}^3$

12 The energy profile for the forward direction of a **reversible** reaction is shown.




progress of reaction

Which row correctly shows the sign of both the activation energy and the type of the enthalpy change for the **reverse** reaction?

	sign of activation energy	type of enthalpy change
Α	negative	endothermic
В	negative	exothermic
С	positive	endothermic
D	positive	exothermic

**13** The diagram shows the results of an electrolysis experiment using inert electrodes.



Which could be liquid X?


- A aqueous copper(II) sulfate
- B concentrated aqueous sodium chloride
- C dilute sulfuric acid
- **D** ethanol

- 14 In which reaction is nitric acid acting as an oxidising agent?
  - A  $Cu + 4HNO_3 \rightarrow Cu(NO_3)_2 + 2H_2O + 2NO_2$
  - **B** CuO + 2HNO<sub>3</sub>  $\rightarrow$  Cu(NO<sub>3</sub>)<sub>2</sub> + H<sub>2</sub>O
  - $\textbf{C} \quad Na_2CO_3 + 2HNO_3 \rightarrow 2NaNO_3 + H_2O + CO_2$
  - **D** NaOH + HNO<sub>3</sub>  $\rightarrow$  NaNO<sub>3</sub> + H<sub>2</sub>O
- 15 The equation shows the formation of sulfur trioxide in the Contact process.

 $2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g) \quad \Delta H = -95 \text{ kJ/mol}$ 

What would decrease the yield of sulfur trioxide in a given time?

- A addition of more oxygen
- B an increase in pressure
- **C** an increase in temperature
- **D** removal of  $SO_3(g)$  from the reaction chamber
- **16** Which graph represents how the rate of reaction varies with time when an excess of calcium carbonate reacts with dilute hydrochloric acid?



**17** The tests below were carried out on a solution containing ions of the metal X.

test	observation
add sodium chloride solution	no change
add sodium sulfate solution	no change
add sodium hydroxide solution	a precipitate was formed, soluble in excess of the hydroxide

What is metal X?

- A calcium
- **B** iron
- C lead
- D zinc
- **18** A student mixed together aqueous solutions of Y and Z. A white precipitate formed.

Which could **not** be solutions Y and Z?

	solution Y	solution Z
Α	hydrochloric acid	silver nitrate
В	hydrochloric acid	sodium nitrate
С	sodium chloride	lead(II) nitrate
D	sodium chloride	silver nitrate


**19** Sulfur is burnt in air.

Which statement about this reaction is correct?

- **A** Sulfur is oxidised to sulfur trioxide.
- **B** The gas formed turns aqueous potassium dichromate(VI) from orange to green.
- **C** The reaction is reversible.
- **D** The reaction needs a catalyst.
- 20 Which property is common to calcium, potassium and sodium?
  - A Their atoms all lose two electrons when they form ions.
  - **B** They all form carbonates which are insoluble in water.
  - **C** They are all less dense than water.
  - **D** They are all metallic.

- 21 Which set of the electronic structures are only found in metals?
  - 2, 1 2, 8, 1 2, 8, 8, 1 Α 2, 5 2, 6 2, 7 В 2, 7 2, 8, 7 С 2, 8, 18, 7 D 2, 8, 3 2, 8, 4 2, 8, 5

22 The diagram shows processes that take place in the manufacture of ammonia.



What are substances W and X and catalyst Y?

	W	Х	Y
Α	air	oil	iron
в	air	oil	vanadium(V) oxide
С	oil	air	iron
D	oil	air	vanadium(V) oxide

**23** The position of metal M in the reactivity series is shown.

decrease in reactivity

K, Na, M, Al, Zn, Fe, Pb, Cu, Ag


Which method will be used to extract M from its ore?

- A electrolysis of its aqueous sulfate
- B electrolysis of its molten oxide
- **C** reduction of its oxide by heating with coke
- D reduction of its oxide by heating with hydrogen

24 When zinc is added to a solution of a metal sulfate, the metal is deposited and zinc ions are produced in solution.


Which metal is deposited?

- A calcium
- **B** copper
- **C** magnesium
- **D** potassium
- 25 The diagram shows the structure of brass.



Why is brass harder than pure copper?

- A The zinc atoms form strong covalent bonds with copper atoms.
- **B** The zinc atoms prevent layers of copper atoms from slipping over each other easily.
- **C** The zinc atoms prevent the 'sea of electrons' from moving freely in the solid.
- **D** Zinc atoms have more electrons than copper atoms.



26 Using the apparatus shown, chlorine is passed through the tube.

After a short time, coloured substances are seen at P, Q and R.

What are these coloured substances?

	at P	at Q	at R
Α	green gas	red brown vapour	violet vapour
в	green gas	violet vapour	black solid
С	red brown vapour	violet vapour	black solid
D	violet vapour	red brown vapour	red brown vapour

- **27** In the electrolysis of molten aluminium oxide for the extraction of aluminium, the following three reactions take place.
  - 1  $Al^{3+} + 3e^- \rightarrow Al$

$$2 \quad 20^{2-} \rightarrow O_2 + 4e^-$$

 $3 \quad C + O_2 \rightarrow CO_2$ 

Which reactions take place at the anode?

Α	1 only	В	2 only	С	1 and 3	D	2 and 3
---	--------	---	--------	---	---------	---	---------

28 Which equation in the blast furnace extraction of iron is not a redox reaction?


**A** 
$$CaCO_3 \rightarrow CaO + CO_2$$

- $\textbf{B} \quad 2C \textbf{+} O_2 \rightarrow 2CO$
- $\textbf{C} \quad C + CO_2 \rightarrow 2CO$
- $\textbf{D} \quad Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$

29 Which statement about the material used for aircraft bodies is correct?

Aircraft bodies are made from

- A an aluminium alloy because pure aluminium is too soft.
- **B** pure aluminium because of its high melting point.
- **C** pure aluminium because of its low density.
- **D** pure aluminium because of its resistance to corrosion.
- 30 Which natural process can cause nitrogen oxides to be formed in the atmosphere?
  - A bacterial decay of plants
  - B lightning activity
  - **C** photosynthesis
  - **D** respiration
- **31** Which type of water in the left hand column is linked correctly to a statement in the right hand column?





**32** A catalytic converter in a car exhaust system speeds up the change of pollutants into less harmful products.


Which change does not occur in a catalytic converter?


- **A** carbon dioxide  $\rightarrow$  carbon
- $\textbf{B} \quad \text{carbon monoxide} \rightarrow \text{carbon dioxide}$
- **C** nitrogen oxides  $\rightarrow$  nitrogen
- $\textbf{D} \quad \text{unburned hydrocarbons} \rightarrow \text{carbon dioxide and water}$

33 Which formula represents a compound likely to undergo addition polymerisation?











- 34 Which statement about ethanol is correct?
  - A It is an unsaturated compound.
  - **B** It is formed by the catalytic addition of steam to ethene.
  - **C** It is formed by the oxidation of ethanoic acid.
  - **D** It reacts with ethyl ethanoate to form an acid.
- **35** An organic compound has an empirical formula  $C_2H_4O$ .

What is the compound?

- A butanoic acid
- B butanol
- **C** ethanoic acid
- D ethanol


**36** Five structures are shown.





Which structures represent identical molecules?


- A 1 and 3 only
- B 2 and 3 only
- **C** 1, 3 and 4 only
- **D** 1, 3 and 5 only
- 37 The diagrams show two organic compounds.



Which statement about the compounds S and T is correct?

- **A** Both S and T react with sodium carbonate.
- **B** S and T react together to form the ester ethyl propanoate.
- **C** T can be changed into S using acidified potassium dichromate(VI).
- **D** They are in the same homologous series.

**38** Polymer X has the structure shown.



The list shows four terms that can be applied to polymers.

- 1 addition polymer
- 2 condensation polymer
- 3 polyamide
- 4 polyester

Which two terms can be applied to polymer X?


**A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4


- 39 In which reaction is water produced?
  - A manufacture of ethanol from ethene
  - B manufacture of margarine from vegetable oils
  - **C** manufacture of poly(ethene) from ethene
  - **D** manufacture of *Terylene* from a carboxylic acid and an alcohol


testresultadd bromine waterturns colourlessadd aqueous sodium carbonatecarbon dioxide formed


40 The results of tests on compound Z are shown.

What is compound Z?









D

# **BLANK PAGE**

# **BLANK PAGE**

DATA SHEET The Periodic Table of the Elements

	0	4	He	2 Helium	20	Ne	Neon 10	40	Ar	Argon 18	84	Kr	Krypton 36	131	Xe	Xenon 54		Rn	Radon 86				175	Lutetium	4	-	Lav 103
	II>				19	ш	Fluorine 9	35.5	CI	Chlorine 17	80	Ъ	Bromine 35	127	I	lodine 53		At	Astatine 85				173	Y b Ytterbium	8	<b>N</b>	Nobelium 102
	⋝				16	0	Oxygen 8	32	S	Sulfur 16	5	Se	Selenium 34	128	Te	Tellurium 52		Ъо	Polonium 84				169	T Hulium	69	τM	Mendelevium 101
	>				14	z	Nitrogen 7	31	٩	Phosphorus 15	75	As	Arsenic 33	122	Sb	Antimony 51	209	<u>10</u>	Bismuth 83				167 <b>—</b>		68	۲ ۲	Fermium 100
	≥				12	ပ	Carbon 6	28	Si	Silicon 14	73	9 G	Germanium 32	119	Sn	Tin 50	207	Pb	Lead 82				165	Holmium Holmium	67	ц	Ę
	≡				11	B	Boron 5	27	٩l	Aluminium 13	70	Ga	Gallium 31	115	In	Indium 49	204	11	Thallium 81				162	Dysprosium	66	ť	Californium 98
											65	Zn	Zinc 30	112	ပိ	Cadmium 48	201	Hg	Mercury 80				159	Terbium	65	12	Berkelium 97
											64	Cu	Copper 29	108	Ag	Silver 47	197	Au	Gold 79				157	Gadolinium	64	Ĕ	Curium 96
Group											59	ïZ	Nickel 28	106	Pd	Palladium 46	195	Ł	Platinum 78				152 <b>–</b>	Europium	63	~~~~	Americium 95
ē											59	ပိ	Cobalt 27	103	Rh	Rhodium 45	192	Ir	Iridium 77				150	Samarium Samarium	62	0	Plutonium 94
		-		nyarogen 1							56	Fe	Iron 26	101		Ruthenium 44	190	Os	Osmium 76				1	Promethium	61	gN	Neptunium 93
											55	Mn	Manganese 25		Ц	Technetium 43	186	Re	Rhenium 75				144	Neodymium		738	E
											52	ບັ	Chromium 24	96	Mo	Molybdenum 42	184	>	Tungsten 74				141	Praseodymium	28	Ğ	Protactinium 91
											51	>	Vanadium 23	93	qN	Niobium 41	181	Ta	Tantalum 73				140	Cerium Cerium	58	<b>4F</b>	Thorium 90
											48	i	Titanium 22	91	Z	Zirconium 40	178	Ħ	+ Hafnium						nic mass		nic) number
											45	Sc	Scandium 21	68	≻	Yttrium 39	139	La	Lanthanum 57 *	227	Ac	1 68	d series	series	a = relative atomic mass	<b>X</b> = atomic symbol	b = proton (atomic) number
	=				6	Be	Beryllium 4	24	Mg	Magnesium 12	40	Ca	Calcium 20	88	Sr	Strontium 38	137	Ba	Barium 56	226	Radium	88	*58-71 Lanthanoid series	190-103 Actinoid series			
	—				7	:-	Lithium 3	23	Na	Sodium 11	39	¥	Potassium 19	85	Rb	Rubidium 37	133	Cs	Caesium 55		Francium	87	*58-71 L	90-103		Kav	а а

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

20