## **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

GCE Advanced Subsidiary Level and GCE Advanced Level

## MARK SCHEME for the October/November 2012 series

## 9701 CHEMISTRY

9701/34

Paper 3 (Advanced Practical Skills), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components



Page 2	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9701	34

Qu	estion	Sections	Indicative material	Mark	
1	(a)	PDO Recording	I Correct units given for time and rates columns: / s or (s) and / s <sup>-1</sup> or (s <sup>-1</sup> )	1	
			II Records all 5 times to the nearest second. Do not allow if t <sub>1</sub> > t <sub>3</sub> .	1	
		PDO Display	III All (1000/time) values are correctly evaluated to 3 sig fig using the candidate's recorded times. (Minimum of 3 experiments carried out.)	1	
		MMO	IV to IX Use the method given in the notes below when		
		Quality	awarding the Quality marks.	6	[9]
		Round all reaction times to the nearest second.			
		IV and V Experiments 2 and 4: calculate $100(2t_2 - t_4)/t_4 \le 20\%$ for 1 mark; $\le 10\%$ for 2 marks.			
		VI and VII Experiments 2 and 5: calculate $100(4t_2 - t_5)/t_5 \le 20\%$ for 1 mark; $\le 10\%$ for 2 marks.			
		VIII and IX Experiment: If the candid available. A and 20% bo If only the fi	s 4 and 5: calculate $100(2t_4 - t_5)/t_5 \le 30\%$ for 1 mark; $\le 10\%$ for 2 date has not completed the 5 <sup>th</sup> experiment, marks <b>IV</b> and <b>V</b> are lso check Experiments 1 and 2: $t_2$ should equal $t_1$ x 5/4. Use the	eck Experiments 1 and 2: t <sub>2</sub> should equal t <sub>1</sub> x 5/4. Use the 10% es. e experiments are completed, award Q marks based on	
	(b)	PDO Layout	I Plots (1000/time) on <i>y</i> -axis and volume of <b>FB 1</b> on <i>x</i> -axis. Axes correctly labelled and correct unit included with volume heading.	1	
			II Uniform scales selected and more than half of the available grid used.	1	
			Scales must start at (0,0).  III All results are plotted within ½ square and in correct square. Allow for minimum 4 experiments carried out.	1	
			IV Draws a line through the origin (as shown) which lies	1	
			within the arc of the points.  V Draws a <b>straight</b> line of best fit (origin not essential).	1	[5]

Page 3	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9701	34

(c) ACE Interpretation  (ii) Experiment 1 and 5: correct concentration (to 2 – 4 st) of hydrogen peroxide in one of the solutions (0.088/0					
Conclusions    If website statement correct	(c)	Interpretation PDO	<ul> <li>4 sf) of hydrogen peroxide in one of the solutions (0.088/0.0885/0.08846 and 0.018/0.0177/0.01769 respectively).</li> <li>Correct concentrations in both and working shown in one.</li> <li>(ii) Working to show that concentration of H<sub>2</sub>O<sub>2</sub> is proportional to volume of FB 1.</li> <li>Use of ratios or multiplying factor or statement that total volume is constant / the same</li> </ul>	1	[3]
Conclusions  (reference to rate is incorrect; allow time is faster).  Explains that smaller amount / moles / volume of thiosulfate are present to delay blue-black colour / less iodine needs to be produced.  (f) ACE Interpretation  (i) Correctly calculates mean = 54.8 only.  (ii) Correctly calculates error = 3.6 or 3.65%.  Allow ecf correctly calculated from candidate's answer in (i) (3.56 or 3.6% if mean = 56.2).  (h) ACE Improvements  1 st experiment: only FB 2 changes and distilled water adjusted to give 60 cm³ total and 2nd experiment: only FB 4 changes and distilled water adjusted to give 55 cm³ total.	(d)		<ul> <li>If website statement correct <ul> <li>(i) a straight line / (line has) constant gradient</li> <li>(ii) passes through origin if graph line is straight</li> <li>(iii) straight line passes through origin (if appropriate from results) gains both marks.</li> </ul> </li> <li>or <ul> <li>If website statement not correct</li> <li>(i) a curve has been drawn / no straight line / not constant gradient</li> <li>(ii) straight line does not pass through the origin</li> <li>(iii) points too scattered / not on best fit line.</li> </ul> </li> <li>If no comment on correct / incorrect</li> <li>Allow 1 mark: for two pieces of evidence</li> <li>A straight line, not passing through the origin could score both marks depending on explanation given (proportional but not directly proportional).</li> <li>If two points are compared they must be on or very</li> </ul>		[2]
Interpretation concentration of H <sub>2</sub> O <sub>2</sub> . (NOT catalyst) [1]  (g) ACE	(e)		(reference to rate is incorrect; allow time is faster). Explains that smaller amount / moles / volume of thiosulfate are present to delay blue-black colour /	1	[2]
Interpretation  (ii) Correctly calculates error = 3.6 or 3.65%.  Allow ecf correctly calculated from candidate's answer in (i) (3.56 or 3.6% if mean = 56.2).  (h) ACE Improvements  1 st experiment: only FB 2 changes and distilled water adjusted to give 60 cm³ total and 2nd experiment: only FB 4 changes and distilled water adjusted to give 55 cm³ total.	(f)		•	1	[1]
Improvements adjusted to give 60 cm³ total <b>and</b> 2 <sup>nd</sup> experiment: only <b>FB 4</b> changes and distilled water adjusted to give 55 cm³ total.  [1]	(g)		(ii) Correctly calculates error = 3.6 or 3.65%. Allow ecf correctly calculated from candidate's		[2]
[Total: 25]	(h)		adjusted to give 60 cm <sup>3</sup> total <b>and</b> 2 <sup>nd</sup> experiment: only <b>FB 4</b> changes and distilled	1	[1]
•				[Tota	al: 25]

Page 4	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9701	34

<b>FB 5</b> is FeSO <sub>4</sub> (aq); <b>FB 6</b> is NH <sub>4</sub> C <i>1</i> (aq) + Na <sub>2</sub> SO <sub>3</sub> (aq); <b>FB 7</b> is MgSO <sub>4</sub> (aq); <b>FB 8</b> is CH <sub>3</sub> CO <sub>2</sub> Na(s)				
PDO Recording	<ul> <li>I Records all results (in correct space) for unknowns in a single table.</li> <li>II Records green ppt, insoluble in excess NaOH for</li> </ul>	1		
MMO Collection	<ul><li>and</li><li>white ppt insoluble in excess NaOH with FB 7.</li><li>III Only heats the solution in which no ppt formed with</li></ul>	1		
MMO Decisions	IV Tests gas /NH <sub>3</sub> evolved on heating <b>FB 6</b> with NaOH with (red) litmus paper turning blue.	1	[4]	
MMO Collection	With FB 5 records a green ppt, insoluble in excess ammonia and with FB 7 records a white ppt insoluble in excess ammonia	1		
	Any evidence of the green ppt with <b>FB 5</b> turning brown in tests in <b>(a)</b> or <b>(b)</b> .	1	[2]	
ACE Conclusions	No ecf in this section. FB 5 contains Fe <sup>2+</sup> , iron(II) FB 6 contains NH <sub>4</sub> <sup>+</sup> , ammonium FB 7 contains Mg <sup>2+</sup> , magnesium	1	[1]	
MMO Decisions  MMO Collection  ACE Conclusions	<ul> <li>(i) Chooses as reagents: barium chloride / nitrate as first reagent, and hydrochloric / nitric acid as second reagent.</li> <li>(ii) White ppt for all three with first reagent. (Allow off-white ppt with FB 5) FB 5 and FB 7 ppt insoluble and FB 6 ppt dissolves in second reagent. (If acid added before Ba<sup>2+</sup> then award 3<sup>rd</sup> mark for white ppt, no reaction, white ppt.)</li> <li>(iii) Correctly identifies the ions present and explanation from observations: SO<sub>4</sub><sup>2-</sup> in FB 5 and FB 7 as ppt insoluble in (appropriate) acid or SO<sub>3</sub><sup>2-</sup> in FB 6 as ppt soluble in acid. (Only allow ecf if same transposition of solutions as</li> </ul>	1 1 1	[4]	
	PDO Recording  MMO Collection  MMO Decisions  MMO Collection  ACE Conclusions  MMO Decisions  AMO Decisions	I Records all results (in correct space) for unknowns in a single table.  II Records green ppt, insoluble in excess NaOH for FB 5 and white ppt insoluble in excess NaOH with FB 7.  III Only heats the solution in which no ppt formed with NaOH.  IV Tests gas /NH3 evolved on heating FB 6 with NaOH with (red) litmus paper turning blue.  MMO Collection  With FB 5 records a green ppt, insoluble in excess ammonia and with FB 7 records a white ppt insoluble in excess ammonia.  Any evidence of the green ppt with FB 5 turning brown in tests in (a) or (b).  ACE Conclusions  No ecf in this section. FB 5 contains Fe <sup>2+</sup> , iron(II) FB 6 contains NH4+, ammonium FB 7 contains Mg <sup>2+</sup> , magnesium  MMO Collection  (i) Chooses as reagents: barium chloride / nitrate as first reagent, and hydrochloric / nitric acid as second reagent.  (Allow off-white ppt with FB 5) FB 5 and FB 7 ppt insoluble and FB 6 ppt dissolves in second reagent.  (If acid added before Ba <sup>2+</sup> then award 3 <sup>rd</sup> mark for white ppt, no reaction, white ppt.)  (iii) Correctly identifies the ions present and explanation from observations:  SO <sup>2+</sup> in FB 5 and FB 7 as ppt insoluble in (appropriate) acid	I Records all results (in correct space) for unknowns in a single table.  II Records green ppt, insoluble in excess NaOH for FB 5 and white ppt insoluble in excess NaOH with FB 7.  III Only heats the solution in which no ppt formed with NaOH.  IV Tests gas /NH₃ evolved on heating FB 6 with NaOH with (red) litmus paper turning blue.  MMO Collection  With FB 5 records a green ppt, insoluble in excess ammonia and with FB 7 records a white ppt insoluble in excess ammonia.  Any evidence of the green ppt with FB 5 turning brown in tests in (a) or (b).  ACE Conclusions  No ecf in this section. FB 5 contains Fe² inon(II) FB 6 contains NH₄¹, ammonium FB 7 contains Mg²¹, magnesium  MMO Collection  (i) Chooses as reagents: barium chloride / nitrate as first reagent, and hydrochloric / nitric acid as second reagent.  (ii) White ppt for all three with first reagent.  (Allow off-white ppt with FB 5) FB 5 and FB 7 ppt insoluble and FB 6 ppt dissolves in second reagent.  (if acid added before Ba²² then award 3rd mark for white ppt, no reaction, white ppt.)  (iii) Correctly identifies the ions present and explanation from observations:  SO² in FB 5 and FB 7 as ppt insoluble in (appropriate) acid or SO² in FB 6 as ppt soluble in acid.  (Only allow ecf if same transposition of solutions as	

Page 5	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2012	9701	34

(e)	MMO Collection	Either solution turns yellow / orange / orange-brown / brown (box 1) or brown / rust / red-brown ppt formed (box 2) (ppt soluble in excess is incorrect). Other of the above and observes effervescence / fizzing / bubbles (in either box). (Allow gas relights glowing splint (in either box) for 3 <sup>rd</sup> observation.)	1	[2]
(f)	MMO Collection	Test 1: (blue) litmus paper turns red and Test 2: sweet / fruity / glue / adhesive / nail varnish smell. Accept smell of ester.	1	
	ACE Conclusion	Salt of an organic / carboxylic acid or organic salt / named salt of organic acid or (A solid/crystalline) organic/carboxylic acid/named organic acid.	1	[2]
	[Total:1			tal:15]