

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE NUMBER	
*	MATHEMATICS	s (SYLLABUS D)	4024/01
ω 4 ω	Paper 1		May/June 2008
ω	Condidatos ana	war on the Question Paper	2 hours
~	Canuluales ans	wer on the Question Paper.	
	Additional Mate	rials: Geometrical instruments	
*			

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.Write in dark blue or black pen.You may use a pencil for any diagrams or graphs.Do not use staples, paper clips, highlighters, glue or correction fluid.DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

If working is needed for any question it must be shown in the space below that question. Omission of essential working will result in loss of marks.

NEITHER ELECTRONIC CALCULATORS NOR MATHEMATICAL TABLES MAY BE USED IN THIS PAPER.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 80.


For Examiner's Use								

This document consists of 14 printed pages and 2 blank pages.





	NEITHER ELECTRONIC CALCULATORS NOR MATHEMATICAL TABLES MAY BE USED IN THIS PAPER.								
1	Evaluate								
	(a) $\frac{1}{2} - \frac{3}{7}$,								
	(b) $2\frac{2}{3} \times 1\frac{3}{4}$.								
	(b) $2\frac{1}{3} \times 1\frac{1}{4}$.								
	Answer (a)[1]								
	<i>(b)</i> [1]								
2	Evaluate								
	(a) $25 - 18.3$,								
	(b) 1.7×0.03 .								
	Answer (a)[1]								
	<i>(b)</i> [1]								
3	It is given that $f(x) = 5x + 2$.								
5	Find								
	(a) $f(-2)$,								
	(b) $f^{-1}(x)$.								
	Answer (a)[1]								
	(b) $f^{-1}(x) = \dots [1]$								
	(0) 1 $(\lambda) = \dots [1]$								

2



Answer BD = cm [2]





Square	Rectangle
Kite	Trapezium

Parallelogram

Equilateral triangle

From this list, write down the name of the shape which always has

6

- (a) rotational symmetry of order 3,
- (b) rotational symmetry of order 2 and exactly 2 lines of symmetry,
- (c) one line of symmetry only.

Answer	(<i>a</i>)	[1]
	(<i>b</i>)	[1]
	(c)	[1]

12 Solve the simultaneous equations

$$2x - 3y = 13,$$

$$3x + y = 3.$$


Answer $x = \dots$

y =[3]

For Examiner's Use

The diagram is the speed-time graph of the first 20 seconds of a motorcyclist's journey.

7



(a) Calculate the motorcyclist's retardation during the final 8 seconds.

(b) Calculate the distance travelled in the 20 seconds.

Answer (a) m/s^2 [1]

(*b*) m [2]

14 (a) A jar contained 370 g of jam. Usman ate 30% of the jam.

What mass of jam remained in the jar?

(b) In 2006 the population of a town was 30 000. This was 5000 more than the population in 1999.

Calculate the percentage increase in population.


Answer (a) g [1]

(b) % [2]

15 Express as a single fraction in its simplest form


$$\frac{3}{2t-1} - \frac{2}{t+2}.$$

Answer[3]




1 .	. .								
17 A straight line passes through the points $P(1, 2)$ and $Q(5, -14)$.									
	Fine	1							
	(a)	the coordinates of the midpoint of PQ,							
	(b)	the gradient of PQ,							
	(c)	the equation of <i>PQ</i> .							
		Answer (a) (,							
		(b)[1							
		(c)[2							
(a) Mercury is 5.81×10^7 kilometres from the Sun.									
	(a) Mercury is 5.81×10^7 kilometres from the Sun. How much nearer is the Sun to Mercury than to the Earth?								
		Give your answer in standard form.							
	(b)	A terametre is 10^{12} metres.							
		Find the distance of the Earth from the Sun in terametres.							
		Answer (a) km [2							

For Examiner's Use



		12							
21									
	(b) Evaluate $x^2 - 6xy + 2y^2$ when $x = 2$ and $y = -3$.								
		Answer (a) t [2]							
		(<i>b</i>)[2]							
22	(a)	The <i>n</i> th term of a sequence is $7 - 2n$.							
		Write down the 23rd term in this sequence.							
		Answer (a)[1]							
	(b)	(i) The first five terms of another sequence are							
		4 7 10 13 16.							
		Write down an expression, in terms of n , for the n th term of this sequence.							
		(ii) The first five terms of another sequence are $4 - 7 = 10 - 12 = 16$							
		$\frac{4}{1} \frac{7}{4} \frac{10}{9} \frac{13}{16} \frac{16}{25}.$							
		(a) Write down the next term in this sequence.(b) Write down an expression, in terms of <i>n</i>, for the <i>n</i>th term of this sequence.							
		Answer (b) (i)[1]							
		(<i>b</i>)(ii)(<i>a</i>)[1							
		(<i>b</i>)(ii)(<i>b</i>)[1]							



24 (a) Fifty students were asked how many books they each took to school on Monday. The results are summarised in the table below.

Number of books	0	1	2	3	4	5	6	7
Frequency	10	11	8	3	6	7	4	1

- (i) Write down the median.
- (ii) Calculate the mean number of books.
- (iii) What is the probability that two students, chosen at random, both took 5 books to school?

Give your answer as a fraction in its simplest form.

Answer (a)(i)[1]


(ii)[3]

- (iii)[2]
- (b) The fifty students were also asked how long they each took to travel to school. The results are summarised in the table below.

Time of travel (<i>t</i> minutes)	$4 \le t < 6$	$6 \le t < 8$	$8 \le t < 10$	$10 \le t < 12$	
Frequency	21	11	13	5	

Draw a frequency polygon on the grid below to illustrate this data.

Answer (b)



For Examiner's Use

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.