UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

MARK SCHEME for the May/June 2010 question paper for the guidance of teachers

4024 MATHEMATICS (SYLLABUS D)

4024/11 Paper 11, maximum raw mark 75

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2010	4024	11

Qu	Answers	Mark	Part Marks
1	(a) $\frac{13}{18}$ oe	1	
	(b) $\frac{22}{27}$ oe	1	
2	(a) 9	1	
	(b) 12	1	
3	(a) 63	1	
	(b) $\frac{28}{}$	1	
4	π 64	2	M1 for $(60 + 20) \div (\text{total time})$
5	(a) C	1	Wil for (60 + 20) · (total time)
	(b) (0)40 ^(*)	1	
6	(a) $x < 3.5$	1	
	(b) 3	1ft	ft from their (a)
7	TRUE TRUE	2	B1 for TRUE TRUE or FALSE with valid example evaluated
	FALSE Valid Example		or read with this chample continues
8	(a) 49	1	
	(b) 18	1	
9	(a) 6.5	1	
	(b) 6	2	B1 for 7.5 seen
10	(a) (0).012	1	
	(b) 300	1	
	(c) 3 cao	1	
11	Congruent triangles established	3	M1 for CO = OD or AO = OB
	and conclusion		M1 for $A\hat{O}C = B\hat{O}D$
			A1 for both pairs of equal sides, equal angles, a valid reason and conclusion
12	(a) 1.5 , 6.5	1	
	(b) $x \ge 0, y \ge 4, x \le 3$	2	C1 for two correct or all 3 inequalities consistently wrong, or =

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2010	4024	11

13	(a) (400 350)	2	C1 for 750 B1 for 400 or 350 seen
	(b) Total cost (of each family's order).	1	
14	Correct histogram	3	B2 for three correct columns B1 for one correct column SC1 for correct frequency densities
15	(a) 40.81	1	
	(b) (i) 6.9(0)	1	
	(ii) 2.76	2	M1 for their (b)(i) ÷ 2.50
16	(a) 6 8 13	3	C2 for total 27 with their median 8 or C1 8 or total 27 or B1 for 27 seen or M1 for a relevant equation containing such as x and $x+7$ or $y-7$ and y
	(b) 17 cao	1	
17	(a) $y = \frac{36}{x^2}$	2	C1 for $y = \frac{k}{x^2}$ B1 for $k = 36$ seen
			M1 for $y = \frac{k}{x^2}$ seen with any k
	(b) 9 cao	1	
	(c) ±6 cao	1	
18	(a) 50	1	
	(b) 65	1	
	(c) 45	1	
	(d) 225	1	
19	(a) 78	1	
	(b) 1.62×10^{11}	1	
	(c) $5.32(2) \times 10^{21}$	2	C1 for figs 5322 or 5.3× 10 ²¹
20	(a) 4:25	1	
	(b) 2:5	1	
	(c) 7.5	2	M1 for $\frac{3}{CD} = \frac{2}{5}$ or better

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – May/June 2010	4024	11

21	(a) 22 – 3n	2	B1 for -3n soi
	(b) (i) $(2x-5y)(2x+5y)$	1	
	(ii) $(5a-2)(x-a)$	2	M1 for the correct extraction of a common factor at any stage
22	(a) Correct distance/time graph	3	B2 for any two correct lines or L_1 (1010,0) to (a, 6), gradient m, L_2 (a, 6) to (b, 6) L_3 (b, 6) to (1100,0) or (c, 0), gradient – m. B1 for a horizontal line at d = 6 or a horizontal line, 14 mins, anywhere or $\frac{6}{20}$ soi
	(b) (i) 10 48	1	
	(ii) 4	1	
23	(a) (i) $t^2 - 4t + 3 = 0$ correctly derived AG	1	Must see $(20t - 5t^2) = 15$
	(ii) 1, 3	2	C1 for one value correct, and no incorrect value given M1 for $(t-1)(t-3)$ oe seen
	(b) 4	2	M1 for $20t - 5t^2 = 0$ or better seen
24	(a) (i) 0.75 oe	2	M1 for $5 - 6x \pm 2 = 2x + 1$ soi
	(ii) $\frac{8}{15}$ oe	2	M1 for $\frac{5t}{2} = \frac{4}{3}$ or better
	(b) $x=2$ $y=-3$	3	C2 for one correct www M1 for elimination or substitution reaching such as 11x = k or $hx = 22$ or $11y = p$ or $qy = -33$