	Candidate Number	Name	
UNIVER		E INTERNATIONAL EXAMINATIONS	
PHYSICS		5054/0)2
Paper 2 The	ory	May/June 20	05
	swer on the Question Pap	ber. 1 hour 45 minut	es
Additional Mate	erials: Answer Paper		
READ THESE INSTRU			
Write in dark blue or bla You may use a soft per Do not use staples, pap Section A Answer all questions.	ack pen. ncil for any diagrams, grap per clips, highlighters, glue	e or correction fluid.	
Section B Answer any two question	he spaces provided on the ons. the separate answer pape		
		te answer paper securely to the Question Pape he end of each question or part question.	ır.
		For Exami	ner's Use
		For Exami Section A	ner's Use
details. If any details are	e incorrect or		ner's Use
details. If any details are missing, please fill in yo in the space given at the	e incorrect or our correct details e top of this page.	Section A Q9 Q10	ner's Use
details. If any details are missing, please fill in yo in the space given at the Stick your personal labe	e incorrect or our correct details e top of this page.	Section A Q9	ner's Use
If you have been given details. If any details are missing, please fill in yo in the space given at the Stick your personal labe provided.	e incorrect or our correct details e top of this page. el here, if	Section A Q9 Q10 Q11	ner's Use

Section A

Answer **all** the questions in this section.

1 Fig. 1.1 represents the motion of Earth and the planet Venus around the Sun. The orbits shown are circles.





Fig. 1.1

- (a) On Fig. 1.1, draw an arrow to show the direction of the force exerted by the Sun on the Earth. [1]
- (b) Information about Earth and Venus is given in the table.

planet	time for one orbit in (Earth) years	radius of orbit /million km	circumference of orbit/million km
Venus	0.7	108	679
Earth	1.0	150	942

(i) Use the information in the table to show that Venus has a greater speed than Earth.

(ii) As Earth and Venus move in their orbits, the distance between them changes. Calculate the largest possible distance between them. **2** Fig. 2.1 shows the lens of a simple camera being used to photograph an object.





The lens forms a focused image of the object on the film.

- (a) Draw two rays from the top of the object to show how the lens forms the image. [2]
- (b) The object moves closer to the camera. State how the lens is adjusted to keep the image in focus.

......[1]

(c) Complete Fig. 2.2 to show how white light is split into a spectrum when it passes through a glass prism. [3]





Fig. 2.2

3 Fig. 3.1 shows a weather balloon. The balloon is shown partly filled with gas from a cylinder.





The balloon contains no gas initially. When it is connected to the cylinder, gas enters the balloon. The pressure in the cylinder decreases.

- (a) Explain why the molecules inside the cylinder
 - (i) exert a large pressure initially,

(ii) exert a smaller pressure in the cylinder when the balloon is filled.


(b) The volume of the cylinder is 0.0020 m³. The pressure inside the cylinder is initially 200 atmospheres. When the cylinder is connected to the balloon, the final pressure in the cylinder and the balloon is 1.0 atmosphere.

The temperature of the gas remains constant.

Calculate the final volume of gas in the balloon. State the equation that you use.

volume = [3]

4 Fig. 4.1 shows a hydroelectric power station. Water from the lake is used to produce electricity in the turbine house.



5 Fig. 5.1 shows a coil of wire wrapped around a plastic tube. Inside the tube are two pieces of soft iron. When the switch is closed, the compass needles point in the direction of the magnetic field produced at each position. You may ignore the magnetic field of the Earth in this question.




Fig. 5.1

(a) On Fig. 5.1 mark arrows, in compasses A, B and C, to show the direction of the magnetic field at each position after the switch has been closed. [2] (b) When the switch is closed, the two pieces of soft iron in the tube become magnets and move. (i) On Fig. 5.1, mark the poles formed on each piece of soft iron. [1] (ii) State and explain how the pieces of iron move. (c) State the effect on the magnetic field of (i) reversing the direction of the current,[1] (ii) reducing the size of the current.[1]

For Examiner's Use

6

appliance	mains supply voltage /V	current through appliance / A	power /W	power /kW	time used per day /h	energy used per day /kW h
television	240	1.20	288	0.288	2.50	0.720
water heater	240	12.6			0.50	

7

(a) Write the missing values in the empty spaces in the table.

- [3]
- (b) Why is more power needed for the water heater than for the television?

- (c) The water heater is connected to the mains supply. Explain why using a 3 A fuse would
- **(C)** The water heater is connected to the mains supply. Explain why using a 3 A fuse would **not** be suitable.

 7 Fig. 7.1 shows an electrical circuit.





Fig. 7.1

(a)	On Fig. 7.1, draw an arrow at A to show the direction of flow of the electrons in the wire. [1]
(b)	What is the name of component X?
	[1]
(c)	State and explain how the potential difference across X varies as the light shining on it becomes brighter.


For Examiner's Use

8 Three cells are connected in series making a battery, as shown in Fig. 8.1. The e.m.f. of each cell is 1.5 V. A resistance of 15Ω is connected to the battery.





- - current =[3]
- (c) A battery can be made from cells connected in parallel, as shown in Fig. 8.2.





State one advantage of connecting the cells in parallel.

Section B

Answer two questions from this section.


Write your answers on the separate answer paper provided.

- **9** A train travels from one station to the next. It starts from rest at time t = 0 and accelerates uniformly for the first 20 s. At t = 20 s it reaches its top speed of 25 m/s. It then travels at this speed for a further 30 s before decelerating uniformly to rest. The total time for the journey is 60 s.
 - (i) Sketch a speed-time graph for the motion of the train. Do not use graph paper. Put the speed of the train on the *y*-axis and time along the *x*-axis.
 [3]
 - (ii) Write down the equation, in words, that relates acceleration, time and change in velocity. [1]
 - (iii) Explain what is meant by a *uniform* acceleration. [1]
 - (iv) Use your graph to calculate the deceleration of the train as it comes to rest. [2]
 - (b) Several forces act on the train when it is moving.
 - (i) Name the horizontal and vertical forces that act on the train and give the direction of each force. [4]
 - (ii) Explain whether the horizontal forces are balanced or unbalanced,
 - 1. when the train accelerates,
 - 2. when the train travels at constant speed,
 - 3. when the train decelerates.

You may draw diagrams to help your explanations. [3]

(c) A second train has a non-uniform acceleration. Sketch a speed-time graph showing a non-uniform acceleration. Do **not** use graph paper. [1]

Fig. 10.1 shows where the energy is lost from the house.



11

Fig. 10.1

- (a) (i) Calculate the percentage of the energy lost through the roof. [1]
 - (ii) Energy is lost through the roof by conduction and from the roof by convection and by radiation. Explain in detail how this happens.
 - (iii) Fitting carpets on the floor reduces energy loss. Explain how a carpet reduces energy loss. [2]
- (b) The table gives information about three methods of reducing energy loss.

	method of reducing energy loss	installation cost	saving on energy costs in one year	number of years of saving needed to cover installation costs
Α	fitting carpets on the floor	\$600	\$10	60
В	insulating the roof	\$300	Y	3
С	fitting modern windows	Х	\$20	40

- (i) Calculate the values of X and Y.
- (ii) Which one of these three methods should the house owner choose? Explain your answer. [2]
- (iii) State two other ways, not already mentioned, of reducing energy loss from the house.

[2]

© UCLES 2005

- **11 (a)** Some atoms that undergo radioactive decay have a half-life of 6 hours. The count rate near a sample of these atoms is initially 838 counts/minute. Background radiation near the sample is 18 counts/minute.
 - (i) Describe the structure of an atom. It may help to draw a diagram. [3]
 - (ii) Explain what is meant by *radioactive decay*. State clearly which part of the atom decays.

[3]

[1]

- (iii) State what is meant by background radiation.
- (iv) The equipment is left undisturbed for 12 hours. Calculate the count rate due to the sample of atoms alone after this time. [2]
- (b) The table shows a radioactive series. Atom A emits a beta-particle and becomes atom B. Atom B then emits a particle to become atom C.

atom	proton number (atomic number)	nucleon number (mass number)	radiation emitted
А	83	214	beta-particle
В	Х	214	Y
С	82	210	none

- (i) Calculate the proton number X of atom B and explain how you calculated it. [2]
- (ii) State the name of radiation Y and describe the changes that occur in the atom when this radiation is emitted. [3]
- (iii) Using information from the table, explain why atoms A and C are **not** isotopes of the same element. [1]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.